

#### 立威科技股份有限公司 Attend Technology Inc.

新北市汐止區新台五路一段81號10樓之六 10F-6, No.81, Sec.1, Xintai 5th Rd., Xizhi-Dist., New Taipei City 221, Taiwan, R.O.C. TEL 886 2 2698 7028 FAX 886 2 2698 7078 WEBSITE www.attend.com.tw

## SPECIFICATION AND PERFORMANCE

| Series | 303C-541219-25-05 | File | 303C-541219-25-05_SPEC_1 | Date | 2016/05/10 |
|--------|-------------------|------|--------------------------|------|------------|
|--------|-------------------|------|--------------------------|------|------------|

## Scope:

This specification covers the requirements for product performance, test methods and quality assurance provisions of 303C-541219-25-05

# **Performance and Descriptions:**

The product is designed to meet the electrical, mechanical and environmental performance requirements specification. Unless otherwise specified, all tests are performed at ambient environmental conditions.

### **RoHS:**

All material in according with the RoHS environment related substances list controlled.

| MATERIAL AND FINISH |  |                    |  |
|---------------------|--|--------------------|--|
| HOUSING             | Material                               | PPA, UL94HB, Black |  |
| PIN                 | Material                               | Copper alloy Brass |  |
|                     | Plating                                | 40μ″ Gold Min.     |  |
|                     |  | 120μ″ Nickel Min.  |  |
| BARREL              | Material                               | Copper alloy Brass |  |
|                     | Plating                                | 2μ″ Gold Min.      |  |
|                     |  | 80μ″ Nickel Min.   |  |
| SPRING              | Material                               | Stainless Steel    |  |
| O-RING              | Material Silicone Rubber               |                    |  |
| RATING              | Current Rating: 2A12V AC/DC            |                    |  |
|                     | Operating Temperature : -40°C to +85°C |                    |  |
|                     | Durability: 20,000 cycles              |                    |  |
|                     |  |                    |  |
|                     |  |                    |  |





新北市汐止區新台五路一段81號10樓之六 10F-6, No.81, Sec.1, Xintai 5th Rd., Xizhi-Dist., New Taipei City 221, Taiwan, R.O.C. TEL 886 2 2698 7028 FAX 886 2 2698 7078 WEBSITE www.attend.com.tw

| ELECTRICAL         |   |   |  |
|--------------------|---|---|--|
| Item               | Requirement                                   | Test Condition  |  |
| Contact Resistance | 50mΩ Max. at 0.9mm stroke (at standing still) | Voltage drop system four-wire system with below 300mA |  |

| MECHANICAL            |                      |   |  |
|-----------------------|----------------------|---|--|
| Item                  | Requirement          | Test Condition                                      |  |
| Pin Force             | 1.0N±0.25N at 0.9mm  | 0.9mm compression                                   |  |
|                       | stroke               |   |  |
| Pin Strength          | No appearance damage | Apply 9.8N static load on the plunger in direction  |  |
|                       |                      | for 1 minute.                                       |  |
| Pin Pulling Off Force | No appearance damage | Apply 4.9N static load on the pin in axis direction |  |
|                       |                      | for 1 minute.                                       |  |

| ENVI RONMENTAL PROPERTY OF THE |                       |   |  |
|--|-----------------------|---|--|
| Item   | Requirement           | Test Condition                                    |  |
| Operation durability   | No appearance damage  | 0.9mm pin compression for the nominal stroke at a |  |
|  | Contact Resistance:   | frequency of 10 to 20 times per minute for 20,000 |  |
|  | 100mΩ Max.            | cycles.   |  |
|  | Pin Force: 1.0N±0.25N |   |  |
|  | No appearance damage  |   |  |
| Low Temperature  |                       | Store in temp: -40°C±3°C for 96hrs, then leave in |  |
| Durability   |                       | the ambient temperature for 1 hour.               |  |
|  |                       |   |  |
|  |                       |   |  |
| High Temperature   | Contact Resistance:   | Store in temp: +85°C±2°C for 96hrs, then leave in |  |
| Durability   | 100mΩ Max.            | the ambient temperature for 1 hour.               |  |
|  | No appearance damage  |   |  |
| Humidity Durability  |                       | Store in temp: 60°C±2°C with humidity of 90% ~    |  |
|  |                       | 95% for 96hrs, then leave in the ambient          |  |
|  |                       | temperature for 1 hour.                           |  |
|  |                       |   |  |



### 立威科技股份有限公司 Attend Technology Inc.

新北市汐止區新台五路一段81號10樓之六 10F-6, No.81, Sec.1, Xintai 5th Rd., Xizhi-Dist., New Taipei City 221, Taiwan, R.O.C. TEL 886 2 2698 7028 FAX 886 2 2698 7078 WEBSITE www.attend.com.tw

| Temperature Cycle Test  Temperature And Humidity Cycle Test | Contact Resistance:<br>100mΩ Max.<br>No appearance damage                      | Cycle 5 times  (Table 1 Shows test condition for 1 circle).  Leave in the ambient temp for 1 hour.  Operate cycle test 10 times. (See Fig1)  Then leave in the ambient temp for 1 hour.  The other issues are in conformity to JIS  C60068-2-38.   |
|---|--|--|
| Salt Spray  | No excessive surface corrosion   | The electrical performance shall be measured after continuous spray of salt water with 5±1% density and 35°C±2°C temperature for 48 hours, cleaning with lukewarm water and dry, and leaving in ambient temperature for 1 hour.  |
| Vibration   | Contact Resistance: 100mΩ Max. No appearance damage Intermittency below 1μ sec | Connect each connector pin in series, conducting current of 0.1A. After that, the vibration described below is added.  • Amplitude: 1.5mm  • Sweeping cycle: 10~55~10 Hz/minute  • Duration of test: 2 hours for each of X, Y, Z axis  |
| Shock   |  | Connect each connector pin in series, conducting current of 0.1A. After that, the shock described below is added.  • Accelerating rate: 490m/s²  • Operating time of the test: 11ms  • The number of operating times:  3 shocks at X, Y, Z axis both in negative and positive direction. |



### 立威科技股份有限公司 Attend Technology Inc.

新北市汐止區新台五路一段81號10樓之六 10F-6, No.81, Sec.1, Xintai 5th Rd., Xizhi-Dist., New Taipei City 221, Taiwan, R.O.C. TEL 886 2 2698 7028 FAX 886 2 2698 7078 WEBSITE www.attend.com.tw


| Heat Resistance        | Contact Resistance: 100mΩ Max. No appearance damage | <ul> <li>The electrical performance shall be measured after soldering for 3seconds or less per terminal.         (Temperature of soldering iron: 350°C)     </li> <li>The electrical performance shall be measure in ambient temperature after soldering in accordance with the reflow profile.</li> <li>(See Fig2)</li> </ul> |
|------------------------|---|--|
| Waterproof test (IPV7) | No water leakage found form the test fixture inside | Set a connector with the testing fixture (See Fig3) and submerge it in water at 1m depth for 30 minute.  |

新北市汐止區新台五路一段81號10樓之六

10F-6, No.81, Sec.1, Xintai 5th Rd., Xizhi-Dist., New Taipei City 221, Taiwan, R.O.C.
TEL 886 2 2698 7028 FAX 886 2 2698 7078 WEBSITE www.attend.com.tw

Table 1 –Temperature Cycle

|      | •                | <u> </u>       |
|------|------------------|----------------|
| Step | Temperature (°C) | Time (minutes) |
| 1    | -40±3            | 30~35          |
| 2    | 5~35             | 10~15          |
| 3    | 85±2             | 30~35          |
| 4    | 5~35             | 10~15          |



The information contained herein is exclusive property of ATTEND. Do not copy and print except that Attend accepts. 本文件係屬立威科技股份有限公司所有;非經同意·不得以任何覆寫、拷貝、翻印等方式私自據有。亦不得擅加毀損、塗改。

新北市汐止區新台五路一段81號10樓之六

10F-6, No.81, Sec.1, Xintai 5th Rd, Xizhi-Dist., New Taipei City 221, Taiwan, R.O.C.
TEL 886 2 2698 7028 FAX 886 2 2698 7078 WEBSITE www.attend.com.tw




Fig2 Reflow Profile




Fig3 Water proof fixture