

Part Number : 745460802

Series Number : 74546 Product Category : High-Speed I/O Cable Assemblies

#### **Documents & Resources**

Drawings Drawing 745460802\_sd.pdf

### Product Environment Compliance

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	ø
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Contains TBBA; C,C'- azodi(formamide); Lead monoxide per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

### Part Details

Product Description : iPass PCIe x8 Cable Assembly, 28 AWG, 2.0m Length Status : Active

## General

Status	Active
Category	High-Speed I/O Cable Assemblies
Series	74546
Description	iPass PCIe x8 Cable Assembly, 28 AWG, 2.0m Length
Assembly Configuration	Dual Ended Connectors
Connector to Connector	PCI Express-to-PCI Express
Product Family	iPass Connector System
Product Name	iPass,PCI Express
Туре	Pluggable
UPC	822350025836

# Agency

CSA	LR64395
UL	E72548

## Electrical

Current - Maximum per Contact	1.0A
Voltage - Maximum	30V DC

# Physical

Cable Bundling	None
Cable Length	2.0m
Circuits (Loaded)	68
Circuits (maximum)	68
Gender	Male-Male
Lock to Mating Part	Yes
Material - Metal	Zinc Alloy
Net Weight	492.000/g
Packaging Type	Bag
Release Style	Pull Tab
Single Ended	No
Waterproof / Dustproof	No
Wire/Cable Type	Round

Wire Insulation Diameter	N/A
Wire Size (AWG)	28

## Mates With / Use With

# Mates with Part(s)

Description	Part Number
iPass I/O Right-Angle Surface Mount Receptacles	75586

## Use with Part(s)

Description	Part Number
PCIe Guide Frames	74540

This document was generated on Apr 12, 2024