

Part Number : 2147205010

Series Number : 214720 Product Category : Crimp Terminals

## **Documents & Resources**

Drawings Drawing 2147205010\_sd.pdf

**3D Models and Design Files** 3D Model 2147205010\_stp.zip

### Specifications

Packaging Specification 2147209200-SPK-200.pdf Product Specification 2147190000-PS-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>(</b>
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS

- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

Product Description : Zero-Hachi Crimp Terminal, Female, Gold (Au) Plating, 28-30 AWG, Reel Status : Active

## - chemSHERPA (xml)

# EU RoHS Certificate of Compliance

# **Part Details**

## General

Status	Active
Category	Crimp Terminals
Series	214720
Description	Zero-Hachi Crimp Terminal, Female, Gold (Au) Plating, 28-30 AWG, Reel
Application	Signal, Wire-to-Board
Product Family	Zero-Hachi Connector System
Product Name	Zero-Hachi
UPC	196823391019

## Electrical

Current - Maximum per Contact	1.0A
Voltage - Maximum	30V AC (RMS)/DC

# Physical

Durability (mating cycles max)	20
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Net Weight	4.090/mg
Packaging Type	Reel
Plating min - Mating	1.000µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	0.50-0.60mm
Wire Size (AWG)	28, 30
Wire Size mm <sup>2</sup>	0.04-0.08

Use with Part(s)

Description	Part Number
-------------	-------------

Zero-Hachi Single Row Receptacle	
Housings	

# Application Tooling

# Global

Description	Part Number
FA2 Mechanical Feed Applicator for Zero-Hachi Female Crimp Terminals, 28-32 AWG, UL 3767 Wire	2130693600
FA2 Pneumatic Feed Applicator for Zero-Hachi Female Crimp Terminals, 28-32 AWG, UL 3767 Wire	2130693610

This document was generated on Apr 11, 2024