

https://www.phoenixcontact.com/us/products/3240256



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable clamp, for DIN rails



Your advantages

- · The cable clamps provide strain relief
- The halogen-free plastic troughs have been designed to be perfectly secure while simultaneously protecting the conductors
- Individual or bundled cables with a diameter of up to 30 mm can be installed safely and easily

Commercial data

Item number	3240256
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BE74
Product key	BE7421
Catalog page	Page 583 (C-3-2019)
GTIN	4046356464482
Weight per piece (including packing)	49.5 g
Weight per piece (excluding packing)	49.5 g
Customs tariff number	73269098
Country of origin	CN



https://www.phoenixcontact.com/us/products/3240256



Technical data

Product properties

	Product type	Cable feed-through		
Material specifications				
	Material	Steel		
	Coating	galvanized		
Cable/line				
	External cable diameter	26 mm 30 mm		
Mounting				
	Mounting type	DIN rail mounting		

3240256

https://www.phoenixcontact.com/us/products/3240256



Drawings

Dimensional drawing

\$\leq 33,5 \\
\text{24}

\$\leq 6 \text{7}

\$\leq 25 \\
\text{1.5}

\$\leq 24 \\
\text{1.5}

\$\leq 25 \\
\text{1.5}

\$\leq 24 \\
\text{1.5}

\$\leq 25 \\
\text{1.5}

\$\leq 24 \\
\text{1.5}

\$\leq 25 \\
\t



https://www.phoenixcontact.com/us/products/3240256



Classifications

ECLASS

ECLASS-11.0	23159090		
ECLASS-13.0	23159090		
ECLASS-12.0	23159090		
ETIM			
ETIM 9.0	EC000464		

UNSPSC 21.0	31162900
-------------	----------



https://www.phoenixcontact.com/us/products/3240256



Environmental product compliance

EU R	oHS
------	-----

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	

3240256

https://www.phoenixcontact.com/us/products/3240256



Accessories

NS 30/15 PERF 2000MM VPE 10 - DIN rail perforated

3240262

https://www.phoenixcontact.com/us/products/3240262



DIN rail perforated, Pack of 10 (20 m), similar to EN 60715, material: Steel, galvanized, C profile

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com