

MEAS | MEAS 3038 TE Internal #: 3038-0200 MEMS Accelerometer, Uniaxial Sensing, Solder, MEAS 3038 View on TE.com >



Sensors > Vibration Sensors > Model 3038 SMT DC Accelerometers



Accelerometer Type: MEMS DC Vibration Sensor Product Type: MEMS Accelerometer Number of Sensing Axes: Uniaxial Full Scale Output Voltage: ±.1 VDC Sensor Mount Type: Solder

All Model 3038 SMT DC Accelerometers (6)

Features

Product Type Features

Sensor Package

Embedded

Accelerometer Type

MEMS DC

Vibration Sensor Product Type	MEMS Accelerometer			
Electrical Characteristics				
Zero Acceleration Output	±25 mV			
Excitation Voltage Range	2 - 10 VDC			
Full Scale Output Voltage	±.1 VDC			
Body Features				
Primary Product Material	Ceramic			
Product Weight	.6 g			
Number of Sensing Axes	Uniaxial			
Mechanical Attachment				
Sensor Mount Type	Solder			
Usage Conditions				
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]			
Operation/Application				
Output Current Type	DC			

C For support call +1 800 522 6752



Other

Non-Linearity (FSO)	±1 %
Acceleration Range (±)	200 g
Sensitivity	.4 mV/g

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | MEAS 3038

C For support call +1 800 522 6752


3038-0200

MEMS Accelerometer, Uniaxial Sensing, Solder, MEAS 3038





Customers Also Bought



-2297507-1 IN HSG,16, DT, CODE A,	TE Part # 2820763012 44A0111-30-9	TE Part # 2-2297507-1 2POS,CE,PIN HSG,16, DT, CODE B, ASSY,SLD	TE Part # 3742609209 Speed sen DSS 1210.15 PHV 11.99014- 0214	

TE Part # 3742610092 Speed sen DSS 1210.15 P4HV 11.99014-021

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3038-0200_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3038-0200_E.3d_igs.zip

3038-0200

MEMS Accelerometer, Uniaxial Sensing, Solder, MEAS 3038



English

Customer View Model ENG_CVM_CVM_3038-0200_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages 3038_Accelerometer

English