# 805M1-0200 🗸 ACTIVE

MEAS | MEAS 805 TE Internal #: 805M1-0200 Piezoelectric Accelerometer, Uniaxial Sensing, Adhesive, MEAS 805 View on TE.com >



Sensors > Vibration Sensors



### Accelerometer Type: 3-Wire Voltage

Vibration Sensor Product Type: Piezoelectric Accelerometer

Number of Sensing Axes: Uniaxial

Frequency Response: 1 to 8000 Hz

Full Scale Output Voltage: **±2 VDC** 

## Features

## Product Type Features

Sensor Package

Accelerometer Type

Vibration Sensor Product Type

Embedded

3-Wire Voltage

Piezoelectric Accelerometer

#### **Electrical Characteristics**

Excitation Voltage Range	3 - 5.5 VDC			
Full Scale Output Voltage	±2 VDC			
Signal Characteristics				
Frequency Response	1 to 8000 Hz			
Body Features				
Primary Product Material	Stainless Steel			
Product Weight	5 g[.17 oz]			
Number of Sensing Axes	Uniaxial			
Mechanical Attachment				
Sensor Mount Type	Adhesive			
Usage Conditions				
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]			
Operation/Application				
Output Current Type	AC			

**C** For support call +1 800 522 6752



### Other

Non-Linearity (FSO)	±1 %
Acceleration Range (±)	200 g
Sensitivity	10 mV/g

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




Also in the Series | MEAS 805

**C** For support call +1 800 522 6752

Piezoelectric Accelerometer, Uniaxial Sensing, Adhesive, MEAS 805





# Customers Also Bought





805M1-0200-01 TO-5 Accelerometer

# Documents

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_805M1-0200\_M.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_805M1-0200\_M.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_805M1-0200\_M.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

## Datasheets & Catalog Pages

805M1\_Accelerometer

English

**C** For support call +1 800 522 6752

# 805M1-0200

Piezoelectric Accelerometer, Uniaxial Sensing, Adhesive, MEAS 805

