



Test adapter, Length: 37.3 mm, Pitch size: 5 mm, Colour: Beige

Business data

Article number	2821.0
Article name	TAD 5/1/S
GTIN (EAN)	4044211055479
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	9.6 g
Weight per piece (including packaging)	9.76 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Test adapter
Colour	Beige

Data sheet

2821.0 TAD 5/1/S



Technical data

Dimensions

Length	37.3 mm
Pitch size	5 mm

Connection data

Wire cross-section stranded, min.	0.5 mm ²
Wire cross-section stranded, max.	1 mm ²
Stripping length	5 mm

Materials

Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C


Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

Media


Accessories

Terminal blocks




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1209.2</u>	RKD 2,5/SV BG	4044211028398	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1127.2</u>	RKD 2,5/35 BG	4044211019532	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1206.2</u>	RKD 2,5 BG	4044211028145	100



Ex double-level terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1428.2</u>	RKD 2,5 Ex BG	4044211044756	100



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1579.2</u>	RKD 2,5/35/SV BG	4044211047665	100


Quick marking



Terminal marker / Pocket Maxicard, Length: 5 mm, Width: 5 mm, Colour: White


Article number	Article name	GTIN (EAN)	Packaging unit
<u>4600.7</u>	PMC SB 5/50 WH	4044211088903	500 ST

##INVERSE##CONTA-CONNECT




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1209.2</u>	RKD 2,5/SV BG	4044211028398	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1127.2</u>	RKD 2,5/35 BG	4044211019532	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1206.2</u>	RKD 2,5 BG	4044211028145	100



Ex double-level terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1428.2</u>	RKD 2,5 Ex BG	4044211044756	100




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1579.2</u>	RKD 2,5/35/SV BG	4044211047665	100

Data sheet

2821.0 TAD 5/1/S

##INVERSE##CONTA-CONNECT



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1581.2</u>	RKD 4/35/SV BG	4044211047689	100