

https://www.phoenixcontact.com/us/products/1107650



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

3-phase loop bridge for 3 CONTACTRON modules, with Push-in connection and 22.5 mm housing width, cable length between the modules: $0.3 \, \text{m}$, connecting cable: $2 \, \text{m}$



Your advantages

· Considerable reduction in wiring

Commercial data

Item number	1107650
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C470
Product key	CK74Z1
GTIN	4063151009069
Weight per piece (including packing)	283.466 g
Weight per piece (excluding packing)	254.7 g
Customs tariff number	85444290
Country of origin	DE



https://www.phoenixcontact.com/us/products/1107650



Technical data

Product properties

Product type	Loop bridge
Product family	CONTACTRON
Number of bridgeable modules	3

Electrical properties

Operating voltage range	42 V AC 575 V AC
Operating current	≤ 25 A

Dimensions

Width	22.5 mm

Material specifications

Color gray (RAL 7042)

Cable/line

Connecting cable length	2 m
Cable cross section	2.5 mm²



1107650

https://www.phoenixcontact.com/us/products/1107650

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1107650



UL Listed

Approval ID: FILE E 172140



cUL Listed

Approval ID: FILE E 172140



cUL Listed

Approval ID: FILE E 228652



UL Listed

Approval ID: FILE E 228652



1107650

https://www.phoenixcontact.com/us/products/1107650

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27371392
	ECLASS-13.0	27371392
	ECLASS-12.0	27371392
202,00 .20		
ETIM		
	ETIM 9.0	EC002498
UNSPSC		

39121100



https://www.phoenixcontact.com/us/products/1107650



Environmental product compliance

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%



https://www.phoenixcontact.com/us/products/1107650



Accessories

BRIDGE COVER - Covering hood

2906240

https://www.phoenixcontact.com/us/products/2906240



The BRIDGE COVER covering hood is used to cover unused plugs on the CONTACTRON bridge that may subsequently be used to extend the system. The hood can be used with the screw and Push-in version of the bridge.

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com