

# EM-CSS-FAN-45 - Fan



1276912

<https://www.phoenixcontact.com/us/products/1276912>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Replaceable fan for 45 mm wide CONTACTRON Speed Starters



## Commercial data

Item number	1276912
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C473
Product key	CK731Z
GTIN	4063151471217
Weight per piece (including packing)	46.9 g
Weight per piece (excluding packing)	46.9 g
Customs tariff number	84145915
Country of origin	TW

# EM-CSS-FAN-45 - Fan



1276912

<https://www.phoenixcontact.com/us/products/1276912>

## Technical data

### Product properties

Product type	Fan
--------------	-----

# EM-CSS-FAN-45 - Fan



1276912

<https://www.phoenixcontact.com/us/products/1276912>

## Classifications

### ECLASS

ECLASS-11.0	27371392
ECLASS-13.0	27371392
ECLASS-12.0	27371392

### ETIM

ETIM 9.0	EC002498
----------	----------

### UNSPSC

UNSPSC 21.0	39121100
-------------	----------

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)
China RoHS	
Environment friendly use period (EFUP)	EFUP-25
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)

1276912

<https://www.phoenixcontact.com/us/products/1276912>

## Mandatory accessories

### CSS 1.5-1/3 - Speed starter

1201511

<https://www.phoenixcontact.com/us/products/1201511>



Speed starter with soft start and configurable speed for starting and reversing motors up to 230 V AC and 1.5 kW, configurable motor protection, analog input, STO function up to SIL 3/PL e, single-phase load input

---

### CSS 0.55-1/3-EMC - Speed starter

1201602

<https://www.phoenixcontact.com/us/products/1201602>



Speed starter with soft start and configurable speed for starting and reversing motors up to 230 V AC and 0.55 kW, configurable motor protection, analog input, STO function up to SIL 3/PL e, single-phase load input, with integrated EMC filter

# EM-CSS-FAN-45 - Fan

1276912

<https://www.phoenixcontact.com/us/products/1276912>



## CSS 0.75-1/3-EMC - Speed starter

1201613

<https://www.phoenixcontact.com/us/products/1201613>



Speed starter with soft start and configurable speed for starting and reversing motors up to 230 V AC and 0.75 kW, configurable motor protection, analog input, STO function up to SIL 3/PL e, single-phase load input, with integrated EMC filter

---

## CSS 1.5-1/3-EMC - Speed starter

1201642

<https://www.phoenixcontact.com/us/products/1201642>



Speed starter with soft start and configurable speed for starting and reversing motors up to 230 V AC and 1.5 kW, configurable motor protection, analog input, STO function up to SIL 3/PL e, single-phase load input, with integrated EMC filter

# EM-CSS-FAN-45 - Fan

1276912

<https://www.phoenixcontact.com/us/products/1276912>



## CSS 1.5-3/3 - Speed starter

1201650

<https://www.phoenixcontact.com/us/products/1201650>



Speed starter with soft start and configurable speed for starting and reversing motors up to 480 V AC and 1.5 kW, configurable motor protection, analog input, STO function up to SIL 3/PL e, three-phase load input

---

## CSS 1.5-3/3-EMC - Speed starter

1201696

<https://www.phoenixcontact.com/us/products/1201696>



Speed starter with soft start and configurable speed for starting and reversing motors up to 480 V AC and 1.5 kW, configurable motor protection, analog input, STO function up to SIL 3/PL e, three-phase load input, with integrated EMC filter

---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)