

1424552

https://www.phoenixcontact.com/us/products/1424552

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Counter nut, connecting thread: Pg16, color: light grey



Commercial data

Item number	1424552
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF68
Product key	BF7DZX
Catalog page	Page 687 (C-2-2019)
GTIN	4055626374567
Weight per piece (including packing)	3.96 g
Weight per piece (excluding packing)	3.2 g
Customs tariff number	39269097
Country of origin	TR



1424552

https://www.phoenixcontact.com/us/products/1424552

Technical data

Product properties

Product type	Flat nut
--------------	----------

Dimensions

Dimensional drawing	PG 16 _
Length	6 mm
Diameter	22.5 mm
Connecting thread diameter	22.5 mm
Wrench size, counter nut	30 mm
Hexagon angular dimension	33 mm
Thread type connection side	Pg16

Material specifications

Material	PA 6.6 GF
Flammability rating according to UL 94	V2

Cable/line

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C
---------------------------------	---------------




https://www.phoenixcontact.com/us/products/1424552



Drawings

Dimensional drawing





1424552

https://www.phoenixcontact.com/us/products/1424552

Classifications

ECLASS

	ECLASS-11.0	27144424
	ECLASS-13.0	27140807
ETIM		
	••••	
	ETIM 9.0	EC000940
UNSPSC		
	UNSPSC 21.0	31161700



https://www.phoenixcontact.com/us/products/1424552



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com