A-INL-PG36-P-BK - Counter nut

1424565

https://www.phoenixcontact.com/us/products/1424565

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Counter nut, connecting thread: Pg36, color: jet black



Commercial data

Item number	1424565
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF68
Product key	BF7DZX
Catalog page	Page 687 (C-2-2019)
GTIN	4055626374697
Weight per piece (including packing)	12.63 g
Weight per piece (excluding packing)	12.09 g
Customs tariff number	39269097
Country of origin	TR



https://www.phoenixcontact.com/us/products/1424565



Technical data

Product properties				
Product type	Flat nut			
Dimensions				
Dimensional drawing	8 8 - PG 35 -			
Length	8 mm			
Diameter	47 mm			
Connecting thread diameter	47 mm			
Wrench size, counter nut	60 mm			
Hexagon angular dimension	66 mm			
Thread type connection side	Pg36			
Material specifications				
Material	PA 6.6 GF			
Flammability rating according to UL 94	V2			
Cable/line				
Halogen-free	yes			
Environmental and real-life conditions				
Ambient temperature (operation)	-40 °C 100 °C			




https://www.phoenixcontact.com/us/products/1424565



Drawings

Dimensional drawing





https://www.phoenixcontact.com/us/products/1424565



Classifications

ECLASS

	ECLASS-11.0	27144424	
	ECLASS-13.0	27140807	
ETIM			
	ETIM 9.0	EC000940	
UNSPSC			
	UNSPSC 21.0	31161700	



https://www.phoenixcontact.com/us/products/1424565



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com