

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cover for setting the end of a terminal row, color: green



Commercial data

Item number	2716949
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	C460
Product key	CK61AZ
Catalog page	Page 439 (C-5-2019)
GTIN	4017918062033
Weight per piece (including packing)	6.39 g
Weight per piece (excluding packing)	6.39 g
Customs tariff number	85389099
Country of origin	CN

D-DEK 1,5 GN - Separating plate



2716949

<https://www.phoenixcontact.com/us/products/2716949>

Technical data

Product properties

Product type	Partition plate
--------------	-----------------

Mounting

Mounting type	DIN rail mounting
---------------	-------------------

Material specifications

Color	green (RAL 6021)
-------	------------------

Dimensions

Width	2.2 mm
Height	80 mm
Depth	56 mm

D-DEK 1,5 GN - Separating plate



2716949

<https://www.phoenixcontact.com/us/products/2716949>

Classifications

ECLASS

ECLASS-11.0	27371692
ECLASS-12.0	27371692
ECLASS-13.0	27371692

ETIM

ETIM 9.0	EC002586
----------	----------

UNSPSC

UNSPSC 21.0	39122300
-------------	----------

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

D-DEK 1,5 GN - Separating plate



2716949

<https://www.phoenixcontact.com/us/products/2716949>

Mandatory accessories

DEK-REL- 24/I/1 - Relay Module

2940171

<https://www.phoenixcontact.com/us/products/2940171>



Relay terminal block, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 24 V AC/DC, for assembly on NS 35/7.5, terminal width 6.2 mm

DEK-OE- 24DC/ 48DC/100 - Solid-state relay terminal block

2940207

<https://www.phoenixcontact.com/us/products/2940207>



Input solid-state relay terminal block, input: 24 V DC, output: 3 - 48 V DC/100 mA, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949


<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE-230AC/ 48DC/100 - Solid-state relay terminal block

2940210

<https://www.phoenixcontact.com/us/products/2940210>



Input solid-state relay terminal block, input: 230 V AC, output: 3 - 48 V DC/100 mA, terminal block width: 6.2 mm

DEK-OE- 5DC/ 48DC/100 - Solid-state relay terminal block

2940223

<https://www.phoenixcontact.com/us/products/2940223>



Input solid-state relay terminal block, input: 5 V DC, output: 3 - 48 V DC/100 mA, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE- 48DC/ 48DC/100/T - Solid-state relay terminal block

2940281

<https://www.phoenixcontact.com/us/products/2940281>



Input solid-state relay terminal block, input: 48 V DC, output: 3 - 48 V DC/100 mA, with isolating plug in output, terminal block width: 6.2 mm

DEK-OE-125DC/ 48DC/100/T - Solid-state relay terminal block

2940294

<https://www.phoenixcontact.com/us/products/2940294>



Input solid-state relay terminal block, input: 125 V DC, output: 3 - 48 V DC/100 mA, with isolating plug in output, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



EIK1-SVN-24P - Solid-state relay module

2940799

<https://www.phoenixcontact.com/us/products/2940799>



Switching amplifier electronic terminal block, for inductive proximity sensors acc. to NAMUR, with light indicators for sensor signal and faults

DEK-REL- 24/O/1 - Relay Module

2941154

<https://www.phoenixcontact.com/us/products/2941154>



Relay terminal block, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 24 V AC/DC, for assembly on NS 35/7.5, terminal width 6.2 mm, design rotated

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-REL- 5/O/1 - Relay Module

2941170

<https://www.phoenixcontact.com/us/products/2941170>



Relay terminal block, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 5 V AC/DC, for assembly on NS 35/7.5, terminal width 6.2 mm, design rotated

DEK-REL- 5/I/1 - Relay Module

2941183

<https://www.phoenixcontact.com/us/products/2941183>



Relay terminal block, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 5 V AC/DC, for assembly on NS 35/7.5, terminal width 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OV- 5DC/ 24DC/ 3 - Solid-state relay terminal block

2941361

<https://www.phoenixcontact.com/us/products/2941361>



Power solid-state relay terminal block, input: 5 V DC, output: 3 - 30 V DC/3 A, terminal block width: 6.2 mm

DEK-OV- 24DC/ 24DC/ 3 - Solid-state relay terminal block

2941374

<https://www.phoenixcontact.com/us/products/2941374>



Power solid-state relay terminal block, input: 24 V DC, output: 3 - 30 V DC/3 A, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OV- 12DC/ 24DC/ 3 - Solid-state relay terminal block

2941387

<https://www.phoenixcontact.com/us/products/2941387>



Power solid-state relay terminal block, input: 12 V DC, output: 3 - 30 V DC/3 A, terminal block width: 6.2 mm

DEK-OE- 60DC/ 48DC/100 - Solid-state relay terminal block

2941536

<https://www.phoenixcontact.com/us/products/2941536>



Input solid-state relay terminal block, input: 60 V DC, output: 3 - 48 V DC/100 mA, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949


<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE-120AC/ 48DC/100 - Solid-state relay terminal block

2941659

<https://www.phoenixcontact.com/us/products/2941659>



Input solid-state relay terminal block, input: 120 V DC, output: 3 - 48 V DC/100 mA, terminal block width: 6.2 mm

DEK-OV- 12DC/ 24DC/ 10 - Solid-state relay terminal block

2961749

<https://www.phoenixcontact.com/us/products/2961749>



Power solid-state relay terminal block, input: DC voltage, output: DC voltage, input voltage: 12 V DC

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OV- 5DC/ 24DC/ 10 - Solid-state relay terminal block

2961752

<https://www.phoenixcontact.com/us/products/2961752>



Power solid-state relay terminal block, input: DC voltage, output: DC voltage, input voltage: 5 V DC

DEK-REL- 24/1/SEN - Relay Module

2964050

<https://www.phoenixcontact.com/us/products/2964050>



Relay terminal block for sensor, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 24 V AC/DC, for assembly on NS 35/7.5, terminal width 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-REL- 24/1/AKT - Relay Module

2964063

<https://www.phoenixcontact.com/us/products/2964063>



Relay terminal block for actuator, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 24 V AC/DC, for assembly on NS 35/7.5, terminal width 6.2 mm

DEK-REL- 24/1/S - Relay Module

2964131

<https://www.phoenixcontact.com/us/products/2964131>



Relay terminal block, with soldered-in miniature relays, contact (AgNi+Au): small to medium loads, 1 N/O contact, input voltage 24 V AC/DC, with integrated "manual", "0", "automatic" switch, for assembly on NS 35/7.5, terminal width 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE- 24DC/ 48DC/100/T - Solid-state relay terminal block

2964254

<https://www.phoenixcontact.com/us/products/2964254>




Input solid-state relay terminal block, input: 24 V DC, output: 3 - 48 V DC/100 mA, with isolating plug in output, terminal block width: 6.2 mm

DEK-OE- 5DC/ 24DC/100KHZ - Solid-state relay terminal block

2964270

<https://www.phoenixcontact.com/us/products/2964270>



Input solid-state relay, transmission frequency: 100 kHz, with LED and protective circuit in input and output circuits, input: 5 V DC, output: 4 - 30 V DC/50 mA

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE- 24DC/ 24DC/100KHZ - Solid-state relay terminal block

2964283

<https://www.phoenixcontact.com/us/products/2964283>



Input solid-state relay, transmission frequency: 100 kHz, with LED and protective circuit in input and output circuits, input: 24 V DC, output: 4 - 30 V DC/50 mA

DEK-OV- 24DC/ 24DC/ 3/AKT - Solid-state relay terminal block

2964296

<https://www.phoenixcontact.com/us/products/2964296>



Power solid-state relay terminal block for actuator, input: 24 V DC, output: 3 - 30 V DC/3 A, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949


<https://www.phoenixcontact.com/us/products/2716949>



DEK-TR/INV - Switching amplifier

2964319

<https://www.phoenixcontact.com/us/products/2964319>



Inverter module. The inverter module inverts the signals of ground switching n-p-n transistor outputs into plus switching p-n-p outputs, and vice versa.

DEK-OV- 24DC/ 24DC/ 10 - Solid-state relay terminal block

2964322

<https://www.phoenixcontact.com/us/products/2964322>



Power solid-state relay terminal block with short-circuit-proof DC voltage output, input: 24 V DC, output: 3 - 33 V DC/10 A

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE- 24DC/ 24DC/100KHZ-G - Solid-state relay terminal block

2964348

<https://www.phoenixcontact.com/us/products/2964348>



Input solid-state relay, with DC voltage output push-pull, transmission frequency: 100 kHz, with light indicator and protective circuit in input and output circuits, input: 24 V DC, output: 14 - 30 V DC/50 mA

DEK-OE- 24DC/ 5DC/100KHZ-G - Solid-state relay terminal block

2964364

<https://www.phoenixcontact.com/us/products/2964364>



Input solid-state relay, with DC voltage output push-pull, transmission frequency: 100 kHz, with light indicator and protective circuit in input and output circuits, input: 24 V DC, output: 4 - 18 V DC/50 mA

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE- 12DC/ 48DC/100 - Solid-state relay terminal block

2964487

<https://www.phoenixcontact.com/us/products/2964487>



Input solid-state relay terminal block, input: 12 V DC, output: 3 - 48 V DC/100 mA, terminal block width: 6.2 mm

DEK-REL-G24/21 - Relay Module

2964500

<https://www.phoenixcontact.com/us/products/2964500>



Relay terminal, with soldered-in miniature power relay, contacts (AgSnO): medium to high loads, 1 changeover contact, input voltage 24 V DC, for mounting on NS 35/7,5, terminal width 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OE- 5DC/ 5DC/100KHZ-G - Solid-state relay terminal block

2964542

<https://www.phoenixcontact.com/us/products/2964542>



Input solid-state relay, with DC voltage output push-pull, transmission frequency: 100 kHz, with light indicator and protective circuit in input and output circuits, input: 5 V DC, output: 4 - 18 V DC/50 mA

DEK-OE- 5DC/ 24DC/100KHZ-G - Solid-state relay terminal block

2964555

<https://www.phoenixcontact.com/us/products/2964555>



Input solid-state relay, with DC voltage output push-pull, transmission frequency: 100 kHz, with light indicator and protective circuit in input and output circuits, input: 5 V DC, output: 14 - 30 V DC/50 mA

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OV- 5DC/240AC/800 - Solid-state relay terminal block

2964623

<https://www.phoenixcontact.com/us/products/2964623>



Power solid-state relay terminal block, input: 5 V DC, output: 10 - 253 V AC/800 mA, terminal block width: 6.2 mm

DEK-OV- 12DC/240AC/800 - Solid-state relay terminal block

2964636

<https://www.phoenixcontact.com/us/products/2964636>



Power solid-state relay terminal block, input: 12 V DC, output: 10 - 253 V AC/800 mA, terminal block width: 6.2 mm

D-DEK 1,5 GN - Separating plate

2716949

<https://www.phoenixcontact.com/us/products/2716949>



DEK-OV- 24DC/240AC/800 - Solid-state relay terminal block

2964649

<https://www.phoenixcontact.com/us/products/2964649>




Power solid-state relay terminal block, input: 24 V DC, output: 10 - 253 V AC/800 mA, terminal block width: 6.2 mm

DEK-OE-230AC/ 48DC/100/SO 46 - Solid-state relay terminal block

2964678

<https://www.phoenixcontact.com/us/products/2964678>



Solid-state relay interface designed to prevent interference on the control side, input: 230 V AC, output: 48 V DC/100 mA

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com