

https://www.phoenixcontact.com/us/products/3012333



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable housing, width: 15.6 mm, number of positions: 3, color: gray

### Your advantages

- · Robust cable housing for strain relief on connecting cables
- · Can be aligned without any loss of pitch
- · Additional scope for marking plugs

#### Commercial data

Item number	3012333
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE22
Product key	BE224Z
GTIN	4046356766180
Weight per piece (including packing)	4.45 g
Weight per piece (excluding packing)	4.45 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/3012333



### Technical data

### Product properties

Product type	Cable housing
Number of positions	3

### Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0

#### **Dimensions**

	Width	15.6 mm



https://www.phoenixcontact.com/us/products/3012333



### Classifications

#### **ECLASS**

ECLASS-11.0	27440202	
ECLASS-12.0	27440202	
ECLASS-13.0	27440202	
ETIM		
ETIM 9.0	EC000437	

### **UNSPSC**



https://www.phoenixcontact.com/us/products/3012333



## Environmental product compliance

EU R	oHS
------	-----

Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	



https://www.phoenixcontact.com/us/products/3012333



#### Accessories

### ZB 5 :UNBEDRUCKT - Zack marker strip

1050004

https://www.phoenixcontact.com/us/products/1050004



Zack marker strip, Strip, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.1 x 10.5 mm, Number of individual labels: 10

#### ZB 5 CUS - Zack marker strip

0824962

https://www.phoenixcontact.com/us/products/0824962



Zack marker strip, can be ordered: Strip, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10



https://www.phoenixcontact.com/us/products/3012333



#### ZB 5,LGS:FORTL.ZAHLEN - Zack marker strip

#### 1050017

https://www.phoenixcontact.com/us/products/1050017



Zack marker strip, Strip, white, labeled, printed horizontally: consecutive numbers 1 ... 10, 11 ... 20, etc. up to 491 ... 500, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

#### ZB 5,QR:FORTL.ZAHLEN - Zack marker strip

#### 1050020

https://www.phoenixcontact.com/us/products/1050020



Zack marker strip, white, Printed vertically: consecutive numbers 1  $\dots$  10, 11  $\dots$  20, etc. up to 491  $\dots$  500, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm



https://www.phoenixcontact.com/us/products/3012333



#### ZB 5,LGS:GLEICHE ZAHLEN - Zack marker strip

#### 1050033

https://www.phoenixcontact.com/us/products/1050033



Zack marker strip, Strip, white, labeled, can be labeled with: CMS-P1-PLOTTER, printed horizontally: Identical numbers 1 or 2, etc. up to 100, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10

### ZB 5,LGS:L1-N,PE - Zack marker strip

#### 1050415

https://www.phoenixcontact.com/us/products/1050415



Zack marker strip, Strip, white, labeled, horizontal: L1, L2, L3, N, PE, L1, L2, L3, N, PE, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 5.15 x 10.5 mm, Number of individual labels: 10



https://www.phoenixcontact.com/us/products/3012333



#### UC-TM 5 - Marker for terminal blocks

0818108

https://www.phoenixcontact.com/us/products/0818108



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 4.6 x 10.5 mm, Number of individual labels: 96

#### UC-TM 5 CUS - Marker for terminal blocks

0824581

https://www.phoenixcontact.com/us/products/0824581



Marker for terminal blocks, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 10.5 x 4.6 mm, Number of individual labels: 96



https://www.phoenixcontact.com/us/products/3012333



#### UCT-TM 5 - Marker for terminal blocks

#### 0828734

https://www.phoenixcontact.com/us/products/0828734



Marker for terminal blocks, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, for terminal block width: 5.2 mm, lettering field size: 4.6 x 10.5 mm, Number of individual labels: 72

#### UCT-TM 5 CUS - Marker for terminal blocks

#### 0829595

https://www.phoenixcontact.com/us/products/0829595



Marker for terminal blocks, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snap into tall marker groove, for terminal block width: 5.2 mm, lettering field size: 4.6 x 10.5 mm, Number of individual labels: 72



https://www.phoenixcontact.com/us/products/3012333



#### GBS 5-25X12 - Group marker label for terminal marking

#### 0810588

https://www.phoenixcontact.com/us/products/0810588



Group marker label, snaps onto terminal center for screw, spring-cage and quick connection terminal blocks, labeled with a 25 x 12 mm label or manually with the B-STIFT, in the foot part with ZB 5

#### GBS 5-25X5 - Group marker label for terminal marking

#### 0829126

https://www.phoenixcontact.com/us/products/0829126



Group marking label, can be snapped into terminal center for screw, spring-cage, push-in, and fast connection terminal blocks, can be labeled with a 24 x 4 mm label or manually using B-STIFT, in the foot part with ZB 5



https://www.phoenixcontact.com/us/products/3012333



#### STP 5-2-ZB - Marker carriers

3037643

https://www.phoenixcontact.com/us/products/3037643



Marker carriers, snaps into ST 2,5 spring-cage terminal blocks, can be marked with UC-TM 5, UCT-TMF 5, UCT-TM 5, UCT-TMF 5, ZB 5, or ZBF 5, gray, unlabeled, mounting type: snapped

#### WT-HF 2,5X98 - Cable tie

3240732

https://www.phoenixcontact.com/us/products/3240732

Cable binders for quick and secure bundling, standard version





https://www.phoenixcontact.com/us/products/3012333



#### WT-HF 2,5X98 BK - Cable tie

3240733

https://www.phoenixcontact.com/us/products/3240733



Cable binders for quick and secure bundling, standard version

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com