D-PTRV 8 WH 1-16 - End cover

3270228

https://www.phoenixcontact.com/us/products/3270228

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.




End cover, depth: 80.8 mm, width: 2.2 mm, height: 100 mm, color: white

Your advantages

- Marked 1 ... 16, can be read vertically
- Space-saving partition and end cover with isolating function
- Same shape as the PTRV... marshalling panel

Commercial data

| Item number | 3270228 |
|--------------------------------------|--------------------|
| Packing unit | 10 pc |
| Minimum order quantity | 10 pc |
| Sales key | BE69 |
| Product key | BE6Z1X |
| Catalog page | Page 53 (C-1-2019) |
| GTIN | 4055626289564 |
| Weight per piece (including packing) | 8.39 g |
| Weight per piece (excluding packing) | 8.2 g |
| Customs tariff number | 85389099 |
| Country of origin | PL |



3270228

https://www.phoenixcontact.com/us/products/3270228




Technical data

| Product properties Product type | End cover |
|--|---|
| i loddel type | |
| Environmental and real-life conditions | |
| Ambient conditions | |
| Ambient temperature (operation) | -60 °C 105 °C (max. short-term operating temperature RTI Elec.) |
| Ambient temperature (storage/transport) | -25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C) |
| Ambient temperature (assembly) | -5 °C 70 °C |
| Ambient temperature (actuation) | -5 °C 70 °C |
| Permissible humidity (storage/transport) | 30 % 70 % |
| | |
| Material specifications | |

| Color | white |
|--|-------|
| Material | PA |
| Flammability rating according to UL 94 | V0 |

Dimensions

| Width | 2.2 mm |
|-----------------|---------|
| End cover width | 2.2 mm |
| Height | 100 mm |
| Depth | 80.8 mm |



3270228

https://www.phoenixcontact.com/us/products/3270228




Classifications

ECLASS

| ECLASS-11.0 | 27141133 |
|-------------|----------|
| ECLASS-12.0 | 27141133 |
| ECLASS-13.0 | 27250301 |

ETIM

| | ETIM 9.0 | EC000886 |
|--------|-------------|----------|
| UNSPSC | | |
| | UNSPSC 21.0 | 39121400 |



3270228

https://www.phoenixcontact.com/us/products/3270228



Environmental product compliance

EU RoHS

| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--|
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com