## SIEMENS

## Data sheet

## 3RT1965-5AV31



Changeover operating mechanism for contactors 3RT106, 3RT146 AC (50...60 Hz) / DC operation, 380 ... 420 V Operating mechanism: Standard,economy circuit Screw terminal

product brand name	SIRIUS		
product designation	Magnet coil		
Substance Prohibitance (Date)	05/01/2012		
type of voltage of the control supply voltage	AC/DC		
control supply voltage 1 at AC			
• at 50 Hz	380 420 V		
• at 60 Hz	380 420 V		
control supply voltage 2 at AC			
• at 50 Hz rated value	420 V		
• at 60 Hz rated value	420 V		
control supply voltage 1			
• at DC	380 420 V		
control supply voltage 2 at DC rated value	420 V		
apparent pick-up power of magnet coil at AC			
• at 50 Hz	590 VA		
• at 60 Hz	590 VA		
inductive power factor with closing power of the coil			
• at 50 Hz	0.9		
• at 60 Hz	0.9		
apparent holding power of magnet coil at AC			
• at 50 Hz	6.7 VA		
• at 60 Hz	6.7 VA		
inductive power factor with the holding power of the coil			
• at 50 Hz	0.9		
• at 60 Hz	0.9		
Approvals Certificates			
General Product Approval	EMC Declaration of Con- formity		
Declaration of Con- formity Test Certificates	Marine / Shipping		
CC Special Test Certific- ate ates/Test Rep			

7/10/2023

Subject to change without notice © Copyright Siemens

Marine / Shipping	other		Railway
DNV-GL	<u>Confirmation</u>	Miscellaneous	Special Test Certific- ate

## Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT1965-5AV31


Cax online generator


http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1965-5AV31


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3RT1965-5AV31

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3RT1965-5AV31&lang=en







last modified:

1/18/2021 🖸