## SIEMENS

## Data sheet

## 3SU1806-0AA00-0AB1



Enclosure for command devices, 22 mm, round, Enclosure material plastic, enclosure top part gray, 6 control points plastic, Recess for labels, without equipment

product brand name	SIRIUS ACT					
product designation	Enclosures					
product type designation	3SU1					
Enclosure						
design of the housing	with recess for label					
shape of the enclosure front	rectangular					
material of the enclosure	plastic					
number of command points	6					
product component protective collar	No					
color of the enclosure top part	grey					
fastening method of the enclosure	Vertical / horizontal					
General technical data						
protection class IP	IP66, IP67, IP69(IP69K)					
degree of protection NEMA rating	1, 2, 3, 3R, 4, 4X, 12, 13					
shock resistance for railway applications according to EN 61373	Category 1, Class B					
vibration resistance for railway applications according to EN 61373	Category 1, Class B					
Substance Prohibitance (Date)	10/01/2014					
cable entry type	Without					
Connections/ Terminals						
type of electrical connection on enclosure	Cable routing above and below, both 1 x M25					
tightening torque of fixing screws in the enclosure cover	1.5 1.7 N·m					
Ambient conditions						
ambient temperature						
during operation	-25 +70 °C					
during storage	-40 +80 °C					
environmental category during operation according to IEC 60721	3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 95%, no condensation in operation permitted for all devices behind front panel)					
Installation/ mounting/ dimensions						
fastening method of modules and accessories	Floor mounting					
	280 mm					
height						
height width	85 mm					
	85 mm 64 mm					
width						
width depth	64 mm					
width depth mounting diameter	64 mm 22.3 mm					


SP Car	<u>Confirmation</u>	DVE VDE	EHC	UK CA	CE EG-Konf.	
Test Certificates		Marine / Shipping				
Special Test Certific- ate	<u>Type Test Certific-</u> ates/Test Report	ABS	Lloyds Register us	PRS	RINA	
other	Environment					
<u>Confirmation</u>	Environmental Con- firmations					
Further information						
Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business						
Signation States						
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875						
Information- and Downloadcenter (Catalogs, Brochures,)						

https://www.siemens.com/ic10 Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1806-0AA00-0AB1

Cax online generator

Cax online generator http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1806-0AA00-0AB1 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3SU1806-0AA00-0AB1 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3SU1806-0AA00-0AB1&lang=en



last modified:

1/26/2022 🖸