



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Insulating Accessories



Insulating Accessory Type: **End Section Cover**
Compatible With Block or Strip Type: **PI-Spring Terminal Blocks**
Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Insulating Accessory Type	End Section Cover
---------------------------	-------------------

Body Features

Primary Product Material	Polyamide
Primary Product Color	Dark Gray
Product Weight	3.68 g[.13 oz]

Dimensions

Product Spacing	2 mm[.079 in]
Product Depth	32.8 mm[1.291 in]
Product Height	82.77 mm[3.259 in]

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Operation/Application

Compatible With Block or Strip Type	PI-Spring Terminal Blocks
-------------------------------------	---------------------------

Industry Standards



IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1SNK705012R0000
ZK2.5-4P



TE Part # 1SNK706012R0000
ZK4-4P



TE Part # 1SNK705022R0000
ZK2.5-4P-BL




TE Part # 1SNK705032R0000
ZK2.5-4P-OR






TE Part # 1SNK705074R0000
ZK2.5-4P-YL



TE Part # 1SNK705075R0000
ZK2.5-4P-GN




TE Part # 1SNK705076R0000
ZK2.5-4P-RD




TE Part # 1SNK705079R0000
ZK2.5-4P-WH




TE Part # 1SNK705080R0000
ZK2.5-4P-BK



TE Part # 1SNK705152R0000
ZK2.5-PE-4P



TE Part # 1SNK706022R0000
ZK4-4P-BL



TE Part # 1SNK706032R0000
ZK4-4P-OR



TE Part # 1SNK706152R0000
ZK4-PE-4P


Also in the Series | ENTRELEC SNK



Modular Terminal Blocks(320)



Terminal Block & Strip Conducting Accessories(67)



Terminal Block & Strip Insulating Accessories(31)

Customers Also Bought



TE Part #284930-3
DUOPLUG Standard, female conn.



TE Part #1SNK705010R0000
ZK2.5



TE Part #1SNK705150R0000
ZK2.5-PE



TE Part #1SNK705210R0000
ZK2.5-D2



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK705912R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK705912R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK705912R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

EK2.5-4P

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

1SNK705912R0000

Terminal Block & Strip Insulating Accessories, End Section Cover, Used With PI-Spring Terminal Blocks, -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



English

Essential Entrelec Terminal Blocks

Japanese