3100-40T9999A ! PENDING OBSOLESCENCE

Products Unlimited | Products Unlimited 3100 TE Internal #: 7-1611021-1 TE Internal Description: 3100-40T9999A=CONTACTOR Definite Purpose Contactors, 4 Pole, 25-40 FLA View on TE.com >



Relays & Contactors > Contactors > Definite Purpose Contactors > Definite Purpose Contactors, 4 Pole, 25-40 FLA



Number of Poles: 4
Coil Voltage Rating: 120 VAC
Contact Current Rating: 30 A
Contact Arrangement: 4 Form X, 4PST-NO-DM
Coil Resistance: 148 Ω

All Definite Purpose Contactors, 4 Pole, 25-40 FLA (0)

Features

Configuration Features

Auxiliary Switch Contact Arrangement	Without							
Number of Poles	4							
Contact Arrangement	4 Form X, 4PST-NO-DM							
Electrical Characteristics								
Contact Switching Voltage (Max)	600 VAC							
Coil Voltage Rating	120 VAC							
Contact Current Rating	30 A							
Coil Resistance	148 Ω							
Contact Features								
Contact Material	Silver Cadmium Oxide							
Termination Features								
Mains Termination & Connection Type	10-32 Screw with quad .25 Quick Connect							
Coil Termination & Connection Type	.25 Quick Connect (Dual)							
Mechanical Attachment								
Product Mount Type	Chassis							
Operation/Application								
Actuating System	AC							

C For support call +1 800 522 6752



Product Compliance For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions			
EU ELV Directive 2000/53/EC	Not Compliant			
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (10.81% in Component Part) Micle Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.			
Halogen Content	Not Yet Reviewed for halogen content			
Solder Process Capability	Not applicable for solder process capability			

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | Products Unlimited 3100

C For support call +1 800 522 6752


06/23/2024 12:06AM |Page 2

3100-40T9999A=CONTACTOR





Customers Also Bought



100G0121-0.40-9/9	100G0121-0.60-9/9	983-6SE 14-04 SN-L	

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-1611021-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_7-1611021-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-1611021-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages

Model 93 - 3100 Definite Purpose Contactor 4-pole, 25-40 FLA AC Coil

English

C For support call +1 800 522 6752

3100-40T9999A

3100-40T9999A=CONTACTOR

