


**Data sheet | Item number: 2102-1391**  
End and intermediate plate; 0.8 mm thick; for 3-conductor terminal blocks;  
gray

[www.wago.com/2102-1391](http://www.wago.com/2102-1391)



**Data**  
**Physical data**

Width	0.8 mm / 0.031 inches
Height	72.2 mm / 2.843 inches
Depth	33 mm / 1.299 inches

**Mechanical data**

Mounting type	snap-on type
---------------	--------------

**Material data**

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.079 MJ
Weight	1.8 g

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Commercial data







eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
ECCN	NO DATA
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143745369
Customs tariff number	8538909990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block		
	<b>Item no.: 2102-1304</b> 3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2102-1304">www.wago.com/2102-1304</a>
	<b>Item no.: 2102-1301</b> 3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 2.5 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2102-1301">www.wago.com/2102-1301</a>
	<b>Item no.: 2102-5301</b> 3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2102-5301">www.wago.com/2102-5301</a>
	<b>Item no.: 2102-5304</b> 3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2102-5304">www.wago.com/2102-5304</a>
	<b>Item no.: 2102-5309</b> 3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; light gray	<a href="http://www.wago.com/2102-5309">www.wago.com/2102-5309</a>
	<b>Item no.: 2102-5303</b> 3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; red	<a href="http://www.wago.com/2102-5303">www.wago.com/2102-5303</a>
<b>Item no.: 2102-5306</b>		

Subject to changes. Please also observe the further product documentation!



3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; yellow

[www.wago.com/2102-5306](http://www.wago.com/2102-5306)



**Item no.: 2102-5302**

3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; orange

[www.wago.com/2102-5302](http://www.wago.com/2102-5302)



**Item no.: 2102-5305**

3-conductor through terminal block; with lever and push-button; 2.5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; black

[www.wago.com/2102-5305](http://www.wago.com/2102-5305)

**Ground terminal block**



**Item no.: 2102-1307**

3-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 2.5 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; green-yellow

[www.wago.com/2102-1307](http://www.wago.com/2102-1307)



**Item no.: 2102-5307**

3-conductor ground terminal block; with lever and push-button; 2.5 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; green-yellow

[www.wago.com/2102-5307](http://www.wago.com/2102-5307)

## Downloads

### Documentation

#### Bid Text

2102-1391 X81 - Datei	2019 年2月21 日	xml 2.9 kB	Download
2102-1391 docx - Datei	2018 年8月8 日	docx 14.5 kB	Download

#### Additional Information

Technical Section Technical explanations	pdf 2.3 MB	Download
---	---------------	----------

## CAD/CAE-Data

### CAE data

ZUKEN Portal 2102-1391	URL	Download
EPLAN Data Portal 2102-1391	URL	Download

### CAD data

#### 2D/3D Models 2102-1391

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

Asset Administration Shell

Asset Administration Shell 2102-1391	<a href="#">URL</a>	<a href="#">Download</a>
--------------------------------------	---------------------	--------------------------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2102-1391	<a href="#">URL</a>	<a href="#">Download</a>
End and intermediate plate; 0.8 mm thick; for 3-conductor terminal blocks; gray		

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!