


Data sheet | Item number: 2116-1392
End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks;
orange



www.wago.com/2116-1392



Data
Physical data

Width	1 mm / 0.039 inches
Height	113.5 mm / 4.469 inches
Depth	36.5 mm / 1.437 inches

Mechanical data

Mounting type	snap-on type
---------------	--------------

Material data

Note (material data)	Information on material specifications can be found here
Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Weight	4.1 g

Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.









ETIM 8.0	EC000886
ETIM 7.0	EC000886
ECCN	NO DATA
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143747578
Customs tariff number	8538909990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block	
	Item no.: 2116-1301 3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; gray www.wago.com/2116-1301
	Item no.: 2116-1304 3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; blue www.wago.com/2116-1304
	Item no.: 2116-5301 3-conductor through terminal block; with lever and push-button; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; gray www.wago.com/2116-5301
	Item no.: 2116-5304 3-conductor through terminal block; with lever and push-button; 16 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; blue www.wago.com/2116-5304
Ground terminal block	
	Item no.: 2116-1307 3-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; green-yellow www.wago.com/2116-1307
	Item no.: 2116-5307 3-conductor ground terminal block; with lever and push-button; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; green-yellow www.wago.com/2116-5307

Downloads

Documentation

Bid Text

2116-1392	2019 年2月19 日	xml	Download
-----------	--------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



X81 - Datei			2.6 kB	
2116-1392	2018 年8月8日	docx		Download
docx - Datei		14.6 kB		

Additional Information

Technical Section		pdf		Download
Technical explanations		2.3 MB		

CAD/CAE-Data

CAD data

2D/3D Models 2116-1392		URL		Download
------------------------	--	-----	--	----------

CAE data

EPLAN Data Portal 2116-1392		URL		Download
-----------------------------	--	-----	--	----------

ZUKEN Portal 2116-1392		URL		Download
------------------------	--	-----	--	----------

Asset Administration Shell

Asset Administration Shell 2116-1392		URL		Download
--------------------------------------	--	-----	--	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2116-1392		URL		Download
End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange				

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.