




Data
Physical data

Width	2 mm / 0.079 inches
Height	85 mm / 3.346 inches
Depth	39 mm / 1.535 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.096 MJ
Weight	3.2 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33

Subject to changes. Please also observe the further product documentation!



eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
ECCN	NO DATA
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332980043
Customs tariff number	8538909990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block		
	Item no.: 279-501 Double-deck terminal block; Through/through terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; 1,50 mm ² ; gray	www.wago.com/279-501
	Item no.: 279-508 Double-deck terminal block; 4-conductor through terminal block; L; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; 1,50 mm ² ; gray	www.wago.com/279-508
	Item no.: 279-504 Double-deck terminal block; Through/through terminal block; N/N; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; 1,50 mm ² ; blue	www.wago.com/279-504
	Item no.: 279-513 Double-deck terminal block; Through/through terminal block; L/N; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; 1,50 mm ² ; gray	www.wago.com/279-513
	Item no.: 279-512 Double-deck terminal block; Through/through terminal block; N/L; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; 1,50 mm ² ; gray	www.wago.com/279-512
	Item no.: 279-509 Double-deck terminal block; 4-conductor through terminal block; N; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; 1,50 mm ² ; blue	www.wago.com/279-509
Ground terminal block		
	Item no.: 279-517 Double-deck terminal block; Ground conductor/through terminal block; 1.5 mm ² ; PE/N; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-517
	Item no.: 279-507 Double-deck terminal block; 4-conductor ground terminal block; 1.5 mm ² ; PE; without marker carrier; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm ² ; green-yellow	www.wago.com/279-507

Subject to changes. Please also observe the further product documentation!

**Item no.: 279-527**

Double-deck terminal block; Ground conductor/through terminal block; 1.5 mm²; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm²; gray www.wago.com/279-527

Downloads**Documentation****Bid Text**

279-519 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
------------------------	--------------	---------------	----------

279-519 doc - Datei	2017 年4月27 日	doc 24.1 kB	Download
------------------------	--------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data**CAD data**

2D/3D Models 279-519		URL	Download
----------------------	--	-----	----------

CAE data

EPLAN Data Portal 279-519		URL	Download
---------------------------	--	-----	----------

WSCAD Universe 279-519		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 279-519		URL	Download
----------------------	--	-----	----------

Asset Administration Shell

Asset Administration Shell 279-519		URL	Download
------------------------------------	--	-----	----------

Environmental Product Compliance**Compliance Search**

Environmental Product Compliance 279-519 End and intermediate plate; 2 mm thick; orange		URL	Download
--	--	-----	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.