Locking lever; for flying leads; for tool operation; black

www.wago.com/770-111





Item description

Locking system WINSTA® MIDI

Implement the electrical installation quickly and easily: The locking system from the WINSTA® MIDI product line is the solution for error-free electrical installation. With WAGO, you benefit from a large selection of accessories for the WINSTA® product line. WINSTA® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is used in a broad range of individual products you can use for quick, easy, flexible, and secure electrical installation.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

WINSTA® is the pluggable connection system that is perfectly tailored to the strict requirements of electrical installation. It allows error-free installation of cables and components, quickly and reliably. Now you can also cut installation costs without compromising safety and quality: with protection against mismating reduces the need for servicing and prevents unnecessary downtime.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/770-111



- pre-assembled versions
- quick replacement of defective units during ongoing operation

Data

Connection data

Connection 1

Actuation type

Mechanical Data

Operating tool

for flying leads; tool operated

Material data

Suitable

Note (material data)

Information on material specifications can be found here

Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.018 MJ
Weight	0.4 g

Environmental requirements

Processing temperature	-5 +40 °C
Continuous operating temperature	-35 +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
ECCN	NO DATA
PU (SPU)	100 (25) pcs
Packaging type	box

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/770-111



Country of origin	DE
GTIN	4017332749367
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Approvals / Certificates

General approvals

Logo Approval Additional Approval Text name

VDE EN 61535 40029808



VDE Prüf- und Zertifizierungsinstitut

Downloads Documentation

Bid Text

770-111 X81 - Datei	2019 年2月19日	xml 2.7 kB	Download
770-111 doc - Datei	2015 年3月11日	doc 22.0 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 770-111	URL	Download
CAE data		
ZUKEN Portal 770-111	URL	Download
WSCAD Universe 770-111	URL	Download

Asset Administration Shell

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com

www.wago.com/770-111



Asset Administration Shell 770-111 URL Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-111

Locking lever; for flying leads; for tool operation; black

URL

Download

Installation Notes

Product family

WINSTA® MIDI

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com