

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

## 1 Identification

- **Product identifier**

- **Trade name:** CAT.190CL

- **CAS Number:**  
112-57-2

- **EC number:**  
203-986-2

- **Index number:**  
612-060-00-0

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Epoxies, Etc.  
21 Starline Way  
Cranston, RI 02921  
USA

General Telephone: 401-946-5564

- **Information department:** Product safety department.

- **Emergency telephone number:** Domestic: 800-255-3924 International: +01-813-248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS05, GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

tetraethylenepentamine

- **Hazard statements**

Harmful if swallowed or in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

- **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 1)

*If swallowed: Rinse mouth. Do NOT induce vomiting.*  
*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*  
*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Immediately call a poison center/doctor.*  
*Specific treatment (see on this label).*  
*Take off contaminated clothing and wash it before reuse.*  
*If skin irritation or rash occurs: Get medical advice/attention.*  
*Wash contaminated clothing before reuse.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

*Additional Health Hazards: Corrosive to the eyes, skin, and respiratory tract. May be toxic if absorbed through skin.*

*Inhalation: May cause severe eye, skin, and respiratory tract burns. May cause nose, throat, and lung irritation. Inhalation of vapors and/or aerosols in high concentration may cause irritation of the respiratory system.*

*Eye Contact: Causes eye burns. May cause blindness. Severe eye irritation.*

*Skin contact: Causes skin burns.*

*Ingestion: Causes Severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.*

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **Chemical characterization: Substances**

*The exact percentage (concentration) of composition has been withheld as a trade secret.*

· **CAS No. Description**

*112-57-2 tetraethylenepentamine 50-100%*

· **Identification number(s)**

· **EC number:** 203-986-2

· **Index number:** 612-060-00-0

USA

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 2)

## 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a physician.

Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay.

Initiate and maintain gentle and continuous irrigation with water until the patient receives medical care. If medical care is not promptly available, continue to irrigate (use soap if available) for one hour. Cover the wound with sterile dressing. Take off contaminated clothing and shoes immediately. Do not reuse clothing until thoroughly cleaned.

*NOTE TO PHYSICIANS:* Application of corticosteroid cream has been effective in treating skin irritation.

- **After eye contact:**

Hold eyelids apart, initiate and maintain gentle and continuous irrigation of the eye with water until the patient receives medical care. If medical care is not promptly available, continue to irrigate for one hour. Rinse immediately with plenty of water also under the eyelids for at least 20 minutes.

- **After swallowing:**

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Never give anything by mouth to an unconscious person. Do not induce vomiting. Give one glass of water unless victim is drowsy, convulsing, or unconscious. Seek medical attention immediately.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents:**

Do not use water in a jet. Product will float. Water or fog may cause frothing which can be violent, especially if sprayed into containers of hot or burning liquid.

- **Special hazards arising from the substance or mixture**

Material will not burn unless preheated. Delayed lung damage (pulmonary edema) can be experienced after exposure to combustion products, sometimes hours after the exposure. May generate ammonia gas, toxic nitrogen oxide gases and other potentially hazardous nitrogen-containing compounds may be released upon combustion.

Use of water to fight fire may result in the formation of very toxic aqueous solutions. Incomplete combustion may form carbon monoxide. Downwind personnel must be evacuated. Burning produces obnoxious and toxic fumes.

Cool fire exposed containers with water.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 3)

- **Advice for firefighters**

- **Protective equipment:**

Do not enter confined fire space without full bunker gear (helmet with face shield, bunker coats, gloves, and rubber boots) including a positive pressure NIOSH approved self-contained breathing apparatus.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Corrosive. Use self-contained breathing apparatus and chemically protective clothing. Evacuate personnel to safe areas. Use cautious judgement when cleaning up large spills. Shut off leaks, if possible without personal risk.

- **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

15 mg/m<sup>3</sup>

- **PAC-2:**

130 mg/m<sup>3</sup>

- **PAC-3:**

790 mg/m<sup>3</sup>

## 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

DANGER: Corrosive

Avoid contact with skin and eyes. Emergency Showers and eye wash stations should be readily accessible. Use only in well-ventilated areas. Avoid breathing vapors and/or aerosols.

Heating this product above 300 Deg. F in the presence of air may cause slow oxidative decomposition; above 500 Deg. F, polymerization may occur. Some epoxy resins can produce exothermic reactions which in large masses can cause runaway polymerization. Fumes and vapors from these thermal and chemical decomposition may be extremely toxic. Use either an atmosphere-supplying respirator or an air-purifying respirator for organic vapors.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.

- **Information about storage in one common storage facility:** Not required.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 4)

- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 112-57-2 tetraethylenepentamine

WEEL	Long-term value: 5 mg/m <sup>3</sup>
	Skin; DSEN

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Avoid contact with the eyes and skin.
- **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

Full face shields with tightly sealed goggles underneath. Contact lenses should not be worn.

- **Body protection:** Impervious protective clothing

USA

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 5)

## 9 Physical and chemical properties

· <b>Information on basic physical and chemical properties</b>	
· <b>General Information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Liquid
· <b>Color:</b>	According to product specification
· <b>Odor:</b> Amine-like	
· <b>Odor threshold:</b> Not determined.	
· <b>pH-value:</b> Not determined.	
· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	333 °C (631.4 °F)
· <b>Flash point:</b> 163 °C (325.4 °F)	
· <b>Flammability (solid, gaseous):</b> Not applicable.	
· <b>Decomposition temperature:</b> Not determined.	
· <b>Auto igniting:</b> Not determined.	
· <b>Danger of explosion:</b> Product does not present an explosion hazard.	
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b> 0.01 hPa (0 mm Hg)	
· <b>Density at 20 °C (68 °F):</b> 1 g/cm <sup>3</sup> (8.345 lbs/gal)	
· <b>Relative density</b> Not determined.	
· <b>Vapor density</b> Not determined.	
· <b>Evaporation rate</b> Not determined.	
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b> Not determined.	
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>VOC content:</b>	0.00 %
	0.0 g/l / 0.00 lb/gal
· <b>Other information</b> No further relevant information available.	

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Hazardous polymerization may occur with epoxy resins in large masses.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
Sodium hypochlorite, lewis or mineral acids, Organic bases such as primary and secondary aliphatic amines, ketones, aldehydes, and oxidizing agents. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. A reaction accompanied by large heat release occurs when the product

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 6)

is mixed with acids.

- **Hazardous decomposition products:**

Nitrogen oxides, ammonia, carbon monoxide and unidentified organic compounds (some containing nitrogen) may be formed during thermal or oxidative decomposition or combustion. Nitrogen oxide can react with water vapors to form corrosive nitric acid.

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**112-57-2 tetraethylenepentamine**

Dermal	LD50	660 mg/kg (rabbit)
--------	------	--------------------

- **Primary irritant effect:**

- **on the skin:** Caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

Substance is not listed.

- **NTP (National Toxicology Program)**

Substance is not listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Toxic for fish

- **Additional ecological information:**

- **General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 7)

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Dispose of in accordance to all local, state, and/or national legislation.

## 14 Transport information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	UN2320
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	Tetraethylenepentamine 2320 Tetraethylenepentamine, ENVIRONMENTALLY HAZARDOUS TETRAETHYLENEPENTAMINE, MARINE POLLUTANT TETRAETHYLENEPENTAMINE
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· <b>ADR, IMDG</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	8 Corrosive substances 8
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	III

(Contd. on page 9)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 8)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	Yes Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Corrosive substances
· <b>Hazard identification number (Kemler code):</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Alkalis
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	UN2320, Tetraethylenepentamine, ENVIRONMENTALLY HAZARDOUS, 8, III

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

ACTIVE

· **Hazardous Air Pollutants**

Substance is not listed.

· **California Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **New Jersey Right-to-Know List:**

Substance is listed.

· **Pennsylvania Right-to-Know List:**

Substance is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2020

Reviewed on 03/02/2020

Trade name: CAT.190CL

(Contd. of page 9)

· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
---

Substance is not listed.
--------------------------

· <b>Chinese Chemical Inventory of Existing Chemical Substances</b>
---

Substance is listed.
----------------------

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS05, GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

tetraethylenepentamine

- **Hazard statements**

Harmful if swallowed or in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

- **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**

- **Other regulations, limitations and prohibitive regulations**

· <b>Substances of very high concern (SVHC) according to REACH, Article 57</b>
--

Substance is not listed.
--------------------------

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information given and the recommendations made herein apply to our product alone and are not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the user's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

- **Department issuing SDS:** Product safety department.

- **Contact:** Environmental Health & Safety (EHS) personnel

- **Date of preparation / last revision** 03/02/2020 / -

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/02/2020

Reviewed on 03/02/2020

**Trade name: CAT.190CL**

(Contd. of page 10)

**· Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*SVHC: Substances of Very High Concern*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*

*Skin Sens. 1: Skin sensitisation – Category 1*

USA