02560231-000 <

MEAS | MEAS R30 TE Internal #: 02560231-000 TE Internal Description: RVDT R30A ASSY AC LIGHT WEIGHT RVDT

View on TE.com >



Sensors > Position Sensors > RVDT/RVIT Sensors > AC LIGHT WEIGHT RVDT



Position Sensor Product Type: Rotary Variable Differential Transformer (RVDT)

Angular Range: -30 - 30 °

Non-Linearity ±: .25 %

Output Signal Type: AC Voltage

Operating Temperature Range: -55 – 150 °C [-67 – 300 °F]

Features

Product Type Features

Position Sensor Product Type

Rotary Variable Differential Transformer (RVDT)

Configuration Features

Electrical Connection	Lead Wires
Electrical Characteristics	
Supply Voltage	3 Vrms
Signal Characteristics	
Excitation Frequency	2.5 – 10 kHz
Body Features	
Product Weight	36 g
Case Material	Anodized Aluminum
Mechanical Attachment	
Sensor Mount Type	Size 11 Servo Mount
Dimensions	
Shaft Diameter	4.76 mm[.188 in]
Product Diameter	25.4 mm[1 in]
Usage Conditions	

C For support call+1 800 522 6752

02560231-000

RVDT R30A ASSY



Operating Temperature Range	-55 – 150 °C[-67 – 300 °F]
Operation/Application	
Output Signal Type	AC Voltage
Other	
Angular Range	-30 – 30 °
Non-Linearity ±	.25 %
Bearing Type	ABEC 3 Precision Ball Bearing
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

RVDT R30A ASSY






Also in the Series | MEAS R30



Customers Also Bought



TE Part #372Z-05669
portable HM 100 Contact Hand
Tachomete

02560231-000

RVDT R30A ASSY



Documents

Datasheets & Catalog Pages AC Operated, Light Weight RVDT

English