

MEAS | MEAS SP TE Internal #: SPD-4-3 TE Internal Description: STRING POT 4.75 INCH RANGE Dual Output String Pot View on TE.com >



Sensors > Position Sensors > Potentiometer Sensors > Cable Actuated Position Sensors > Dual Output String Pot



Position Sensor Product Type: SP Series, String Pots Full Stroke Range: 101.6 - 1270 mm [4 - 50 in ] Output Signal Type: 0 - 10 VDC, 4 - 20 mA Accuracy: ±.25 % of FS Repeatability: .02 % of FS

All Dual Output String Pot (4)

### Features

### **Product Type Features**

Position Sensor Product Type

#### Rody Fosturos

DUC	IY I	cai	u	<b>C</b> 2
	<b>J</b>			

Case Material	Polycarbonate + Stainless Mounting Bracket
Dimensions	
Full Stroke Range	101.6 - 1270 mm[4 - 50 in]
Usage Conditions	
Accuracy	±.25 % of FS
Operating Temperature Range	-40 - 71 °C[-40 - 160 °F]
Operation/Application	
Output Signal Type	0 - 10 VDC, 4 - 20 mA
Industry Standards	
IP Rating	IP67
Hazardous Area Approval	No
Other	
Repeatability	.02 % of FS



Encoder Drive	No
Measuring Cable	Nylon-Coated Stainless Steel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



Also in the Series | MEAS SP

**C** For support call +1 800 522 6752

06/05/2024 03:40PM |Page 2

STRING POT 4.75 INCH RANGE





# Customers Also Bought



SMA Jack to SMA Jack Bulkhead	RA73F 2A 243R 0.1% 5K RL	VLS9420-0500-421-1160	POSITIONING INSERT FOR 1.5 MM CONTACTS
TE Part # YD369-G99-NP4-131J 369 9 WAY INLINE 90 PCB REC, GOLD, PIN			
Documents			
CAD Files 3D PDF			
3D			
Customer View Model ENG_CVM_CVM_SPD-4-3_/	A.2d_dxf.zip		
English			

Customer View Model

ENG\_CVM\_CVM\_SPD-4-3\_A.3d\_igs.zip



English

Customer View Model ENG\_CVM\_CVM\_SPD-4-3\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

## Datasheets & Catalog Pages

SPD

English