









Tools for Advancing Innovation™

Digital Catalog

2024



Website: aventools.com

Phone: (734) 973-0099

Email: info@aventools.com

Table of Contents



wicroscopy and inspection	03
Mighty Scope v2	
Mighty Scope ClearVue · · · · · · · · · · · · · · · · · · ·	•• 04
Cyclops · · · · · · · · · · · · · · · · · · ·	05-06
MicroVue	07
Stereo Zoom Microscopes · · · · · · · · · · · · · · · · · · ·	08-13
CMOS Cameras · · · · · · · · · · · · · · · · · · ·	
rinocular Stereo Zoom Microscope Systems · · · · · · · · · · · · · · · · · · ·	15-19
Digital Microscope Systems ••••••••••••••••••••••••••••••••••••	20-22
360 Viewer Systems · · · · · · · · · · · · · · · · · · ·	·· 23
Mighty Cam ES Systems · · · · · · · · · · · · · · · · · · ·	•• 24
maging & Measurement Software	•• 25
Digital Microscope Lenses & Accessories · · · · · · · · · · · · · · · · · · ·	26-27
Microscope Accessories ••••••••••••••••••••••••••••••••••••	28-32
Magnifiers	33-35
Magnifying Lamps ••••••••••••••••••••••••••••••••••••	36-39
Work Lights & Machine Lights ••••••••••••••	40

Hand Tools 41
Accu-Cut Cutters · · · · · · · · · · · · · · · · · · ·
Technik Cutters & Pliers · · · · · · · · · · · · · · · · · · ·
Niptec Cutters · · · · · · · · · · · · · · · · · · ·
Industrial Cutters & Pliers
Tweezers ••••••••••••••••••••••••••••••••••••
Screwdrivers
Stainless Steel Hand Tools
Crimping Tools & Dies
Stripping Tools
Electrician Scissors & Blades
Scissors & Hemostats
Probes 68
Scalpels & Blades 69
Knives & Blades · · · · · · · · · · · · · · · · · · ·
Bench-top Tools
Soldering & Desoldering



Microscopy and Inspection

Mighty Scope v2

USB Digital Microscope







Adjustable Focus Mount





Mighty Scope v2

USB Digital Microscope [10x - 200x~]

- ► 10x 200x~ Magnification (based on a 24" monitor)
- ► Enhanced Image Sensor (1/4" Color CMOS)
- Improved depth of field
- Adjustable 8 energy-efficient LED lights
- Includes fine-focus metal stand
- MicroViewer Plus Software optimized for the Mighty Scope v2 w/ all of the measurement and image/video capabilities needed for professional inspection



Mighty Scope v2 Bundles

Product ID	Description		
26700-218	Mighty Scope v2 with Fine Focus Stand		
26700-218-DFS	Mighty Scope v2 with Fine Focus Stand + Diffuser		
26700-218-PLR	Mighty Scope v2 with Fine Focus Stand + Polarizer		

Mighty Scope v2 Accessories

Product ID	Description			
26700-218-DIFF	Diffuser Attachment for Mighty Scope v2			
26700-219	Polarizer Attachment for Mighty Scope v2			








With Polarizer



Without Polarizer

Mighty Scope® ClearVue

All-In-One Digital Microscope



Mighty Scope ClearVue

USB Digital Microscope [8x - 25x]

- 8x 25x Magnification
- Compact All-in-one system
- Save high resolution image/video files directly to microSD card
- Enhances productivity eliminates eye strain and body fatigue
- 1080p Full HD Imaging at 60 FPS
- HDMI Output for additional monitor viewing
- ezlmageX3 software download included
- 1080p Full HD Output
- 5" built-in HD screen

Mighty Scope ClearVue Bundles







26700-220-505



26700-220-559



26700-220-479D

26700-220-558D

Product ID	Description	
26700-220-MNT	Mighty Scope ClearVue on Post Stand	
26700-220-557	Mighty Scope ClearVue on Flex Arm Stand w/ Table Clamp	
26700-220-505	Mighty Scope ClearVue on Compact Post Stand w/ Dual Gooseneck LEDs & Back Light	
26700-220-479	Mighty Scope ClearVue on Post Stand w/ Gliding Stage XYR	
26700-220-559	Mighty Scope ClearVue on Spring Balanced Arm w/ Table Clamp	
26700-220-559WB Mighty Scope ClearVue on Adjustable Spring Balanced Arm with Weighted Base		
26700-220-558	Mighty Scope ClearVue on Flex Arm Stand w/ Magnetic Base	
26700-220-MNTD	Mighty Scope ClearVue Digital Microscope 8x-25x With Post Stand And Diffuser	
26700-220-559D	Mighty Scope ClearVue Digital Microscope 8x-25x + 34" Spring Balanced Arm And Diffuser	
26700-220-557D Mighty Scope ClearVue Digital Microscope 8x-25x + 18 Inch FlexArm Stand With T And Diffuser		
26700-220-479D	Mighty Scope ClearVue Digital Microscope 8x-25x With Post Stand And Gliding Stage And Diffuser	
26700-220-558D	Mighty Scope ClearVue Digital Microscope 8x-25x + 18 Inch FlexArm Stand With Magnetic Base	





26700-220-STN



26700-220-DIFF

Mighty Scope ClearVue Accessories

	Product ID	Description			
1	26800B-479	Compact Gliding Stage X/Y/R			
	26700-220-STN	Post Stand For Digital Microscope Mighty Scope ClearVue			
	26700-220-DIFF	Diffuser Attachment For Mighty Scope ClearVue			

Cyclops®

Digital Microscopes

Cyclops® 3.0

- Micro SD card for saving images and video
- New and improved software and camera sensor
- New dual screen mode using HDMI
 USB outputs simultaneously
- ► 13x-140x Magnification
- The included 11 inch aluminum adjustable stand provides for a large working distance
- Control the Cyclops' features such as focus and lighting with the infrared remote control




26700-423

Cyclops® HDMI

- Built-in HDMI output for viewing images directly on an HD monitor
- ► Auto focus enabled
- Designed to maximize efficiency and operator comfort
- Equipped with a 4x objective lens
- High magnification range and extended working distance
- Magnification ranges up to 132x on a 21.5" HD monitor



26700-401





Cyclops® Models

Pro	oduct ID	Description
26700-423 Cyclops 3.0 Digital Microscope with USB & HDMI [13x to 140x] with 4x Len		Cyclops 3.0 Digital Microscope with USB & HDMI [13x to 140x] with 4x Lens
26700-401 Cyclops® HDMI Digital Microscope (up to 132x)		Cyclops® HDMI Digital Microscope (up to 132x)
26700-423-505 Cyclo		Cyclops 3.0 + Post Stand w/ Gooseneck LEDs & LED Back Light
26700-401 + 26800B-557-412 Cyclops® HDMI Digital Microscope with 18" Flex Arm/Table Clamp		Cyclops® HDMI Digital Microscope with 18" Flex Arm/Table Clamp
26700-401 + 26800B-558-412		Cyclops® HDMI Digital Microscope with 18″ Flex Arm/Magnetic Base

Cyclops® Stands & Accessories

Product ID Description			
26800B-558-412	18" Flex Arm With 360° Swivel Head and Magnetic Base		
26800B-557-412 18" Flex Arm With 360° Swivel Head and 2" Table Clamp			
26800B-600	Boom Stand Mounting Post for Cyclops Digital Microscopes		

Optional Configurations





26700-401-557

Cyclops® Accessories

Objective Lenses

Cyclops® 4x Long Focus Lens Item # 26700-400-L-4XLF

Provides operators with a working distance of approximately 95mm -

(3.75 - 8.5 inches).

Cyclops® Objective Lens 10X Item # 26700-400-L10X

Use of this lens will increase magnification, allowing even further clarity for examining small objects. Includes lighting attachment.



4x Objective Lens with polarizer aides in the illumination and study of small and shiny parts. The polarized lens cover attaches to the Cyclops in order to block intense reflected light, significantly reducing glare.

Add-Ons

22" LCD Monitor Item # 26700-406

Outstanding performance and eco-friendly complement the sleek design. LED back-lit with 50,000,000:1 Smart Contrast Ratio, Full 1080P with HDMI.

Compact Gliding Stage XYR Item # 26800B-479

Compact gliding stage with horizontal, vertical and 360 movement. Ideal for inspecting small parts, micro chips, PCB boards, and more. Durable all-metal construction ensures a long working life, with rack and pinion gears for smooth motion.



26700-400-L-4XLF



26700-400-L10X



26700-400-PL01

26700-406



26800B-479

Flex Arm Stands

Flexible Arm Stands are a hassle-free addition to your inspection system. The arm easily bends and stays put in any position. Tilt, rotate, and position as needed. Features a universal 1/4-20" screw mount, compatible with many inspection cameras, consumer cameras, as well as Aven's Cyclops Digital Microscope.

18" Flex Arm With 360° Swivel **Head and Magnetic Base** Item # 26800B-558-412



18" Flex Arm With 360° Swivel Head and 2" Table Clamp Item # 26800B-557-412



LCD Monitor Mount, 542 Series, 12" Post

Item # 26700-411

The 542 Series LCD Monitor Mount expands desktop workspace and provides ergonomic comfort. Holds widescreen display up to 27". Adjust the monitor to where it is most comfortable by adjusting the articulating arms with its 360-degree rotation, -15 to +15 degree tilt, and side to side swivel.



Articulating Arm Post Stand

Articulating arm stand for use with microscopes. Features a 415mm (16.33in) articulating arm with two articulating joints on a 450mm (17.7in) post. Includes a built-in table clamp with dual locks for added stability. The arm can be raised/lowered and rotated to the ideal position.



MicroVue

Digital Microscope w/ Built-in HD Monitor



MicroVue

Digital Microscope w/ Built-in HD Monitor [17x - 110x]

- ▶ Built-in 11.6" monitor for ergonomic viewing
- 8.6x 221x magnification on the built-in monitor (with optional lenses)
- ► HDMI output for external monitor viewing
- ▶ Built-in measurement capabilities
- Save image/video files to USB storage device
- ► USB included
- Compact design saves bench top space

MicroVue

Product ID	Description		
26700-140	MicroVue Digital Microscope With Built-In HD Monitor [17 - 110x]		
26700-140-3D	MicroVue Digital Microscope With Built-In HD Monitor And 360 Viewer [8.6x - 221x]		

MicroVue Accessories

Product ID	Description	
26700-140-L05X	MicroVue Auxiliary Lens 0.5x	
26700-140-L20X	MicroVue Auxiliary Lens 2.0x	
26700-140-M32	MicroVue Focus Mount With Arbor For Boom Stands, 32mm Opening	
26700-140-3DA	MicroVue 360 Viewer Attachment	





26700-140-L05X



26700-140-L20X




26700-140-M32



26700-140-3DA

Bodies

The Aven Advantage





The Aven Advantage

Aven's Stereo Zoom Microscopes

- Virtually greaseless knobs will not slip over time
- The single lens design will prevent double vision
- The custom cut prisms allow for a straight light path giving you a crisp, clear image throughout the life of the scope

Bodies

SPZ-50 Series Stereo Zoom Microscopes

- Magnification range: **6.7x-50x** (3.35x-200x with optional lenses)
- ► Large 7.46:1 best-in-class zoom ratio
- Field of view: 34.3mm-3.6mm (1.35"-0.14")
- ► Working distance: 108mm (4.25″)
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Optional eyepieces available include DHW15x (F.N.15) & DHW20x (F.N.11.4)
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eye-guards and dust cover
- ► ESD Safe models available



	Product ID	Description		
SPZ-50 Stereo Zoom Binocular Microscope				
	SPZV-50	SPZV-50 Stereo Zoom Trinocular Microscope		
	SPZ-50E	ESD Safe SPZ-50 Stereo Zoom Binocular Microscope		
	SPZV-50E	ESD Safe SPZV-50 Stereo Zoom Trinocular Microscope		

Optical Data for SPZ-50 & SPZV-50 + SPZ-50E & SPZV-50E

Eyepiece DHW10x (F.N.23)					
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x
Magnifications	6.7x-50x	3.35x-25x	5x-37.5x	10.72x-80x	13.4x-100x
Working Distance	108mm	240mm	132mm	50mm	41 mm
Field of View	34.3-4.6mm	68.9-9.2mm	45.7-6.1 mm	21.4-2.8mm	17.1 - 2.3 mm

Eyepiece DHW15x (F.N.15)							
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x		
Magnifications	10.05x-75x	5.02x-37.5x	7.53x-56.25x	16.08x-120x	20.1 x-150x		
Working Distance	108mm	240mm	132mm	50mm	41 mm		
Field of View	22.3-3mm	44.7-6mm	29.8-4mm	16-1.8mm	11.1 - 1.5 mm		

Eyepiece DHW20x (F.N.11.4)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	13.4x-100x	6.7x-50x	10.05x-75x	21.44x-160x	26.8x-200x	
Working Distance	108mm	240mm	132mm	50mm	41 mm	
Field of View	17-2.2mm	34-4.5mm	22.6-3mm	10.6-1.4mm	8.5-1.1mm	

DSZ-70 Series Binocular Stereo Zoom Microscopes

- ► Magnification Range: 20x-70x (5x-224x with optional lenses)
- ▶ 3.5:1 zoom ratio
- Field of view: 10mm-2.8mm (0.39"-0.11")
- Working Distance: 80mm (4.25")
- ► Includes DSW10xZ (F.N.20) eyepieces
- Optional eyepieces available include DSW5xZ (F.N.20), DSW15x (F.N.15) & DSW20x (F.N.11.4)
- Versatile binocular microscope best suited for high magnification applications
- Includes rubber eye-guards and dust cover



DSZ-70

Product ID	Description
DSZ-70	DSZ-70 - Binocular Stereo Zoom Microscope

Optical Data for DSZ-70

Eyepiece DSW5xZ (F.N.20)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/1.6x	
Magnifications	10x-35x	5x-17.5x	7.5x-26.25x	16x-56x	16x-56x	
Working Dist.	80mm	120mm	85mm	41 mm	41 mm	
Field of View	10-2.9mm	20-5.7mm	13.3-3.8mm	6.2-1.7mm	6.2-1.7mm	

Eyepiece DSW10xZ (F.N. 20)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/1.6x	
Magnifications	20x-70x	10x-35x	15x-52.5x	32x-112x	32x-112x	
Working Dist.	80mm	120mm	85mm	41 mm	41 mm	
Field of View	10-2.8mm	20-5.7mm	13.3-3.8mm	6.2-1.7mm	6.2-1.7mm	

Eyepiece DSW15x (F.N. 15)					
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/1.6x
Magnifications	30x-105x	15x-52.5x	22.5x-78.75x	48x-168x	48x-168x
Working Dist.	80mm	120mm	85mm	41 mm	41 mm
Field of View	7.5-2.1 mm	15-4.2mm	10-2.8mm	4.6-1.3mm	4.6-1.3mm

Eyepiece DSW20x (F.N. 11.4)					
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/1.6x
Magnifications	40x-140x	20x-70x	30x-105x	64x-224x	64x-224x
Working Dist.	80mm	120mm	85mm	41 mm	41 mm
Field of View	5.7-1.6mm	11.4-3.2mm	7.6-2.1 mm	3.5-1mm	3.5-1mm

Bodies

DSZ-44 Series Stereo Zoom Microscopes

- ► Magnification Range: 10x-44x (2.5x-140.8x with optional lenses)
- ➤ Zoom ratio: 4.4:1
- Field of view 23mm to 5.2mm (0.90" to 0.20")
- ► Working distance: 90mm (3.54")
- ► Includes Wide Field DSW 10x (F.N.23) eyepieces
- Optional eyepieces available include DSW5x (F.N.22.5), DSW15x (F.N.15) & DSW20x (F.N.11.4)
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eye-guards and dust cover



DS7V-44

Product ID	Description				
DSZ-44	DSZ-44 - Stereo Zoom Binocular Microscope				
DSZV-44	DSZV-44 - Stereo Zoom Trinocular Microscope				

Optical Data for DSZ-44 & DSZV-44

Eyepiece DSW5x (F.N. 22.5)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	5x-22x	2.5x-11x	3.75x-16.5x	8x-35.2x	13.4x-100x	
Working Dist.	90mm	150mm	105mm	45mm	41 mm	
Field of View	22.5-5.1mm	45-10.2mm	30-6.8mm	14-3.1 mm	17.1 - 2.3 mm	

Eyepiece DSW10x (F.N. 23)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	10x-44x	5x-22x	7.5x-33x	16x-70.4x	13.4x-100x	
Working Dist.	90mm	150mm	105mm	45mm	41 mm	
Field of View	23-5.2mm	46-10.4mm	30.6-6.9mm	14.3-3.2mm	17.1 - 2.3 mm	

Eyepiece DSW15X (F.N. 15)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	15x-66x	7.5x-33x	11.25x-49.5x	24x-105.6x	13.4x-100x	
Working Dist.	90mm	150mm	105mm	45mm	41 mm	
Field of View	15-3.4mm	30-6.8mm	20-49.5mm	9.3-2.1 mm	17.1 - 2.3 mm	

Eyepiece DSW20X (F.N. 11.4)						
Auxiliary Lens	Nil	w/0.5x	w/0.75x	w/1.6x	w/2x	
Magnifications	20x-88x	10x-44x	15x-66x	32x-140.8x	13.4x-100x	
Working Dist.	90mm	150mm	105mm	45mm	41 mm	
Field of View	11.4-2.5mm	22.8-5.1 mm	15.2-3.45mm	7.1 - 1.6mm	17.1 - 2.3 mm	

SPZH-135 Series Stereo Zoom Microscopes

- Magnification range: 21x-135x (14x-180x with optional lenses)
- 6.4:1 zoom ratio
- Field of view: 34.3mm-3.6mm (1.35"-0.14")
- ► Working distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- ► DHW20x (F.N.11.4) optional eyepieces available
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eye-guards and dust cover

Product ID	Description
SPZH-135	SPZH-135 Stereo Zoom Binocular Microscope
SPZHT-135	SPZHT-135 Stereo Zoom Trinocular Microscope

Optical Data for SPZH-135 & SPZHT-135

Eyepiece DHW15x (F.N.15)			DHW20x (F.N.11.4)	
Auxiliary Lens	Nil	w/0.5x	Nil	w/0.5x
Magnifications	21x-135x	10.5x-67.5x	28x-180x	14x-90x
Working Dist.	84mm	135mm	84mm	135mm
Field of View	10.7-1.6mm	21.4-3.3mm	8.1-1.2mm	16.2-2.5mm

SPZH-135

Binocular

SPZ-50 with Ultra Glide Boom Stand and FOI LEDs

- 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Ultra-Glide Boom Stand
- ► Fiber optic LED illumination



26800B-373-8

Product ID	Description
26800B-373-8	SPZ-50 Stereo Zoom Microscope with Ultra-Glide Boom Stand and FOI LED Illumination

SPZ-50 on Double Arm Boom Stand and OLED Ring Light

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Double Arm Boom Stand
- OLED Ring light provides reduced glare and a natural light tone



SPZ-50-534-223

Product ID	Description
SPZ-50-534-223	SPZ-50 Stereo Zoom Microscope on Double Arm Boom Stand and OLED Ring Light

SPZ-50 on Post Stand and OLED Ring Light

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Lightweight compact stand
- OLED Ring light provides reduced glare and a natural light tone



26800B-223-SPZ

Product ID	Description
26800B-223-SPZ	SPZ-50 Stereo Zoom Microscope on Post Stand and OLED Ring Light

SPZ-50 with Ultra Glide Boom Stand and LED Ring Light

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Ultra-Glide Boom Stand
- Focus mount with LED ring light



26800B-373-1

Product ID	Description
	SPZ-50 Stereo Zoom Binocular Microscope with Ultra Glide Stand and LED Ring Light

SPZ-50 on Double Arm Boom Stand and LED Ring Light

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Double Arm Boom Stand
- ► Focus mount with LED ring light



26800B-373-6

Product ID	Description
26800B-373-6	SPZ-50 Stereo Zoom Binocular Microscope with Double Arm Boom Stand and LED Illumination

SPZ-50 on Articulating Arm with Integrated LED Ring Light

- 6.7x 50x Magnification at a
 108 mm (4.25") working distance
 Atticulating arm allows for great
- Articulating arm allows for great flexibility in positioning the microscope
- Focus mount with LED ring light



26800B-373-5

Product ID	Description
26800B-373-5	SPZ-50 Stereo Zoom Microscope on Articulating Arm with Integrated Ring Light

Binocular

SPZ-50 Stereo Zoom Binocular Microscope on Stand PLED

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Built in LED illumination with dimmer control
- Compact post stand helps save bench space
- ESD Safe Model Available



26800B-371

Product ID	Description	
26800B-371	SPZ-50 Stereo Zoom Binocular Microscope on Stand PLED	
26800B-371-ESD	ESD Safe SPZ-50 Stereo Zoom Binocular Microscope on Stand PLED	

SPZ-50 On Track Stand with **Top and Bottom LEDs**

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Overhead LED Light
- LED Back-light
- Binocular and trinocular models available



SPZ50-506

Product ID	Description
SPZ50-506	SPZ-50 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs
SPZV50-506	SPZV-50 Stereo Zoom Trinocular Microscope on Track Stand with Top and Bottom LEDs

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS w/ **Integrated LED Ring Light**

- 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Double Arm Boom Stand
- Focus mount with LED ring light



26800B-369

Product ID	Description
26800B-369	SPZ-50 Stereo Zoom Binocular Microscope on Double Arm Boom Stand & Integrated LED Ring Light

SPZ-50 Stereo Zoom Binocular Microscope System with **Polarized Ring Light**

- Superior optics with crystal clear high resolution images
- Magnification range: 6.7x-50x
- Compact, durable metal post stand with
- 60 LED ring light with adjustable polarizer reduces the glare from shiny or reflective objects



26800B-373-4

Product ID	Description
26800B-373-4	SPZ-50 Stereo Zoom Binocular Microscope System with Polarized Ring Light

SPZH-135 on Post Stand

- 21x 135x Magnification at a 84 mm (3.3") working distance
- ▶ Built in LED illumination with dimmer control
- Coarse and fine focusing, ideal for fine detail work
- Compact post stand helps save bench space



26800B-351

Product ID	Description
26800B-351	SPZH-135 Stereo Zoom Binocular Microscope on Post Stand

Binocular

SPZH-135 on Ultra Glide Boom Stand with LED FOI

- ➤ 21x 135x Magnification at a 84 mm (3.3") working distance
- Scan over large objects with the included Ultra-Glide Boom Stand
- ► Fiber optic LED illumination



26800B-373-11

Product ID	Description
26800B-373-11	SPZH-135 Stereo Zoom Microscope on Ultra Glide Boom Stand with LED FOI

DSZ44-506 On Track Stand with Top and Bottom LEDs

- ► 10x 44x Magnification at a 90 mm (3.54") working distance
- Overhead LED Light
- ► LED Back-light
- ► Binocular and trinocular models available



DSZV44-506

Product ID	Description		
DSZ44-506	DSZ-44 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs		
DSZV44-506	DSZV-44 Stereo Zoom Trinocular Microscope on Track Stand with Top and Bottom LEDs		

SPZH-135 On Track Stand with Top and Bottom LEDs

- ➤ 21x 135x Magnification at a 84 mm (3.3") working distance
- Overhead LED Light
- ► LED Back-light
- Binocular and trinocular models available



	SPZH135-506	
Product ID	Description	
SPZH 135-506	SPZH-135 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs	
SPZHT135-506	SPZHT-135 Stereo Zoom Trinocular Microscope on Track Stand with Top and Bottom LEDs	

CMOS Cameras

Mighty Cam Eidos - 5M Camera with Integrated 11.6" HD Monitor



- All-in-one, compact system
- ▶ 1080p Full HD Imaging at 60 FPS on the 11.6" LCD monitor
- Built-in measurement software No PC required
- Capture high resolution image/video files and perform on-screen measurements without a PC
- Save high resolution image/video files directly to USB Storage card
- ► HDMI Output for additional monitor viewing
- Monitor can be tilted to the optimal viewing angle
- ► Enhances productivity eliminates eye strain and body fatigue

Product ID	Description	
26100-260	Mighty Cam Eidos - 5M Camera with Integrated 11.6" HD Monitor	

Mighty Cam® USB 3.0 6MP CMOS Camera with Imaging Software



26100-244

- Aven's Mighty Cam® USB 6M CMOS Camera with imaging and measurement software
- ► USB 6M CMOS Camera with Imaging Software
- Easy plug-and-play USB 3.0 interface
- ► Versatile C/CS lenses mount
- Calibrate measurements, adjust depth of field in real time and create large panoramic images with real-time stitching feature

Product ID	Description
26100-244	Mighty Cam® USB 3.0 6MP CMOS Camera with Imaging Software

Mighty Cam® Pro Auto Focus with HDMI & USB Outputs and SD Card Port



26100-258

- ► All-in-one inspection auto-focus camera
- ▶ 1080p Full HD Imaging at 60 FPS
- USB output connects to PC
- Built-in measurement software No PC required
- Advanced measurement software included for computer connectivity
- Achieve instant auto focus
- Enhances productivity eliminates eye strain and body fatigue
- Save high resolution image/video files directly to SD card

Product ID	Description	
26100-258	Mighty Cam® Pro Auto Focus HDMI/USB/SD Card	

Mighty Cam ES Camera with USB + HDMI Outputs and SD Card Port



26100-259

- ► Streamlined camera designed for efficient inspection
- ▶ USB + HDMI outputs view on an HD monitor or from your PC
- ► SD Card save images and video files
- ► Compatible with C C/S Mount lenses and trinocular microscopes
- ▶ 1/4-20" screw mount adapter mounts to nearly any camera stand
- Advanced measurement software included for use in PC mode

Product ID	Description
26100-259	Mighty Cam ES Camera w/ USB + HDMI Outputs and SD Card Port

with Mighty Cam USB 3.0

SPZV-50 On Ultra Glide Stand with Mighty Cam USB 3.0 Camera + FOI LEDs

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Ultra-Glide Boom Stand
- Fiber optic LED illumination
- Mighty Cam 3.0 USB Camera with a 6 megapixel sensor and a USB 3.0 output



26800B-373-9

Product ID	Description
26800B-373-9	SPZV-50 Stereo Zoom Trinocular Microscope on Ultra Glide Boom Stand with Mighty Cam USB 3.0 Camera + FOI LED Illumination

DSZV-44 on Post Stand with Mighty Cam USB 3.0 Camera

- 10x 44x Magnification at a 90 mm (3.54") working distance
- Built in LED illumination with dimmer
- Mighty Cam 3.0 USB Camera with a 6 megapixel sensor and a USB 3.0



Product ID	Description
26800B-323	DSZV-44 Stereo Zoom Trinocular Microscope on Post Stand with Mighty Cam [®] USB 5M CMOS Camera

SPZV-50 On Post Stand with Mighty Cam USB 3.0

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Focus mount with LED ring light
- Mighty Cam 3.0 USB Camera with a 6 megapixel sensor and a USB 3.0 output
- Built in LED illumination with dimmer control



26800B-383

SPZHI-I	35 with USB 3.0
Camera,	Ultra Glide Stand
and FOI	LED Illumination

- 21x 135x Magnification at a 84 mm (3.3") working distance
- Mighty Cam 3.0 USB Camera with a 6 megapixel sensor and a USB 3.0 output
- Scan over large objects with the included Ultra-Glide Boom Stand
- Fiber optic LED illumination



26800B-373-12

Product ID Description			Product ID	Description
26800B-383	SPZV-50 on Post Stand with Mighty Cam USB 3.0 6M CMOS Camera			SPZHT-135 Stereo Zoom Microscope with USB 3.0 Camera + Ultra Glide Stand and FOI LED Illumination



with Mighty Cam Pro

SPZV-50 On Post Stand with Mighty Cam Pro

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- ► Lightweight compact post stand
- ► Focus mount with LED ring light
- Inspect directly on an HD monitor, computer, or eyepieces
- ► ESD Safe Model available

Product ID

SPZV-50-258-512

SPZV-50E-258-514-ESD



Description

SPZV-50 on Post Stand with Mighty Cam Pro

SPZV-50 on ESD Safe Post Stand with Mighty Cam Pro

SPZV-50-258-512

SPZV-50 On Ultra Glide
Boom Stand, FOI with
Mighty Cam Pro

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Ultra-Glide Boom Stand
- Fiber optic LED illumination



26800B-373-10-PRO

Product ID	Description
26800B-373-10-PRO	SPZV-50 On Ultra Glide Boom Stand, FOI with Mighty Cam Pro

SPZV-50 On Double Arm Boom Stand + FOI LEDs

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Scan over large objects with the included Double Arm Boom Stand
- ► Fiber optic LED illumination

with Mighty Cam Pro

Inspect directly on an HD monitor, computer, or eyepieces



26800B-382-PRO

SPZV-50 On Ultra Glide	
Boom Stand with	
Mighty Cam Pro	

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Ultra Glide Stand
- ► Focus mount with LED ring light



26800B-705

Product ID	Description
26800B-705	SPZV-50 On Ultra Glide Stand with Mighty Cam Pro

Product ID Description 26800B-382-PRO SPZV-50 on Double Arm Boom Stand + FOI with Mighty Cam Pro

SPZV-50 On Double Arm Boom Stand and Tiltable Arbor with Mighty Cam Pro

- 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Double Arm Boom Stand
- ► Tiltable Arbor allows for tilting of the microscope



Product ID	Description
26800B-706	SPZV-50 On Double Arm Boom Stand and Tiltable Arbor with Mighty Cam Pro

SPZV-50 On Ultra Glide Boom Stand and Tiltable Arbor with Mighty Cam Pro

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Ultra Glide Boom Stand
- ► Tiltable Arbor allows for tilting of the microscope



26800B-707

Product ID	Description
	SPZV-50 On Ultra Glide Boom Stand and Tiltable Arbor with Mighty Cam Pro

with Mighty Cam Pro

SPZV-50 On Double **Arm Boom Stand and Table Clamp with** Mighty Cam Pro

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Double Arm Boom Stand
- Clamps to the side of your workbench



$\langle \cdot \rangle - \langle \cdot \rangle - \langle \cdot \rangle$	\bowtie \bowtie \bowtie \bowtie \bowtie \bowtie
Product ID	Description
26800B-709	SPZV-50 On Double Arm Boom Stand and Table Clamp with Mighty Cam Pro

SPZV-50 On Double Arm **Boom Stand + Table Clamp** and Tiltable Arbor with Mighty Cam Pro

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Double Arm Boom Stand
- Tiltable Arbor allows for tilting of the microscope
- Clamps to the side of your workbench

Product ID

26800B-708



Description
SPZV-50 On Double Arm Boom Stand + Table Clamp and Tiltable
Arbor with Mighty Cam Pro

SPZHT-135 On Ultra Glide Boom Stand, FOI with **Mighty Cam Pro**

- 21x 135x Magnification at a 84 mm (3.3") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Scan over large objects with the included Ultra-Glide Boom Stand
- Fiber optic LED illumination



26800B-373-13-PRO

Product ID	Description
26800B-373-13-PRO	SPZHT-135 On Ultra Glide Boom Stand, FOI with Mighty Cam Pro

DSZV-44 On PLED Stand with Mighty Cam Pro

- 10x 44x Magnification at a 90 mm (3.54") working distance
- Inspect directly on an HD monitor, computer, or eyepieces
- Focus mount with LED ring light
- Light weight compact post stand



Product ID	Description
DSZV-44-258-512	DSZV-44 On PLED Stand with Mighty Cam Pro

with Mighty Cam Eidos

SPZV-50 On Compact Articulating Arm Stand with Mighty Cam Eidos

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect through the monitor and eyepieces
- Compact articulating arm stand saves bench space
- Clamps to the side of your workbench, saving valuable table space



Product ID	Description
26800B-710	SPZV-50 On Compact Articulating Arm Stand with Mighty Cam Eidos

SPZV-50 On Double Arm Boom Stand with Mighty Cam Eidos

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect through the monitor and eyepieces
- Easily scan over large objects with the Double Arm Boom Stand
- ► Focus mount with LED ring light



Product ID	Description
26800B-711	SPZV-50 On Double Arm Boom Stand with Mighty Cam Eidos

SPZV-50 On Double Arm Boom Stand and Table Clamp with Mighty Cam Eidos

- ► 6.7x 50x Magnification at a 108 mm (4.25") working
- Inspect through the monitor and eyepieces
- Easily scan over large objects with the Double Arm Boom Stand
- Clamps to the side of your workbench, saving valuable table space



Product ID	Description
26800B-712	SPZV-50 On Double Arm Boom Stand and Table Clamp with Mighty Cam Eidos

SPZV-50 On Ultra Glide Boom Stand with Mighty Cam Eidos

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect through the monitor and eyepieces
- Scan over large objects with the included Ultra-Glide Boom Stand
- Focus mount with LED ring light



Product ID	Description	
26800B-713	SPZV-50 On Ultra Glide Boom Stand with Mighty Cam Eidos	

SPZV-50 On Track Stand with Mighty Cam Eidos

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect through the monitor and eyepieces
- Adjustable overhead and Backlight LEDs



SPZV50-506-260

Product ID	Description
SPZV50-506-260	SPZV-50 On Track Stand with Mighty Cam Eidos

SPZV-50 On Post Stand with Mighty Cam Eidos

- ► 6.7x 50x Magnification at a 108 mm (4.25") working distance
- Inspect through the monitor and eyepieces
- Focus mount with LED ring light



26800B-385

Product ID	Description
26800B-385	SPZV-50 On Post Stand with Mighty Cam Eidos

with Mighty Cam Eidos

SPZV-50 Series Stereo Zoom Microscope System with Ring Light w/Adjustable Polarizer

- Superior optics with crystal clear high resolution images
- Magnification Range: 6.7x-50x
- Compact, durable metal post stand with base
- 120 LED ring light with adjustable polarizer reduces the glare from shiny or reflective objects
- Available with Mighty Cam® Eidos or as a binocular system



26	20	ΛR	373	3 3

Product ID	Description
26800B-373-2	SPZ-50 Stereo Zoom Binocular Microscope System with Ring Light w/ Adjustable Polarizer
26800B-373-3	SPZV-50 Stereo Zoom Trinocular Microscope System with Eidos Camera and Ring Light w/Adjustable Polarizer



SPZHT-135 On Post Stand with Mighty Cam Eidos

- ➤ 21x 135x Magnification at a 84 mm (3.3") working distance
- Inspect through the monitor and
- Focus mount with LED ring light
- Light weight compact post stand



Product ID Description

SPZHT-135 On Post Stand with Mighty Cam Eidos

DSZV-44 On Post Stand with Mighty Cam Eidos

26800B-355

- 10x 44x Magnification at a 90 mm (3.54") working distance
- Inspect through the monitor and eyepieces
- Focus mount with LED ring light
- Light weight compact post stand



Product ID	Description	
26800B-339	DSZV-44 On Post Stand with Mighty Cam Eidos	

Digital Microscope Systems

with Mighty Cam Eidos

Macro Vue Eidos Video Inspection System with Gliding Boom Stand

- 7x 70x magnification at a 152.4 mm (6") working distance
- Improve inspection quality, reduce eye strain and fatigue
- ► The Gliding Boom Stand smoothly glides across large objects
- ► LED Ring Light with brightness controls



26700-118

Product ID	Description	
26700-118	Macro Vue Eidos Video Inspection System with Gliding Boom Stand	

Mighty Cam Eidos on Ultra-Glide Boom Stand

- ➤ 7x 70x magnification at a 152.4 mm (6") working distance
- Scan over large objects with the included Ultra-Glide Boom Stand
- Wide range zoom lens with adjustable iris, zoom and focus
- Focus mount with LED ring light



26800B-719

Product ID	Description
26800B-719	Mighty Cam Eidos on Ultra-Glide Boom Stand

Macro Vue Eidos Video Inspection System with Standard Stand

- 7x 70x magnification at a 152.4 mm (6") working distance
- ► Wide zoom range for general inspection
- Improve inspection quality, reduce eye strain and fatigue
- Maximizes your bench top space with a unique compact design



26700 117

Product ID	Description	
26700-117	Macro Vue Eidos Video Inspection System with Standard Stand	

Mighty Cam Eidos on Double Arm Boom Stand and Table Clamp

- 7x 70x magnification at a 152.4 mm (6") working distance
- Scan over large objects with the included Double Arm Boom Stand
- Clamps to the side of your workbench, saving valuable table space
- ► Focus mount with LED ring light



26800B-718

Product ID	Description
26800B-718	Mighty Cam Eidos on Double Arm Boom Stand and Table Clamp

Mighty Cam Eidos on Double Arm Boom Stand

- ► 7x 70x magnification at a 152.4 mm (6") working distance
- Scan over large objects with the included Double Arm Boom Stand
- Focus mount with LED ring light
- Wide range zoom lens with adjustable iris, zoom and focus



260-534-209

ı	Product ID	Description
	260-534-209	Mighty Cam Eidos on Double Arm Boom Stand

Mighty Cam Eidos on Compact Articulating Arm Stand

- ► 7x 70x magnification at a 152.4 mm (6") working distance
- Raise, lower, and rotate the microscope
- Compact articulating arm stand saves bench space
- Focus mount with LED ring light



26800B-717

Product ID	Description	
26800B-717	Mighty Cam Eidos on Compact Articulating Arm Stand	

Digital Microscope Systems

with Mighty Cam Pro

Mighty Cam Pro on Compact Articulating Arm Stand and Table Clamp

- 7x 70x magnification at a 152.4 mm (6") working distance
- Compact articulating arm stand saves bench space
- Table clamp easily attaches to the side of your workbench
- Raise, lower, and rotate the microscope



26800B-714

Product ID	Description	
26800B-714	Mighty Cam Pro on Compact Articulating Arm Stand and Table Clamp	

Mighty Cam Pro on Double Arm Boom Stand and Table Clamp

- 7x 70x magnification at a 152.4 mm (6") working distance
- ► Table clamp easily attaches to the side of your workbench
- Focus mount with LED ring lightWide range zoom lens with
- Wide range zoom lens with adjustable iris, zoom and focus



Product ID	Description
26800B-715	Mighty Cam Pro on Double Arm Boom Stand and Table Clamp

Mighty Cam Pro on Ultra Glide Boom Stand

- 7x 70x magnification at a 152.4 mm (6") working distance
- Scan over large objects with the Ultra Glide Stand
- Wide range zoom lens with adjustable iris, zoom and focus
- Focus mount with LED ring light



26800B-716

Product ID	Description	
26800B-716	Mighty Cam Pro on Ultra Glide Boom Stand	

Mighty Cam Pro [7x-70x] Macro Lens w/ Post Stand

- Auto focus camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with built-in LED ring light
- Heavy duty post stand accommodates a large variety of parts



Product ID	Description	
258-207-570	Mighty Cam Pro Auto Focus Macro Lens System with Post Stand	

Mighty Cam Pro [7x-70x] Macro Lens w/ Double Arm Boom Stand

- Auto focus camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- ▶ Includes Aven's Focus Mount with built-in LED ring light
- Double arm boom stand provides smooth horizontal movement



258-209-534

Product ID	Description	
258-209-534	Mighty Cam Pro Auto Focus Macro Lens System with Double Arm Boom Stand	

Mighty Cam Pro [3x-43x] w/ Post Stand

- Provides instant focus from any angle with a sharp 1080p full HD image
- Save high resolution image/video to the included SD card
- Magnification range: 3x-43xHeavy duty post stand
- Heavy duty post stand accommodates a large variety of parts



26700-108-PRO

Product ID	Description
26700-108-PRO	Mighty Cam Pro Auto Focus Macro Lens System with Post Stand

Digital Microscope Systems

with Mighty Cam Pro

Mighty Cam Pro [28.8x-384x] Micro Lens w/ Post Stand

- ► 57.6x 384x (28.8x 192x when using the 0.5x objective lens)
- Auto focus camera features HDMI & USB outputs
- Includes LED ring light with 96 ultrabright adjustable LEDs
- Heavy duty post stand accommodates a large variety of parts



26700-109-PRO


Product ID	Description	
26700-109-PRO	Mighty Cam Pro Auto Focus Micro Lens System w/Standard Post Stand	

AutoFlex Video Inspection System with 1080p Auto Focus Camera & FlexArm Stand

- 7x-70x magnification at a 6 inch working distance
- Ultimate flexibility: 18 inch flexible arm with a 360 ball joint provides limitless positioning options
- Achieve instant auto focus no need to adjust the focus of the lens
- ► LED ring light with 96 ultra-bright, adjustable LEDs



Product ID	Description
26700-121-PRO	AutoFlex Video Inspection System with 1080p Auto Focus Camera & FlexArm Stand, 64 GB USB Drive Card Table Clamp
26700-120-PRO	AutoFlex Video Inspection System with 1080p Auto Focus Camera & FlexArm Stand, 64 GB USB Drive Card Magnetic Base



360 Viewer Systems

Mighty Vue Eidos



26700-151-C05-260-570



26700-151-C05-260-506

Mighty Cam ES




26700-151-C05-259-570



26700-151-C05-259-506

Product ID	Description
26700-151-C05-260-570	Mighty Cam Eidos on Post Stand w/ Gooseneck LEDs + 360 Viewer [13.3x - 94.4x]
26700-151-C05-260-506	Mighty Cam Eidos on Track Stand w/ Overhead and Back Light LEDs + 360 Viewer [13.3x - 94.4x]
26700-151-C05-259-570	Mighty Cam ES on Post Stand w/ Gooseneck LEDs + 360 Viewer [22x - 147x]
26700-151-C05-259-506	Mighty Cam ES on Track Stand w/ Overhead and Back Light LEDs + 360 Viewer [22x - 147x]





360° RotationView From All Angles



Features

- Inspect parts from any angle
- ▶ 360 Viewing w/ included attachment
- > 360 viewer can be easily engaged or disengaged by sliding the mechanism in or out

Mighty Cam ES Systems

Mighty Cam ES [7x-70x] Macro Lens w/ Post Stand

- Camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with builtin LED ring light
- Heavy duty post stand accommodates a large variety of parts



258-207-570-ES

Product ID	Description
258-207-570-ES	Mighty Cam ES Macro Lens System with Post Stand

Mighty Cam ES [28.8x-384x] Micro Lens w/ Post Stand

- > 57.6x 384x (28.8x 192x when using the 0.5x objective lens)
- Camera features HDMI & USB outputs
- Includes LED ring light with 96 ultrabright adjustable LEDs
- Heavy duty post stand accommodates a large variety of parts



Product ID	Description
26700-109-ES	Mighty Cam ES Micro Lens System with Post Stand

26700-109-ES

Mighty Cam ES [7x-70x] w/ FlexArm Stand

- 7x-70x magnification at a 6 inch working distance
- Ultimate flexibility: 18 inch flexible arm with a 360 ball joint provides limitless positioning options
- No computer required for image processing
- LED ring light with 96 ultra-bright, adjustable LEDs



Product ID	Description
26700-121-ES	Mighty Cam ES Macro Lens System with FlexArm Stand

Mighty Cam ES [7x-70x] Macro Lens w/ Double **Arm Boom Stand**

- Camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with builtin LED ring light
- Double arm boom stand provides smooth horizontal movement



258-209-534-ES

Product ID	Description
258-209-534-ES	Mighty Cam ES Macro Lens System with Double Arm Boom Stand

Mighty Cam ES [3x-43x] w/ Post Stand


- Camera features HDMI & USB
- Save high resolution image/video to the included SD card
- Magnification range: 3x-43x
- Heavy duty post stand accommodates a large variety of parts



Product ID	Description
26700-108-ES	Mighty Cam ES Macro Lens System with Post Stand



Imaging & Measurement Software





Capture High Quality Images

Create enhanced still photos or record a live video stream for play back



Auto Calibration & Measurement Tools

Auto calibrate with circle and measure with just a few clicks




ezImageX3® Software

ezImage® software allows you to measure, annotate, and analyze your images with just a few mouse clicks. With advanced features and easy to use interface, exImageX3 makes inspection as easy as possible. While using ezImage® you can view real-time live images or screenshots from your saved folder which can be reviewed, replayed, and analyzed.



Simultaneous Live Views

Use two cameras on same work station for side by side live views



Compare Overlays

Compare your object to a transparent image to catch imperfections

MicroViewer PLUS Software

The Mighty Scope v2 includes a free download of MicroViewer PLUS software. This software is optimized for the Mighty Scope v2, with all the features needed for professional inspection.

- Image/video capture
- Measurement
- Line, angle, and circle drawings/measurement
- Grid overlays
- Compare modes
- Mac or Windows versions available

Digital Microscope Lenses & Accessories

Macro Zoom 3x – 42x Lens System

- Focal length: 12-36mm
- C/CS mount
- ► Working distance 20mm~300mm
- Ideal for quality assurance or assembly applications where easy to view, sharp and true to life magnified image of your product is required. The Macro Zoom 3x-42x offers unsurpassed clarity and par-focal zoom capabilities. Compatible with cameras with C/CS mount. Includes a soft travel pouch.



26700-182

Product ID	Description
26700-182	Macro Zoom 3x-42x Lens System

Computar MLH 10x Lens

- ► f/5.6 to 32C manual iris
- 21.6-4.5° diagonal FOV
- Manual zoom (10x) and focus
- ▶ 0.15-0.45m Focus
- ► C-Mount connection
- C-two me chine chi
- This system requires an adapter plate



26700-181

Product ID	Description
26700-181	Macro Zoom 3x-42x Lens System
26700-181AP	Adapter Plate for Macro Lens 26700-181

C-Mount Coupler 0.5x

- Mounts to Micro Video Lens System Zoom 640
- ► Reduces magnification by 0.5x
- Ideal for cameras with sensors 12.7mm (1/2") or larger
- Can be used with any C-Mount camera
- See optical specification chart for more details



26700-156

Product ID	Description
26700-156	C-Mount Coupler 0.5x

Micro Lens System Zoom 640

- Infinity Optical Design for large depth of field and zoom ratio
- Parfocal throughout zoom range
- Compact design
- High contrast images and vivid colors



26700-151

Product ID	Description
26700-151	Micro Lens System Zoom 640

Adapter Plate for Macro Lens Zoom 7000

- ► Adapter for Macro Lens Zoom 7000
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 46.75mm
- 22.5mm height



26700-180AP

Product ID	Description
26700-180AP	Adapter Plate for Macro Lens Zoom 7000

Adapter Plate for Micro Lens 640

- Adapter for Micro Lens 640
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 35.25mm
- 24mm height



26700-151 AP

Product ID	Description
26700-151AP	Adapter Plate for Micro Lens 640

Adapter Plate for Macro Lens 26700-181

- Adapter for Macro Lens Zoom 26700-181
- Outside diameter: 84mm
- Inside diameter: 47mm
- ▶ 0.75mm height



26700-181 AP

Product ID	Description
26700-181AP	Adapter Plate for Macro Lens 26700-181

Digital Microscope Lenses & Accessories

C-Mount Coupler 1.0x

- ► Mounts to Micro Video Lens System Zoom 640
- Increases magnification by 1x
- ► Ideal for with sensors less than 16.9mm (2/3")
- Can be used with any C-Mount camera
- See optical specification chart for more

C-Mount Coupler 1.0x

Objective Lens 1.5x



Description

Description

26700-158

Objective Lens 0.5x

- Objective Lens for Micro Video Lens System Zoom 640
- Reduces magnification by 0.5x
- Color corrected lens system
- Working distance 175mm (6.9")



26700-162

Product ID	Description
26700-162	Objective Lens 0.5x

Objective Lens 1.5x

Product ID

26700-158

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 1.5x
- Color corrected lens system
- ► Working distance 54mm (2.1")



26700-165

Objective Lens 0.75x

- Objective Lens for Micro Video Lens System Zoom 640
- Reduces magnification by 0.75x
- Color corrected lens system
- Working distance 117mm (4.6")



26700-163

Product ID	Description	
26700-163	Objective Lens 0.75x	

Objective Lens 2x

Product ID

26700-165

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 2x
- Color corrected lens system
- ► Working distance 35mm (1.4")
- See optical specification chart for more details



26700-166

Objective Lens 1x

- Objective Lens for Micro Video Lens System Zoom 640
- Color corrected lens system
- Working distance 82mm (3.2")
- See optical specification chart for more details



26700-164

Product ID	Description
26700-164	Objective Lens 1x

Product ID	Description	
26700-166	Objective Lens 2x	

Optical Data Chart

Objective			CCD Coupler	
Magnification	Working Distance		0.5X	1X
0.24	202	Total Mag.	0.09X0.6X	0.18X1.2X
0.3X	293mm	FOV(mm)	40X53.336X8	20X26.673X4
0.57	175	Total Mag.	0.15X1X	0.3X2X
0.5X	175mm	FOV(mm)	24X323.6X4.8	12X161.8X2.4
	117	Total Mag.	0.225X1.5X	0.45X3X
0.75X	117 mm	FOV(mm)	16X21.33-2.4X3.2	8X10.67-1.2x1.6
1X	00	Total Mag.	0.3X-2X	0.6X-4X
	82mm	FOV(mm)	12X16-1.8X2.4	6X8-0.9X1.2
1.5X		Total Mag.	0.45X-3X	0.9X-6X
	54mm	FOV(mm)	8X10.67-1.2X1.6	4X5.33-0.6X0.8
2X	25	Total Mag.	0.6X-4X	1.2X-8X
	35mm	FOV(mm)	6X8-0.9X1.2	3X4-0.45X0.6

Illumination

Fiber Optic Illuminator 24W

- The light source is an ultra-bright and energy efficient LED
- The unit operates quietly, with no distracting fan noise
- Adjustable brightness intensity up to 1600Lx
- Anti-static metal construction



Product ID	Description
26200A-310	Fiber Optic Illuminator 24W

Ring Light - Video Lenses

- High quality fiber
- Provides 360° shadow-free illumination
- Large fiber bundle ensures maximum light transmission
- Comes with standard 15.875mm (5/8") adapter
- Inner diameter 28.58mm (1.125")
- Designed for use with Video Lenses



26200A-403

Product ID	Description
26200A-403	Ring Light - Video Lenses

LED Ring Light with Adjustable Polarizer

- Ideal for reducing glare when inspecting reflective objects
- ▶ 120 adjustable ultra-bright SMD LEDs
- Polarizer dial with reference markers to adjust the level of polarization
- ► Includes a tinted glass analyzer insert for enhanced polarization effects



26200B-222

Product ID	Description
26200B-222	LED Ring Light with Adjustable Polarizer

Ring Light LED with Polarizer

- Polarizer with Analyzer is ideal for illuminating shiny or highly reflective parts
- ► LED lights are flicker free, energy efficient and eco-friendly
- Operates at a low temperature and does not change color over time
- Inner diameter is 70mm (2.75") with three thumb screws for easy mounting



26200B-214

Product ID	Description
26200B-214	Ring Light LED with Polarizer

Polarizer for Fiber Optic Ring Lights

- ► Helps reduce glare
- ► Analyzer sits in Counter-bore
- Low profile does not inhibit placement of lens or subject



26200A-402P

Product ID	Description
26200A-402P	Polarizer for Fiber Optic Ring Lights

Fiber Optic Ring Light

- ► High quality glass fiber
- Provides 360° shadow free illumination
- Large fiber bundle ensures maximum light transmission
- Accepts polarizers
- Comes with standard 15.875mm (5/8") adapter
- Inner diameter 58.674mm (2.31")



26200A-402

Product ID	Description
26200A-402	Fiber Optic Ring Light

Dual Pipe Light Guide

- ► High quality fiber
- Large fiber bundle assures maximum light transmission
- Obedient "stay-up" sheathing for accurate positioning
- Focusable lens on each pipe for individual light control



Product ID Description

26200A-523 Dual Pipe Light Guide

LED Ring Light w/ Brightness and Sector Control

- ► 60 High Intensity LED Lights
- 7 Step Brightness Control
- 4 Sectors and Each can be Controlled Independently
- Flicker Free
- No Color Change with Temperature



Product ID	Description
26200B-211	LED Ring Light w/ Brightness and Sector Control

Microscope Focus Mounts

E-Arm Focus Mount w/ Integrated LED Ring Light

- E-Arm compatible with boom stands and articulating arm stands
- 60 integrated LED ring light with dimmer control
- Minimum 20,000 hours of highoutput LED illumination
- Fits Aven's binocular and trinocular microscopes
- Low power consumption



Product ID	Description
26200B-209	E-Arm Focus Mount w/ Integrated LED Ring Light

Ring Light LED with Integrated Focus Mount

- Integrated LED ring light with focus mount with coarse and fine focus
- ► Eliminates chance of LED ring becoming loose from the microscope
- ► Increases working distance
- May be used with standard stand, articulating arm stand or either single or double arm boom stands



26200B-207

Product ID	Description
26200B-207	Ring Light LED with Integrated Focus Mount

N-Type Focus Mount

- ► Coarse focus adjustments
- Precision rack and pinion mechanism with tension control
- ▶ 32mm opening for post attachment
- Will accept Aven SPZH, SPZ, and DSZ series microscopes



26800B-578

Product ID	Description
26800B-578	N-Type Focus Mount

Tiltable Arbor

- Extends the working range of boom stands and articulating arm stands
- ► Allows tilting of microscope bodies
- ► Increases operator comfort



26800B-521

Product ID	Description
26800B-521	Tiltable Arbor

Focus Mount

- Coarse & fine focus adjustments
- Precision rack & pinion mechanism with tension control
- ▶ 74mm diameter ring
- Accepts Aven SPZH, SPZ, DSZ and NSW series



26800B-517

Product ID	Description
26800B-517	Focus Mount

E-Arm Focus Mount

- Rack and pinion mechanism with coarse focus adjustment
- ▶ 50mm focusing distance in vertical direction
- > 74mm diameter ring
- Mounts to any of our boom stands or articulating arm stands



26800B-518

Product ID	Description	
26800B-518	E-Arm Focus Mount	

Focus Mount with Tiltable Arbor

- ► Coarse & Fine Focus Adjustments
- Precision Rack & Pinion Mechanism with Tension Control
- Extends working range
- Tiltable
- Increases operator comfort



Product ID	Description
26800B-521-517	Focus Mount with Tiltable Arbor
26800B-521-207	Focus Mount/LED Ring Light With Tiltable Arbor

Ring Light Adapter

- Allows for secure mounting of ring lights to DSZ, NSW and SPZ Series Microscopes
- Screws onto bottom of microscope body



26800B-460

Product ID	Description
26800B-460	Ring Light Adapter

Protective Lens Cover

- Allows for secure mounting of ring lights to DSZ, NSW and SPZ Series Microscopes
- Screws onto bottom of microscope body



26800B-465

Product ID	Description
26800B-465	Protective Lens Cover

Microscope Stands

Single Arm Boom Stand w/Heavy Metal Base

- Base dimensions: 285mm x 260mm x 18mm $(11.22" \times 10.23" \times 0.71")$
- Vertical post length: 384mm (15.12")
- Heavy base provides excellent stability
- Allows positioning of microscopes over a large area
- Posts are highly polished for smooth operation



Product ID	Description
26800B-519	Single Arm Boom Stand w/Heavy Metal Base
26800B-520	Single Arm Boom Stand W/Heavy Metal Base And Tiltable Arbor

Double Arm Boom Stand w/Heavy Metal Base

- Base dimensions: 285mm x 260mm x 18mm $(11.22" \times 10.23" \times 0.71")$
- Vertical post length: 384mm (15.12")
- Heavy base provides excellent stability
- Allows positioning of microscopes over a large area
- Posts are highly polished for smooth



Product ID	Description
26800B-534	Double Arm Boom Stand w/Heavy Metal Base
26800B-534-EP	10 Inch Extension Post For Double Arm Boom Stand

Note: Single & Double Arm Boom Stands require either a Focus Mount (26800B-517) with tiltable arbor (26800B-521) or E-Arm Focus Mount (26800B-518).

Ultra-Glide Boom Stand w/ Heavy Metal Base

- Heavy base coupled with ball bearing slide allows for easy positioning of the microscope
- 13.5" height available with extension post
- All metal construction
- Ideal for use when large objects are to be viewed



Product ID	Description
26800B-556	Ultra-Glide Boom Stand w/ Heavy Metal Base

Standard Articulating Arm Stand

- Allows great flexibility in positioning microscopes
- Can be moved out of way when not in use
- All metal construction



26800B-560

Product ID	Description
26800B-560	Standard Articulating Arm Stand

Microscope Track Stand With Overhead and Backlight LED

- Built-in overhead and back-light LEDs, no need for an external light source
- Individual dimmer controls for both LEDs
- Coarse and fine focus adjustment
- Smooth focus mount movement
- Large working distance (throat depth: 280mm)
- Compact and light weight



26800B-506

Product ID	Description
26800B-506	Track Stand with Overhead and Back-light LED Illumination

Pole Stand with Focus Mount and LED Illumination

- Base dimensions: 220mm x 284mm x 15mm $(8.6" \times 11" \times 0.6")$
- Vertical post length: 255mm (10")
- Light weight compact stand
- Comes with rack & pinion focus mount with course and fine adjustment knobs
- Built in 60 LED ring light with dimmer control



26800B-512

Product ID	Description
26800B-512	Pole Stand with Focus Mount and LED Illumination

Pole Stand with Focus Mount

- Base dimensions: 220 x 284 x 15mm (8.66" x 11.18" x 0.59")
- Vertical post length: 250mm (10")
- Lightweight compact stand
- Ideal for examining small parts
- Saves bench space
- Includes with rack & pinion focus mount with course and fine adjustment knobs



26800B-511

Product ID	Description
26800B-511	Pole Stand with Focus Mount

Note: Pole stands are not suitable for SPZ Series microscopes with 0.5x lens as the vertical post is not long enough to accommodate the working distance.

Heavy Duty Post Stand w/ **Safety Clamp**

- Base dimension: 279mm x 330mm x 12.7mm $(10.98" \times 13" \times 0.5")$
- Vertical post length: 406mm (15.98")
- Aluminum powder coated base
- 10 tapped holes for mounting x-y stages
- UNC bolt and safety clamp included
- Vertical post will accept focus mount (26800B-517) to which bodies SPZH, SPZ series, DSZ series and NSW series



Product ID	Description
26800B-570	Heavy Duty Post Stand with Safety Clamp - 25mm
26800B-571	Heavy Duty Post Stand with Safety Clamp - 32mm

Microscope Eye Pieces

Microscope Eyepiece 10x with 10:100mm Scale

- 10x magnification power
- ▶ 10:100mm scale reticle
- Excellent for measurement
- ► High eye-point design
- 20mm super wide field of view



26800B-455

Product ID	Description
26800B-455	Microscope Eyepiece 10x with 10:100mm Scale

Microscope Eyepiece 10x with 5:100mm Scale

- 10x magnification power
- ▶ 5:100mm scale reticle
- Excellent for measurement
- ► High eye-point design
- 20mm Super wide field of view



26800B-456

Product ID	Description
26800B-456	Microscope Eyepiece 10x with 5:100mm Scale

Microscope Eyepiece 10x with 20x20 0.5mm Scale

- ► 10x magnification power
- ▶ 20x20, 0.5mm squares reticle
- Excellent for measurement
- ▶ High eye-point design
- 20mm super wide field of view



26800B-457

Product ID	Description
26800B-457	Microscope Eyepiece 10x with 20x20 0.5mm Scale

Microscope Eyepiece 10x with 10x10 1mm Squares

- 10x magnification power
- ► 10x10, 1mm squares reticle
- Excellent for measurement
- ► High eye-point design
- 20mm super wide field of view



26800B-458

Product ID	Description
26800B-458	Microscope Eyepiece 10x with 10x10 1mm Squares

Microscope Eyepiece 10x with 10:100mm Scale Cross Hair

- ► 10x magnification power
- ▶ 10:100mm scale cross hair reticle
- Excellent for measurement
- High eye-point design
- 20mm super wide field of view



26800B-459

Product ID	Description
26800B-459	Microscope Eyepiece 10x with 10:100mm Scale Cross Hair

DSW-10X Eyepieces - DSZ-44 and NSW series bodies

- ► Wide field 10x eyepieces
- ► For DSZ-44 and NSW series Microscopes
- ► FN 23



26800B-441

Product ID	Description
26800B-441	DSW-10X Eyepieces - DSZ-44 and NSW series bodies

DSW-15X Eyepieces - DSZ and NSW series bodies

- ► Wide field 15x eyepieces
- ► For DSZ-44, DSŹ-70 and NSW microscopes
- FN 15



26800B-442

Product ID	Description
26800B-442	DSW-15X Eyepieces - DSZ and NSW series bodies

DSW-20X Eyepieces - DSZ and NSW series bodies

- ► Wide field 20x eyepieces
- ► For DSZ-44, DSZ-70 and NSW microscopes
- FN 11.4



26800B-443

Product ID	Description
26800B-443	DSW-20X Eyepieces - DSZ and NSW series bodies

DSW-10X Eyepieces - DSZ-70 series bodies

- ► Wide field 10x eyepieces
- ► For DSZ-70 microscopes
- ► FN 20



26800B-445

Product ID	Description
26800B-445	DSW-10X Eyepieces - DSZ-70 series bodies

Microscope Eye Pieces

DHW-10X Eyepieces - SPZ series bodies

- ► Wide field 10x eyepieces
- ► For SPZ series microscopes
- ► FN 23



26800B-448

Product ID	Description
26800B-448	DHW-10X Eyepieces - SPZ series bodies

DHW-15X Eyepieces - SPZ series bodies

- ► Wide field 15x eyepieces
- ► For SPZ series microscopes
- ► FN 15



26800B-449

Product ID	Description
26800B-449	DHW-15X Eyepieces - SPZ series bodies

DHW-20X Eyepieces - SPZ series bodies

- ► Wide field 20x eyepieces
- ► For SPZ series microscopes
- ► FN 11.4



26800B-450

Product ID	Description
26800B-450	DHW-20X Eyepieces - SPZ series bodies

Rubber Eye Guards

- Adds comfort
- Manufactured from stretchable rubber material
- ► Eliminates stray light
- Protects eyepieces



26800B-453

Product ID	Description
26800B-452	Rubber Eye Guards - DSW eyepieces
26800B-453	Rubber Eye Guards - DHW eyepieces

Auxiliary Lens 0.5x

- Reduces magnification of DSZ, NSW, SPZH and SPZ series microscopes
- ▶ Increases working distance & field of view
- 0.5x lens cannot be used with SPZ series bodies with stand P, PFM, PLED and Stand T + NSW series bodies with Stand T



26800B-461

Product ID	Description
26800B-461	Auxiliary Lens 0.5x

Auxiliary Lens 0.75x

- Reduces magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Increases working distance and field of view



26800B-462

Product ID	Description
26800B-462	Auxiliary Lens 0.75x

Auxiliary Lens 1.6x

- Increases magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Reduces working distance and field of view



26800B-463

Product ID	Description
26800B-463	Auxiliary Lens 1.6x

Auxiliary Lens 2x

- Increases magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Reduces working distance and field of view



26800B-464

Product ID	Description
26800B-464	Auxiliary Lens 2x

Magnifiers

Aven Headband Magnifier with LEDs and Lenses 1x, 1.5x, 2x, 2.5x, 3.5x

- A customizable solution for hands-free magnification
- Includes a 5 auxiliary lens kit with storage case
- A three LED light panel placed at the front of the device provides bright, shadow-free illumination
- The brightness intensity of the LEDs can be adjusted by pressing the button at the top of the light panel
- The length of the headband can be adjusted by twisting the headband regulating wheel to the desired length, and locked in place by pressing the wheel in
- The non-slip inner padding of the headband is designed for operator comfort for the duration of use



26115



Product ID	Description
26115	OptiSight Pro Headband Magnifier with LEDs and Lenses 1x, 1.5x, 2x, 2.5x, 3.5x

Eye Loupe Inspection Goggles with LEDs [6x - 25x]

- Designed for comfortable up close inspection
- Set includes 6 pairs of lenses, ranging from 6x 25x
- Built in LEDs provide additional illumination when needed
- Frames can be lengthened/shortened to the required length
- The lenses can be flipped upwards when not in use, so the operator does not have to remove the goggles
- The lens barrels can be adjusted horizontally to accommodate the operator's face



26116



Product ID	Description
26116	Eye Loupe Inspection Goggles with LEDs [6x - 25x]

OptiSight Headband Magnifier

- Visor can be worn comfortably over prescription or safety glasses
- Durable high-strength plastic
- Interchangeable lenses 1.75x, 2x, 2.5x
- Visor design shields out unwanted glare
- Precision optical grade acrylic prismatic lens.



26224

Product ID	Description
26224	OptiSight Headband Magnifier

OptiVue Headband Magnifier - 4 lenses

- Provides hands-free magnification
- Visor tilts up for normal viewing
- Includes 1.6x, 2.0x 2.5x 3.5x Lens
- Adjustable headband fits any size



26226

Product ID	Description
26226	OptiVue Headband Magnifier - 4 lenses (1.6x, 2.0x, 2.5x, 3.5x)

Magnifiers

OptiVisor Headband Magnifiers

- Optical glass prismatic lenses ground and polished to precision optical standards
- Adjustable pivots allow the visor to be tilted out of the way when not needed and at your fingertips when you need magnification
- Adjusts to fit all head sizes
- ► High impact visor provides a tough, durable, always-new appearance
- Padded orthopedic felt adds to comfort



26101

Product ID	Description
26101	OptiVisor Headband Magnifier - 1.5x
26102	OptiVisor Headband Magnifier - 1.75x

OptiVisor Replacement Lenses

- ► 1.5x 3.5x Replacement Lenses
- Optical glass prismatic lenses ground and polished to precision optical standards
- Replacement Lens for Optivisor Headband Magnifier



26107

Product ID	Description
26107	Replacement Lens #2 - 1.5x
26110	Replacement Lens #5 - 2.5x
26111	Replacement Lens #7 - 2.75x
26112	Replacement Lens #10 - 3.5x



Hand Held Magnifier 5x/20x with LED Light

- Illuminated handheld magnifier with 11 total LEDs
- ► Ergonomic designed straight handle
- LEDs provides strong light for clear viewing
- ► Magnification: 5x/20x
- Powered by 3 AAA batteries (not included)
- Features an ON/OFF switch button



Product ID	Description
26054	Hand Held Magnifier 5x/20x

Hand Held Magnifier 10x/30x with LED Light

- ► Illuminated handheld magnifier with 6 LED
- Ergonomic designed straight handle
- Focus bulb provides strong light for clear viewing
- Magnification: 10x/30x
- Powered by 3 AAA batteries (not included)
- Features an ON/OFF switch button
- CE approved, Factory Audit ISO9001:2000



Product ID Description

26053 Hand Held Magnifier 10x/30x

Wide View Magnifier [2.25x - 4x] w/ UV & White LEDs

- ▶ 5 Diopter (2.25x) high quality glass lens with additional 12 diopter (4x) spot lens
- Bright white LEDs operating at 6500 Kelvin (White LEDs) and UV LEDs operating at 365nM
- ▶ 18 White LEDs with two intensity levels (4 watt)
- ▶ 26 UV LEDs (8 watt)
- ➤ 36,000+ hours (White LEDs) 30,000+ hours (UV LEDs)
- ▶ 400 mAh Rechargeable Lithium Ion Battery (last 2 hours in UV mode and up to 6 hours in white LED mode) Power adapter included (1A/5V)
- Device can be used via the power adapter when battery is drained
- ESD Safe



26060

Product ID	Description
26060	Wide View UV Hand Held Magnifier w/ Ultraviolet & White LEDs

Magnifiers

Swing Out Inspection Loupe 10x

- Distortion-free, three-piece bonded lens
- ► Made from optical glass
- ▶ 10x eye loupe with 1" working distance
- Gold color finish loupe easily folds up to protect lens
- Includes leather carrying case



26011

Product ID	Description
26011	Swing Out Inspection Loupe 10x

Magnifier 10x

- Pre-focused dual lenses allow examination of objects close-up
- Transparent acrylic base permits ambient light to illuminate the object
- ► Powerful 10x magnification
- Ideal for model makers, stamp and coin collectors, and photography



Product ID	Description
26051	Swing Out Inspection Loupe 20x

Pen Type Microscope 25x w/LED Light & Scale

- Perfect "pen-type" microscope with 25x magnification and includes reticle scale
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light
- Provides distortion-free inverted image
- Ideal for inspection in electronics, medical, printing, and jewelry industries



Product ID	Description
26800C-552	Pen Type Microscope 25x w/LED Light & Scale

Eye Loupe 10x

- Lightweight & sturdy glass lens magnifier
- Powerful 10x magnification
- Excellent for close inspection of small parts
- Rests comfortably in the eye socket
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control



26034

Product ID	Description
26034	Eye Loupe 10x

Eye Loupe 10x with LED Light

- Lightweight glass lens magnifier
- ► Powerful 10x magnification
- Excellent for close inspection of small parts
- Adjustable bright LED light
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control



26034-LED

Product ID	Description
26034-LED	Eye Loupe 10x with LED Light

Pocket Microscope 40x w/

- Perfect carry-with microscope with magnification of 40x
- Eyepiece has scale with 0.1 mm graduation and a measurement range of 4mm
- Operates on two AA batteries (not included)
- Useful for engineers, tool makers and quality control inspectors



26800C-534

Product ID	Description
26800C-534	Pocket Microscope 40x w/ Illumination



Mighty Vue Inspector - Magnifying Lamp w/ Built-in HD Camera



Mighty Vue™ Inspector - 3 Diopter Magnifying Lamp w/ Built-in Camera

- Connect to an HD monitor via HDMI
- Connect to a PC via USB (software not included)
- View/save images on a micro SD
- Ideal for sharing images on a screen & finding defects in quality control
- Frosted diffuser on LED lights help evenly distribute light
- LED color temperature controls
- Convenient handle for easy repositioning
- Lamp provides up to a 36" (914 mm) reach
- Attractive design w/ a diamond pattern beveled finish & stainless-steel band



Product ID	Description	
26510-CAM	Mighty Vue Inspector - 3 Diopter Magnifying Lamp w/ Built-in Camera	

Mighty Vue™ Inspector - 5 Diopter ESD Safe Magnifying Lamp w/ Built-in Camera

- Connect to an HD monitor via HDMI
- Connect to a PC via USB (software not included)
- View/save images on a micro SD card
- Ideal for sharing images on a screen & finding defects in quality control
- ► ESD Safe Dissipates electrostatic discharge
- Frosted diffuser on LED lights help evenly distribute light
- ► LED color temperature controls
- Convenient handle for easy repositioning
- Lamp provides up to a 36" (914 mm) reach
- Attractive design w/ a diamond pattern beveled finish & stainless-steel band



Product ID	Description
26512-CAM	Mighty Vue Inspector - 5 Diopter ESD Safe Magnifying Lamp w/ Built-in Camera

Mighty Vue

Mighty Vue™ Pro Magnifying Lamp With UV LEDs - ESD Safe

- Features both standard white LEDs and UV LEDs
- ▶ 48 White LEDs, 30 UV LEDs (400 nm)
- ➤ 7.5" x 6.2" Extra-wide glass lens for crystal-clear viewing
- 360 Swivel lamp head, inspect from any angle
- ► Touch-sensitive brightness controls
- Built-in handle for easy positioning

 Adjustment knob locks lamp head
- Adjustment knob locks lamp head and arm in position
- Adjustable spring balanced arm, free of pinching hazards
- ESD Safe
- Includes heavy-duty table clamp and power adapter



Product ID Description			
	26505-ESL-XL3-UV	Mighty Vue Pro 3 Diopter [1.75x] Magnifying Lamp with UV and White LEDs - ESD Safe	
	26505-ESL-XL5-UV	Mighty Vue Pro 5 Diopter [2.25x] Magnifying Lamp with UV and White LEDs - ESD Safe	

Mighty Vue™ Pro 5 Diopter Magnifying Lamp with Color Temperature Controls - ESD Safe

- Large 7.5" x 6.2" lens
- Durable ESD safe plastic housing
- 36" Spring balanced arm stays put in any position
- ► Heavy duty ESD safe metal mounting clamp with 63.5 mm (2.5") opening
- Color temperature ranges from 3500K 6500K
- Features 60 high-powered energyefficient SMD LEDs (30 per color temperature) provide shadow-free illumination
- ▶ LEDs are rated for over 20,000 hours of use
- Features brightness adjustment (max: 1100 lm)



Product ID	Description
26505-ESL-XL5	Mighty Vue Pro 5 Diopter Magnifying Lamp with Color Temperature Controls - ESD Safe



Mighty Vue™ Pro 3 Diopter Magnifying Lamp with Color Temperature Controls

- Large 7.5" x 6.2" lens
- 36" Spring balanced arm stays put in any position
- Color temperature ranges from 3500K - 6500K
- Feature 60 high-powered, energy-efficient SMD LEDs (30 per color temperature) that provide shadow-free illumination
- LEDs are rated for over 20,000 hours of use
- Features brightness adjustment (max: 1100 lm)



Product ID	Description	
26505-LED-XL3	Mighty Vue Pro 3 Diopter Magnifying Lamp with Color Temperature Controls	
	, , , , , , , , , , , , , , , , , , , ,	

Mighty Vue™ Slim 5 Diopter LED Magnifying Lamp

- Touch-sensitive brightness controls
- ➤ 34" covered spring balanced arm stays set in any position
- ► 6.5" x 4" 5 Diopter glass lens
- ► 60 High intensity energy saving SMD LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or inspection applications
- Heavy duty table clamp allows for easy attachment to desk and bench tops



Product ID	Description	
26505-MX5	Mighty Vue Slim 5 Diopter [2.25x] LED Magnifying Lamp	

ProVue

ProVue™ Solas Magnifying Lamps

- Designed to accommodate multiple lenses
- 5" Crystal-clear glass lens for distortion-free
- 36" Spring balanced arm stays set in any position
- Heavy duty mounting clamp with 63.5 mm (2.5") opening
- LED models feature 60 high-powered, energy-efficient SMD LEDs that provide shadow-free illumination
- Adjustable LEDs are rated for over 20,000 hours of use

Product ID	Description
26501-XL35	ProVue Solas Magnifying Lamp with Interchangeable 5-Diopter Lens (2.25x)
26501-XL58	ProVue Solas Magnifying Lamp with Interchangeable 8-Diopter Lens (3x)
26501-RL3D	ProVue Solas 3 Diopter Replacement Lens (1.75x) for 26501-XL35
26501-RL5D	ProVue Solas 5 Diopter Replacement Lens (2.25x) for 26501-XL35 + 26501-XL58
26501-RL8D	ProVue Solas 8 Diopter Replacement Lens (3x) for 26501-XL58

ProVue™ SuperSlim LED Magnifying **Lamp with Rolling Stand**

- Super-slim modern design
- Mounted on our heavy duty floor stand with
- 5 Full swivel castors for easy mobility
- High intensity energy saving LEDs
- 5", 5 Diopter round glass lens (2.25x Magnification)

position	ring arm stays set in any	
Product ID	Description	
26501-LED-STN	ProVue SuperSlim LED Magnifying Lamp with Rolling Stand	

ProVue TM	Deluxe	LED	Magnifying	

- 3500K 6500K Color temperature



		S.		
tion				
h Rolling Stand	l			
84		8		

3300K - 6300K Color temperature	
range	
5 Diopter glass lens	-0
36" Friction arm - no springs, no pinch	
hazards	
Beautifully constructed aluminum design	
Built-in brightness control	
3 Locking joints help lamp stay in place	
at any position	
/ 1	

Product ID	Description
26501-LFL-LED	ProVue Deluxe LED Magnifying Lamp with Dual Color Temperature



ProVue™ SuperSlim Magnifying Lamp

- Available in two configurations: 5-Diopter (2.25x) and 8-Diopter (3x)
- 5" Crystal-clear glass lens for 360° distortion-free viewing
- 36" Spring balanced arm stays set in any
- Heavy duty mounting clamp with 63.5 mm (2.5") opening
- Fluorescent model features 22 watt bulb operating at 6400k
- 60 High powered energy efficient SMD LEDs provide shadow free illumination
- LEDs are rated for over 20,000 hours of



Product ID	Description
26501-LED	ProVue LED Magnifying Lamp 5 Diopter [2.25x]
26501-LED-8D	ProVue LED Magnifying Lamp 8 Diopter [3x]

OptiVue 5 Diopter LED Magnifying Desk Lamp

- 11" Flexible gooseneck arm
- 4" 5 Diopter glass lens
- 36 High-intensity energy-saving SMD LEDs
- Features weighted base for lamp stability



Product ID	Description
26507-XL5	OptiVue 5 Diopter LED Magnifying Desk Lamp

In-X

In-X[®] Interchangeable Magnifying Lamp







- Interchangeable lenses
- Easy lens exchange: no tools required
- Capable of a magnification range of 2.25x 4.75x with optional lenses
- Fully enclosed spring balanced arm prevents pinching hazards
- Rotatable lamp head can be positioned to nearly any angle
- Ultra-bright LEDs with brightness intensity adjustment



Product ID	Description	Diopter	Magnification
26501-LED-INX	In-X Interchangeable Magnifying Lamp with 5 Diopter Lens [2.25x]	5	2.25x
26501-LED-INX-8D	In-X Magnifying Lamp 8 Diopter [3x] Bundled With A 5 Diopter Lens [2.25x]	8 & 5	3x & 2.25x
26501-LED-INX-12D	In-X Magnifying Lamp 12 Diopter [4x] Bundled With A 5 Diopter Lens [2.25x]	12 & 5	4x & 2.25x
26501-LED-INX-15D	In-X Magnifying Lamp 15 Diopter [4.75x] Bundled With A 5 Diopter Lens [2.25x]	15 & 5	4.75x & 2.25x
26501-INX-RL5D	5 Diopter Interchangeable Lens for In-X Magnifying Lamps	5	2.25x
26501-INX-RL8D	8 Diopter Interchangeable Lens for In-X Magnifying Lamps	8	3x
26501-INX-RL12D	12 Diopter Interchangeable Lens for In-X Magnifying Lamps	12	4x
26501-INX-RL15D	15 Diopter Interchangeable Lens for In-X Magnifying Lamps	15	4.75x

Accessories

Replacement Clamp

(for ProVue Deluxe and Mighty Vue Deluxe Magnifying Lamps)

- Replacement table clamp for Aven's ProVue Deluxe and Mighty Vue Deluxe Magnifying Lamps
- Secures to the side of any work bench (up to 1.5" width)
- Heavy duty aluminum construction
- Includes 4 mounting screws

Product ID	Description
26501-DSG-CL	Replacement Clamp for ProVue Deluxe & Mighty Vue Deluxe

Replacement Clamp

(for Mighty Vue Pro 26505-ESL-XL5)

- Replacement table clamp for Aven's Mighty Vue Pro 26505-ESL-XL5 magnifying lamp
- Effortlessly mounts to a desk or table top



Product ID	Description
26505-RC-ESD	Replacement Clamp for Mighty Vue Pro 26505-ESL-XL5

Floor Stand Heavy Duty with Castors

- 5 Full swivel castors for easy mobility
- Designed for durability
- Easy to clean; no maintenance required
- Provides full mobility for magnifying lamp applications in beauty salons, medical field, electronics repair, dental clinics, industrial inspection, scientific research laboratories and even at home
- Works with ProVue SuperSlim magnifying lamps



Product ID	Description
26509-STN	Floor Stand Heavy Duty with Castors

ProVue Replacement Clamp

- Heavy duty metal mounting clamp with 63.5 mm (2.5") opening
- Mounts easily to desk or table top
- Fits ProVue magnifying lamps



Product ID	Description
26501-RC	ProVue Replacement Clamp

Work Lights & Machine Lights

LED Dual Gooseneck Spotlight Illuminator

- Ideal external light source for high-magnification inspection systems
- Provides bright, even lighting
- Versatile, adjustable illumination at any angle
- ► 6500K cool light LED illuminator
- 23-3/8" (568mm/each) long dual gooseneck lights
- Metal framework intensity control box with light adjustment knobs for each light
- UV Dual Gooseneck Illuminators sold separately



26200B-221

Product ID	Description
26200B-221	LED Dual Gooseneck Spotlight Illuminator
26200B-221-GNUV	395 NM Ultra Violet Flexible Gooseneck for LED Dual Gooseneck Spotlight Illuminator
26200B-221-GNLED	Replacement Gooseneck for LED Dual Gooseneck Spotlight Illuminator

Sirrus Task Light LED w/ Swivel Head, 500mm Flex Arm & Mounting Clamp

- ► 500mm flexible arm stays set in any position to provide direct light where needed
- ► High-intensity energy-efficient LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications



Product ID	Description
26526	Sirrus Task Light LED w/ Swivel Head 500mm Flex Arm & Mounting Clamp
26520-MB	Sirrus Magnetic Base for Task Lights

Sirrus LED Lamp w/ Aluminum Head, 500mm Flex Arm & Mounting Clamp

- ► 500mm flexible arm stays set in any position to provide direct light where needed
- High-intensity energy-saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- ▶ Ideal for assembly, workshop or office applications



26528

Product ID	Description	
26528	Sirrus LED Task Lamp w/ Aluminum Head, 500mm Flex Arm & Mounting Clamp	
26520-MB	Sirrus Magnetic Base for Task Lights	

Sirrus Task Light LED High Intensity Fixed Focus with 500mm Flex Arm and Mounting Clamp

- ► 500mm flexible arm stays set in any position to provide direct light where needed
- ► High-intensity energy-efficient LED
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications



26527

Product ID	Description
26527	Sirrus Task Light LED High Intensity Fixed Focus with 500mm Flex Arm and Mounting Clamp
26527-MB	Sirrus 26527 Magnetic Base

Tubular LED Machine Light

- ► IP67 Rated
- Sealed to keep out fluids, chips and shavings
- Long life LEDs (40,000 hours)
- ► Wide Illumination angle
- Built in Ballast



26600-501

Product ID	Description
26600-501	Tubular LED Machine Light 14 Watt 15in (380mm)
26600-503	Tubular LED Machine Light 20 Watt 22.72 In (577mm)
26600-503G	Tubular LED Machine Light 20 Watt 22.72 In (577mm) w/ Glass Diffuser
26600-505	Tubular LED Machine Light 2 X 14 Watt 26 In (658 mm)
26600-505G	Tubular LED Machine Light 2 X 14 Watt 26 In (658 mm) w/ Glass Diffuser

Tubular LED Machine Light

- ▶ 28 watt LED Lights
- ▶ 40,000 hours of life
- ► Tempered glass diffuser lens
- ► Color Temperature 5600K 6000K
- ► Aluminum body




26600-510

Product ID	Description	
26600-510	LED Machine Light 22 In (560mm) 28 Watt	

Hand Tools





Accu-Cut® Oval Head Cutter

- This popular shape can be used for many applications
- ESD safe ergonomic grips
- Robust oval head designed for durability



Product ID	Description	Cutting Edge	Capacity
10821\$	Accu-Cut [®] Oval Head Cutter	Semi-Flush	0.2mm-1.25mm
10821F	Accu-Cut [®] Oval Head Cutter	Flush	0.15-1.25mm

Accu-Cut® Oval Relief Head Cutter

- This popular shape can be used for many applications
- Relieved head allows easier access in tight confined areas
- ESD safe ergonomic grips
- Designed to be durable



10822F

Product ID	Description	Cutting Edge	Capacity
10822\$	Accu-Cut [®] Oval Relief Head Cutter	Semi-Flush	0.2-1.2mm
10822F	Accu-Cut [®] Oval Relief Head Cutter	Flush	0.15-1.1mm

Accu-Cut® Mini Oval Head Cutter

- Miniature oval head for fine cutting work
- ESD safe ergonomic grips
- Designed to be durable



Product ID	Description	Cutting Edge	Capacity
10827\$	Accu-Cut [®] Mini Oval Head Cutter	Semi-Flush	0.2-1.25mm
10827F	Accu-Cut [®] Mini Oval Head Cutter	Flush	0.1-0.9mm

Accu-Cut® Tapered Head Cutter

- Pointed head allows for increased access in tight areas
- ESD safe ergonomic grips
- Designed to be durable



Product ID	Description	Cutting Edge	Capacity
10825\$	Accu-Cut [®] Tapered Head Cutter	Semi-Flush	0.2-1.25mm
10825F	Accu-Cut [®] Tapered Head Cutter	Flush	0.15-1.25mm



Premium-Grade Cutters

Accu-Cut® Large Oval Head Cutter

- 25% larger than our standard oval head cutters
- Larger cutting capacity
- ► ESD safe ergonomic grips
- Designed to be durable



10823S

Product ID	Description	Cutting Edge	Capacity
10823\$	Accu-Cut [®] Large Oval Head Cutter	Semi-Flush	0.2-1.5mm
10823F	Accu-Cut [®] Large Oval Head Cutter	Flush	0.15-1.5mm


Accu-Cut® XL Oval Head Cutter

- Extra large oval head for cutting heavy duty wire
- ► ESD safe ergonomic grips
- Designed to be durable



Product ID	Description	Cutting Edge	Capacity
10829\$	Accu-Cut [®] XL Oval Head Cutter	Semi-Flush	0.4-2mm





Accu-Cut® Tapered Relief Head Cutter

- Pointed head with relief allows for increased access in tight areas
- ► ESD safe ergonomic grips
- Designed to be durable



10826F

Product ID	Description	Cutting Edge	Capacity
10826\$	Accu-Cut [®] Tapered Relief Head Cutter	Semi-Flush	0.2-1.15mm
10826F	Accu-Cut [®] Tapered Relief Head Cutter	Flush	0.1-1.05mm

Accu-Cut® Mini Tapered Relief Cutter

- Miniature tapered head with relief for exceptionally fine cutting work
- ► ESD safe ergonomic grips
- Designed to be durable



Product ID	Description	Cutting Edge	Capacity
108285	Accu-Cut [®] Mini Tapered Relief Cutter	Semi-Flush	0.2-1.1 mm
10828F	Accu-Cut [®] Mini Tapered Relief Cutter	Flush	0.1-1 mm



Professional-Grade Pliers & Cutters



Technik® Oval Head Cutter 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



10321

Product ID	Description	Cutting Edge	Capacity
10321	Technik [®] Oval Head Cutter 114mm (4.5")	Semi-Flush	0.2-1.25mm
10323	Technik [®] Oval Head Cutter 114mm (4.5")	Flush	0.15-1.25mm

Technik® Tapered Head Cutter 114mm (4.5in)

- Manufactured from 400 series stainless steel
- ► Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



10325

Product ID	Description	Cutting Edge	Capacity
10325	Technik [®] Tapered Head Cutter 114mm (4.5")	Semi-Flush	0.2-1.25mm
10326	Technik [®] Tapered Head Cutter 114mm (4.5")	Flush	0.15-1.25mm

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set

Technik® Oblique Head Cutter 144mm (4.5in)

- Manufactured from 400 series stainless
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability
- Oblique tip can be used for fine wire cutting



Product ID	Description	Cutting Edge	Capacity
10328	Technik [®] Oblique Head Cutter 144mm (4.5")	Semi-Flush	0.2-1.25mm

Technik[®] Long Nose Pliers w/ Cutter 120.5mm (4.75in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10315	Technik [®] Long Nose Plier w/ Cutter 120.5mm (4.75")	26.4mm	1.8mm	Serrated



Professional-Grade Pliers & Cutters

Technik® Mini Tapered Head Cutter 110mm (4.3in)

- Manufactured from 400 series stainless
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Cutting Edge	Capacity
10331	Technik [®] Mini Tapered Head Cutter 110mm (4.3")	Flush	0.1-1.25mm

Technik® End Cutter 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability
- Designed to cut close to the surface leaving smooth surface behind



Product ID	Description	Cutting Edge	Capacity
10327	Technik [®] End Cutter 144mm (4.5")	Semi-Flush	0.2-1.25mm

Technik® Chain Nose Pliers 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10301	Technik [®] Chain Nose Pliers 114mm (4.5")	23.6mm	1.8mm	Smooth
10307	Technik [®] Chain Nose Pliers 114mm (4.5")	23.6mm	1.8mm	Serrated

Technik® Chain Nose Pliers 152mm (6in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10333	Technik [®] Chain Nose Pliers 152mm (6")	38.8mm	2mm	Serrated

Technik® Chain Nose Pliers 127mm (5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10302	Technik [®] Chain Nose Pliers 127mm (5")	26.6mm	1.8mm	Smooth
10308	Technik [®] Chain Nose Pliers 127mm (5")	26.6mm	1.8mm	Serrated
10311	Technik [®] Chain Nose Pliers 127mm (5")	37.4mm	1.8mm	Smooth
10311\$	Technik [®] Chain Nose Pliers 127mm (5")	37.4mm	1.8mm	Serrated





Professional-Grade Pliers & Cutters

Technik® Round Nose Pliers 114mm-127mm (4.5in-5in)

- Manufactured from 400 series stainless steel
- ► Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10305	Technik [®] Round Nose Pliers 114mm (4.5")	21.3mm	1.14mm	Smooth
10306	Technik [®] Round Nose Pliers 127mm (5")	23.6mm	1.14mm	Smooth

Technik® Bent Nose Pliers 114mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10309	Technik [®] Bent Nose Pliers 114mm (4.5")	22.8mm	1.5mm	Smooth
10310	Technik [®] Bent Nose Pliers 114mm (4.5")	22.8mm	1.5mm	Serrated

Technik® Flat Nose Pliers 114mm-152mm (4.5in-6in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10303*	Technik [®] Flat Nose Pliers 114mm (4.5")	23.6mm	3.2mm	Smooth
10304	Technik [®] Flat Nose Pliers 127mm (5")	29.9mm	5.87mm	Smooth
10335	Technik [®] Flat Nose Pliers 152mm (6")	42mm	5.3mm	Smooth

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set

Technik® Bent Nose Pliers 152mm (6in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10313	Technik [®] Bent Nose Pliers 152mm (6")	40.6mm	2mm	Smooth

Technik® Needle Nose Pliers 146mm (5.75")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



th Jaw Type

Product ID	Description	Jaw Length	Tip Width	Jaw Type
10314*	Technik [®] Needle Nose Pliers	49mm	1.5mm	Serrated

Technik® Needle Nose Pliers Curved 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



Product ID	Description	Jaw Length	Tip Width	Jaw Type
10953	Technik [®] Needle Nose Pliers Curved 152mm (6")	31.2mm	1.3mm	Serrated

Technik® Precision Stainless Steel Pliers Set 6pc

- Induction hardened jaws
- Dual leaf springs
- ► ESD Safe cushioned grips
- Manufactured from 400 series stainless steel
- Box Joint construction
- Set includes: Technik Stainless Steel Pliers & Cutters - 10301, 10303, 10314, 10315, 10321, 10327
- Tools come with a handy leatherette pouch



10600A

1	Product ID	Description	
	10600A	Technik [®] Precision Stainless Steel Pliers 6pc	

NIPTEC

Industrial-Grade Cutters



Niptec® TR 5000 Cutter

- Durable 5mm thick blades
- Compact ergonomic design
- Semi-flush cutting edge
- For use on copper wire up to 12
- ESD Safe grips



Product ID	Description	Cutting Edge
10501	Niptec [®] TR 5000 Cutter	Semi-Flush

Niptec® TR 5000PG Cutter

- Durable 5mm thick blades
- Compact ergonomic design
- Semi-flush cutting edge
- For use on copper wire up to 16 **AWG**
- ESD Safe grips



Product ID	Description	Cutting Edge
10503	Niptec [®] TR 5000PG Cutter	Flush

Niptec® TR 25 Cutter

- For use on copper wire up to 18 **AWG**
- ESD Safe grips
- Compact ergonomic design
- Narrow cutting head for access into dense areas



Product ID	Description	Cutting Edge
10521	Niptec [®] TR 25 Cutter	Flush

Niptec® TR 25-E Cutter

- For use on copper wire up to 18
- Blue non-slip grips make tool comfortable and easy to use
- Compact ergonomic design
- Narrow cutting head for access into dense areas



Niptec® TR 20M Cutter

- Compact ergonomic design
- ESD Safe grips make tool comfortable and easy to use
- For use on copper wire up to 20
- Small cutting head angled at 21° for access into tight places



Product ID	Description	Cutting Edge
10527B	Niptec [®] TR 20M Cutter	Flush

Did you know **Aven offers a limited lifetime** warranty on all hand tools? Visit www.AvenTools.com for more information.

Industrial Cutters & Pliers

Flat Nose Serrated Pliers 5" (125mm)

- Serrated Jaws with V-Slot for holding
- Grip remains consistently parallel along full length of jaw when open
- Compound lever action with no
- Nickel-plated handles with jaws made of hardened steel



Product ID	Description	Max Opening	Jaw Length
10757	Flat Nose Serrated Pliers 5" (125mm)	10mm	41 mm

Serrated Jaws with V-Slot for holding

Flat Nose Pliers w/ Wire Cutters 8"

- Grip remains consistently parallel along full length of jaw when open or
- Compound lever action with no spring
- Cushion-grip handles with jaws made of hardened steel
- Built-in wire cutter cuts soft wire up to 6mm (0.24")



Product ID	Description	Max Opening	Jaw Length
10764	Flat Nose Pliers w/Wire Cutters 8"	17mm	41 mm

Flat Nose Pliers 8"

- Serrated Jaws with V-Slot for holding
- Grip remains consistently parallel along full length of jaw when open or closed
- Compound lever action with no
- Nickel-plated handles with jaws made of hardened steel



Product ID	Description	Max Opening	Jaw Length
10756	Flat Nose Pliers 8"	17mm	41 mm

Flat Nose Pliers w/ Wire Cutters 5"

- Serrated Jaws with V-Slot for holding
- Compound lever action with no spring
- Nickel-plated handles with jaws made of hardened steel
- Built-in wire cutter cuts soft wire up to 2.5mm (0.1")
- Grip remains consistently parallel along full length of jaw when open or



Product ID Description		Max Opening	Jaw Length
10761	Flat Nose Pliers 5"	17mm	35mm





Aven offers a wide variety of tweezers to meet a broad range of applications and 2 different quality grades.

In order to choose the best tool for your application:

- 1. Determine the type of points best suited for your application.
- 2. Refer to the material guide below and select the correct material for your application.
- 3. Determine the quality level required for your application if applicable. (Table 1)

Special Coatings (Available on non-magnetic stainless steel only)

TE - Teflon Superior anti-scratch, non-stick material. Acid resistant. 400°F/200°C

EP - Epoxy Good electrical insulation and resistance to chemicals. Anti-glare. 300°F/150°C

* To order tweezers with above mentioned coatings, call Aven for price and delivery time.






Material Selection Guide			
Material	Tip Hardness Magnetism		Corrosion Resistance
Titanium	Excellent	Never	Excellent
Carbon steel	Excellent	Yes	Low
Stainless Steel	Very Good	Some	Good
Stainless Steel, Anti- magnetic, Anti-acid	' (=00d		Excellent, Resists Acids
Titanium Nitride PVD Very Good		None to very little	Excellent
Carbon Composite	Soft	None	Non-corrosive

	Quality Grades		
Accu-Tek	Made from the finest steels. Perfectly Balanced for a superior feel. Light weight with soft tension with accurately finished points. Recommended for work under high power magnification aerospace and micro electronics and in applications where high precision is required. All Accu-Tek precision tweezers are made from anti-acid, anti-magnetic stainless steel.		
Technik	Finely crafted tweezers. Anti-glare finish to reduce eye strain. Hand finished points for accuracy. Recommended for micro electronics and precision assembly.		

Tweezer Styles

H0H0H0H0H0	Tip Name Description	
	AA	For general assembly, very strong and precise tips with fine finish
	AC	Sturdy tips for bending and handling very fine wire. Includes finer grips
	мм	General Purpose Tweezer
	00	Flat edges, heavy duty strong blades tapering to a regular strong point
	00C	Flat edges, strong blades tapering to a regular strong point
OOD TITANI	00D	Flat edges, strong blades tapering to a regular strong point, finger grips
	0	Fine Straight Points for handling and positioning of miniature parts or fine wire
	0A	Straight Points with radius edges, designed for dense areas
Through Management of the State	ОС	Flat Edges, fine tips and short
	SS	Extra long and narrow with extended reach to access confined areas
	1	General Use, Strong Blade with Fine Point
	2	Tapered sharp point for bending and handling of small wire and parts
	2A	Straight Flat Tips. Provides large flat gripping surface
TABLE SET	2AB	Curved Flat Tips. Best Flat tips. Tips provide large flat gripping surface
TI	3	Fine point tweezers for general assembly or light magnification applications



TWEEZER MATERIAL

Titanium

- · Excellent for use in the silicon chip industry
- Does not shed particles like stainless steel
- 100% Non magnetic
- Lightweight
- High strength material

Carbofib

- ESD Safe (102 ohm)
- Soft and non scratching
- Conductive synthetic fiber tips are ideally suited to handle delicate and fragile components
- Tweezers are manually finished and tested for maximum precision
- Chemical resistant and heat resistant up to 256°C

Stainless Steel


- Light weight with soft tension and accurately finished points
- Recommended for work under high power magnification applications where high precision is required
- Perfectly balanced for a superior feel

Stainless Steel W/ PVD Infusion

- PVD coating
- Scratch & corrosion resistant
- Reduces friction and provides a barrier against damage
- Used in a wide variety of industries including aerospace, automotive, defense, manufacturing and more where long lasting durability is crucial

Plastic

- Non magnetic
- Resists virtually all commercial solvents
- Non absorbent and easy to clean
- Tips are non-marring



^{*}Stainless steel does show some magnetism

LechnikTM

- Stainless Steel
- Anti-Magnetic & Anti-Acid
- Precision Assembly
- Laboratory & Microscopy
 Anti-Glare Finish to Reduce Eye Strain
- Hard Finished Points for Accuracy
- Recommended for Micro Electronics and Precision Assembly





Product ID	Description
18013USA	Technik Tweezers AA-SA
18032USA	Technik Tweezers 00-SA
18049USA	Technik Tweezers 2A-SA
18072USA	Technik Tweezers 7-SA
18056USA	Technik Tweezers 3C-SA
18062USA	Technik Tweezers 5-SA
18023USA	Technik Tweezers MM-SA
18037USA	Technik Tweezers 00D-SA
18069USA	Technik Tweezers 6-SA
18053USA	Technik Tweezers 3-SA
18043USA	Technik Tweezers 1-SA
18046USA	Technik Tweezers 2-SA
18059USA	Technik Tweezers 4-SA
18040USA	Technik Tweezers SS-SA
18029USA	Technik Tweezers OC-SA
18034USA	Technik Tweezers 00C-SA
18065USA	Technik Tweezers 5A-SA
18066USA	Technik Tweezers 5B-SA
18050USA	Technik Tweezers 2AB-SA
18074USA	Technik Tweezers 7B-SA
18016USA	Technik Tweezers AC-SA
18027USA	Technik Tweezers 0A-SA
18475USA	Technik 6-Piece Precision Tweezer Set
18476USA	Technik 5-Piece Precision Tweezer Set

BLU-TEK

- Stainless Steel PVD Infusion Process
- **Corrosion Resistant**
- Aven's Most Precise Tips Laboratory & Microscopy



Product ID	Description
18872	Blu-Tek Tweezers with Fine Curved Tips Style 7-SS
18851	Blu-Tek Tweezers with Fine Angled Tips Style 51-SS
18853	Blu-Tek Tweezers with Straight Pointed Tips Style 3-SS
18862	Blu-Tek Tweezers with Long Fine Tips Style 5-SS
18865	Blu-Tek Tweezers with Long Angled Tips Style 5A-SS
18800BTK	Blu-Tek Tweezer Kit with Storage Case



Carbofib

- ▶ Polyetheretherketone Reinforced with Carbon Fiber
- ► Heat Resistant
- Chemical Resistant
- Precision Assembly & Laboratory



Product ID	Description
18702	Carbofib 302-CF Tweezers
18704	Carbofib 304-CF Tweezers
18762	Carbofib 5-CF Tweezers
18768	Carbofib 2A-CF Tweezers
18769	Carbofib 7-CF Tweezers

E-Z Pik

- Stainless Steel
- ► Color Coated to Easily Identify Tip Pattern
- ► Precision Assembly



Product ID	Description
18013EZ	E-Z Pik Tweezers AA Yellow
18072EZ	E-Z Pik Tweezers 7 Orange
18056EZ	E-Z Pik Tweezers 3C Light Blue
18032EZ	E-Z Pik Tweezers 00 Red
18049EZ	E-Z Pik Tweezers 2A Black
18062EZ	E-Z Pik Tweezers 5 Green
18480EZ	E-Z Pik 6-Piece Tweezer Set

Titanium

- ► ESD Safe
- Light Weight Non-Magnetic
- Precision Assembly



Product ID	Description
18056TT	Aven Titanium Tweezers 3C
18072TT	Aven Titanium Tweezers 7
18032TT	Aven Titanium Tweezers 00
18049TT	Aven Titanium Tweezers 2A
18062TT	Aven Titanium Tweezers 5
18013TT	Aven Titanium Tweezers AA
18046TT	Aven Titanium Tweezers 2

18032TT	18049TT
18046TT	1803 <i>7</i> TT
18043TT	18065TT
	ZA AVEN

Product ID	Description
18037TT	Aven Titanium Tweezers 00D
18053TT	Aven Titanium Tweezers 3
18069TT	Aven Titanium Tweezers 6
18043TT	Aven Titanium Tweezers 1
18065TT	Aven Titanium Tweezers 5A
18059TT	Aven Titanium Tweezers 4
18480TT	Titanium 6-Piece Precision Tweezer Set


Artis

- ► Stainless Steel
- ► ESD Safe
- ► Angled Bend
- Reduces Hand Fatigue
- ► Laboratory & Microscopy



Product ID	Description
18072ARS	Artis Tweezers 7-SA
18062ARS	Artis Tweezers 5-SA
18049ARS	Artis Tweezers 2A-SA
18032ARS	Artis Tweezers 00-SA
18013ARS	Artis Tweezers AA-SA

Product ID	Description
18040ARS	Artis Tweezers SS-SA
18023ARS	Artis Tweezers MM-SA
18056ARS	Artis Tweezers 3C-SA
18043ARS	Artis Tweezers 1-SA
18480ARS	Artis 9-Piece Tweezers Set with Carrying Case



Comfort Grip

- Stainless Steel with ESD Safe Cushion Grips
- Reduces Hand Fatigue
- Precision Assembly



Product ID	Description
18056-ER	Comfort Grip Tweezers 3C-SA
18072-ER	Comfort Grip Tweezers 7-SA
18062-ER	Comfort Grip Tweezers 5-SA
18032-ER	Comfort Grip Tweezers 00-SA
18049-ER	Comfort Grip Tweezers 2A-SA
18059-ER	Comfort Grip Tweezers 4-SA
18046-ER	Comfort Grip Tweezers 2

Cutting

Carbon Steel

- Carbon Steel
- Designed to Cut Soft Metal Wires
- Induction Hardened for Durability
- Anti-Magnetic
- Anti-Acid



Product ID	Description
18114CS	Accu-Tek Cutting Tweezers 15AGW Carbon Steel

Stainless Steel

- Stainless stee
- Pattern 15AGW for culling hairsprings and electronic component wires
- Induction hardened for durability



Product ID	Description
18114ACU	Accu-Tek Cutting Tweezers 15AGW Stainless Steel

General Purpose Tweezers

Aven Fiber Grip Tweezers

- Polished stainless steel tips firmly hold without contaminating
- Heat-resistant fiber grips protect your hands from heat while soldering
- Ideal for soldering, bending, separating and removing small items
- Cross-lock mechanism opens when



Product ID	Description	
18415	Aven Fiber Grip Tweezers - Straight	
18417	Aven Fiber Grip Tweezers - Curved 35° angle	

Aven Self Locking Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Cross-lock mechanism opens when pressed and closes when released

100
Q
18419

Product ID	Description	
18419	Aven Self Locking Tweezers - Narrow	
18421	Aven Self Locking Tweezers - Wide	
18423	Aven Self Locking Tweezers - Narrow Short	

Aven Cross Locking Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for soldering and holding small



Product ID	Description	
18428	Aven Cross Locking Tweezers	

Aven College Forceps w/Lock

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Curved tip is helpful when working in confined spaces



Aven College Forceps w/ **Alignment Pin**

- Stainless steel finish provides excellent corrosion resistance
- Alignment pin keeps tips aligned under high stress applications
- Inside and outside serrations provide better gripping and handling



Product ID	Description	Tip Style	Bend °
18401	Aven College Forceps w/Alignment Pin	Straight, Serrated	N/A
18402	Aven College Forceps w/Alignment Pin	Curved, Serrated	35°
18403	Aven College Forceps w/Alignment Pin	Offset Curved, Serrated	35°
18438	Aven College Forceps w/Alignment Pin	Curved, Serrated	35°

Aven Forceps w/Plastic Coated Tips

- Stainless steel finish provides excellent corrosion resistance
- Plastic coated tips provide chemical resistance
- Serrated handles provide better gripping



Product ID	Description	
18430	Aven 8" Forceps w/Plastic Coated Tips	
18431	Aven 12" Forceps w/Plastic Coated Tips	

Aven Forceps w/Straight **Serrated Tips**

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Long, straight tip is helpful when working in confined spaces
- Serrated handles provide better gripping



Product ID	Description	
18432	Aven 12" Forceps w/Straight Serrated Tips	
18433	Aven 10" Forceps w/Straight Serrated Tips	
18434	Aven 8" Forceps w/Straight Serrated Tips	
18435	Aven 6" Forceps w/Straight Serrated Tips	
18436	Aven 5" Forceps w/Straight Serrated Tips	

Aven Utility Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping



Product ID	Description	Tip Style	Bend °
18425	Aven 7" Utility Tweezers - Curved	Curved, Serrated	30°
18426	Aven 7" Utility Tweezers - Straight	Straight, Serrated	N/A

I	Product ID	Description	Tip Style
ı	18487	Aven 4 3/8" Spade Tweezers	Spade

Aven 4 3/8" General Purpose **Tweezers**

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping



Product ID	Description	Tip Style	Bend °
18481	Aven 4 3/8" Curved Tweezers	Curved, Serrated	20°
18482	Aven 4 3/8" Tapered Tweezers	Tapered, Smooth	N/A

excellent corrosion resistance

Ideal for bending, separating and removing small items

Stainless steel finish provides

Aven 4 3/8" Spade Tweezers

Ideal for bending, separating and

Serrated handles provide better

Spade tip is helpful when working in

Aven General Purpose Flat Tip Tweezers

corrosion resistance

removing small items

confined spaces

gripping

Stainless steel finish provides excellent



18487

Product ID	Description	Tip Style
18484	Aven 3 1/8" Tweezers	Sharp-Flat
18485	Aven 3 1/2" Tweezers	Sharp-Flat
18489	Aven 4 3/4" Smooth Tweezers	Sharp-Flat

Aven Blunt Tip Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping
- Blunt tips are useful for handling larger



Product ID	Description	Tip Style
18486	Aven 3 1/8" Blunt Tweezers	Blunt, Smooth
18490	Aven 5 15/16" Blunt Tweezers	Blunt, Serrated
18492	Aven 10" Blunt Tweezers	Blunt, Serrated, Curved 30°

Aven Offset Spade Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Spade tip is helpful when working in confined spaces
- Serrated handles provide better gripping

18488

Product ID	Description	Tip Style
18488	Aven 4 1/8" Offset Spade Tweezers	Spade
18491	Aven 4 1/2" Offset Spade Tweezers Spade, Curved 35°	

Aven 3" Sharp Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Medium-sharp, serrated tip is helpful when working in confined spaces
- Serrated handles provide better gripping



Product ID	Description	Tip Style
18483	Aven 3" Sharp Tweezers	Medium Sharp, Serrated

Aven Toothed Tissue Forceps

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Toothed models are ideal for handling the various thicknesses of tissues



Product ID	Description	Tip Style
18494	Aven Toothed Tissue Forceps	Toothed

Screwdrivers

Ceramic Alignment Screwdrivers

- Anti-static, non-magnetic, non-inductive heat-resistant ceramic tips
- Heat resistant up to 1292°F (700°C)
- Blades made from Zirconia ceramic
- Outlasts metal or plastic tip tools
- No eddy current loss in high frequency



13225

Product ID	Description	Blade	Size
13220	Ceramic Alignment Screwdriver	Phillips	PH1.7
13221	Ceramic Alignment Screwdriver	Slotted	1.3 mm
13222	Ceramic Alignment Screwdriver	Slotted	2.6mm
13224	Ceramic Alignment Screwdriver	Slotted	0.9mm
13225	Ceramic Alignment Screwdriver	Slotted	1.8mm
13230	Ceramic Alignment Screwdriver 4-in-1	Phillips & Slotted	Phillips 0 & 1.7 Slotted 1.8 & 0.9mm

Ceramic Alignment Screwdriver - 6 Piece Set

- Anti-static, non-magnetic, non-inductive heat-resistant ceramic tips
- Heat resistant up to 1292°F (700°C)
- Blades made from Zirconia ceramic
- Outlasts metal or plastic tip tools
- No eddy current loss in high frequency



13231

Product ID	Description
13231	Ceramic Alignment Screwdriver - 6-Piece Set

9-Piece Anti-Static Alignment Tool Kit

- Anti-static
- Designed for adjusting and aligning conventional components
- Includes 9 popular alignment tools



13016

Product ID	Description	
13016	9-Piece Anti-Static Alignment Tool Kit	

Precision Screwdrivers - 8-Piece Set

- Ergonomically designed handle with swivel head cap for precise control and comfort
- Two component handle provides soft touch and non slip surface and is oil and solvent resistant
- Blade made from high grade alloy steel
- Supplied in a handy plastic case for secure storage



13715

Product ID	Description
13715	Precision Screwdrivers - 8-Piece Set

Precision Screwdrivers - 7-Piece Set

- Chrome Vanadium steel with satin finish and black tips
- Duplex Component handle is designed for rapid rotation and control
- Fast turning swivel caps
- Imprinted sizes on handle for easy selection
- 50mm Blade Length



13940

Product ID	Description	
13940	Precision Screwdrivers - 7-Piece Set	

Aven Precision Screwdrivers

- Precisely machined hardened black tips for durability and exact fit
- Screwdriver blades manufactured from chrome-molybdenum steel for extra strength
- Ergonomically designed bi-component handle with swivel cap for extra comfort and grip



Product ID	Description	Blade	Size	Tip Length	Length
13901	Precision Screwdriver	Slotted	1.6mm	50mm	150mm
13902	Precision Screwdriver	Slotted	2.0mm	50mm	150mm
13903	Precision Screwdriver	Slotted	2.4mm	50mm	150mm
13904	Precision Screwdriver	Slotted	3.0mm	50mm	150mm
13906	Precision Screwdriver	Slotted	3.0mm	100mm	200mm
13910	Precision Screwdriver	Phillips	No. 000	50mm	150mm
13911	Precision Screwdriver	Phillips	No. 00	50mm	150mm
13913	Precision Screwdriver	Phillips	No. 1	50mm	150mm
13915	Precision Screwdriver	Phillips	No. 1	100mm	200mm
13923	Precision Screwdriver	Torx	Т8	50mm	150mm
13932	Precision Nutdriver	-	M4.0	72mm	172mm
13933	Precision Nutdriver	-	M4.5	72mm	172mm

Stainless Steel Hand Tools

Adjustable Wrench - Stainless Steel

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Handle hole for tethering, hanging or storage





ST8115-1004

Product ID	Description	
ST8115-1004	Adjustable Wrench 6" Stainless Steel	
ST8115-1006	Adjustable Wrench 8" Stainless Steel	
ST8115-1008	Adjustable Wrench 10" Stainless Steel	
ST8115-1010	Adjustable Wrench 12" Stainless Steel	

Adjustable Wrench - Stainless Steel w/ PVC Grip

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Handle hole for tethering, hanging or storage



ST8115-1008G

Product ID	Description	
ST8115-1004G	Adjustable Wrench Stainless Steel 6" w/ PVC Grip	
ST8115-1006G	Adjustable Wrench Stainless Steel 8" w/ PVC Grip	
ST8115-1008G	Adjustable Wrench Stainless Steel 10" w/ PVC Grip	
ST8115-1010G	Adjustable Wrench Stainless Steel 12" w/ PVC Grip	

Adjustable Wrench - Stainless Steel w/ PVC Grip

- ► Manufactured from 304 series stainless steel
- Mirror polished
- ► Handle hole for tethering, hanging or storage



Product ID	Description		
ST8115-1016G	Adjustable Wrench Stainless Steel 23" w/ PVC Grip		
ST8115-1014G	Adjustable Wrench Stainless Steel 17" w/ PVC Grip		
ST8115-1012G	Adjustable Wrench Stainless Steel 14" w/ PVC Grip		
ST8115-1002G	Adjustable Wrench Stainless Steel 4" w/ PVC Grip		

Combination Wrenches -Stainless Steel 6-Piece Set

- ► Made from 304 series stainless steel
- Can be autoclaved up to 250° F
- Rust resistant, can help eliminate risk of ferrous contamination
- Includes handy roll up plastic pouch



21187-105

Product ID	Description	
21187-105	Combination Wrenches Stainless Steel 6-Piece Set	

Combination Wrench - Stainless Steel

- ► Manufactured from 304 series stainless steel
- Can be autoclaved to temperatures up to 250-degrees Fahrenheit
- Rust resistant, can help eliminate risk of ferrous contamination



Product ID	Description		
21187-0516	Combination Wrench Stainless Steel 5/16"		
21187-0308	Combination Wrench Stainless Steel 3/8"		
21187-0716	Combination Wrench Stainless Steel 7/16"		
21187-0102	Combination Wrench Stainless Steel 1/2"		
21187-0916	Combination Wrench Stainless Steel 9/16"		
21187-0508	Combination Wrench Stainless Steel 5/8"		

Diagonal Cutter - Stainless Steel 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- Can be autoclaved up to 250° F

1	
	10355

Product ID	Description	
10355	Diagonal Cutter - Stainless Steel 6"	

Diagonal Cutter w/ Comfort Grip Handles 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- Ergonomically designed grips for extra comfort



Product ID	Description		
10355-ER	Diagonal Cutter w/ Comfort Grip Handles 6"		

Diagonal Cutter "High Leverage" Stainless Steel 7"

- Manufactured from 400 series stainless
- Mirror polished to provide excellent rust resistance
- Provides more cutting power than general purpose pliers
- Beveled cutting edge is hardened for long lasting performance
- ► Can be autoclaved up to 250° F



10356

Product ID	Description	
10356	Diagonal Cutter "High Leverage" Stainless Steel 7"	

Stainless Steel Hand Tools

Groove Joint Pliers Stainless Steel 9.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Slip-resistant tongue and groove design used for grasping and turning
- Serrated jaws with four adjustable positions
- Can be autoclaved to temperatures up to 250-degrees Fahrenheit



Product ID	Description	
10365	Groove Joint Pliers Stainless Steel 9.5"	

Combination Pliers Stainless Steel 8"

- ► Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- ► Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and pins
- Serrated jaws with machined gripping teeth and wire cutter



Product ID	Description	
10351	Combination Pliers Stainless Steel 8"	

Combination Pliers w/ Plastic Grips 8"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and pins
- Serrated jaws with machined gripping teeth and wire cutter



10351-P

Product ID	Description	
103 <i>5</i> 1-P	Combination Pliers w/ Plastic Grips 8"	

Long Nose Pliers Stainless Steel 6"

- ► Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Tapered head design allows for greater access in confined



- Designed for gripping and turning round objects such as pipes, rods and pins
- Serrated jaws with machined gripping teeth and wire cutter

Product ID	Description	
10360	Long Nose Pliers Stainless Steel 6"	

Long Nose Pliers w/ Comfort Grip Handles 6"

- ► Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Length and slim design are ideal for tight spaces
- Ergonomically designed grips for extra comfort

		155	
		-	
	2		
10	3		
H			

10360-ER

Product ID	Description	
10360-ER	Long Nose Pliers w/ Comfort Grip Stainless Steel 6"	

Slip Joint Pliers Stainless Steel 6.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- All purpose pliers with serrated jaws, built-in wire cutter and pipe grip



10370

Product ID	Description	
10370	Slip Joint Pliers Stainless Steel 6.5"	

Pliers Set Stainless Steel

- Mirror polished stainless steel provides excellent corrosion resistance
- Packaged in a leatherette roll-up pouch
- Set includes: 6" long-nose pliers, 6" slip-joint pliers, 6" wire-cutting pliers, 9-1/2" groove-joint pliers with flat jaws, and an 8" combination plier



Product ID	Description	
10381	Pliers Set Stainless Steel	

Stainless Steel Hand Tools

Slip Joint Pliers w/ Plastic Grips 6.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- All purpose pliers with serrated jaws, built-in wire cutter and pipe grip
- Plastic grips provide extra comfort



Product ID	Description
10370-P	Slip Joint Pliers w/ Plastic Grips 6.5"

Locking Pliers Stainless Steel 7"

- Body and springs made from 304 non-magnetic stainless
- ► Jaws are made from 420-series stainless steel
- Fully polished to provide excellent rust resistance
- Smooth gliding locking mechanism enables easy one-handed operation
- Trigger release handles and easy turning pressure adjusting screw



Product ID	Description
10375	Locking Pliers Stainless Steel 7"

Locking Pliers Stainless Steel 9"

- ▶ Body and springs made from 304 non-magnetic stainless steel
- Jaws are made from 420-series stainless steel
- Fully polished to provide excellent rust resistance
- Smooth gliding locking mechanism enables easy onehanded operation
- Trigger release handles and easy turning pressure adjusting screw



10376

Product ID	Description
10376	Locking Pliers Stainless Steel 9"

Locking Pliers, Long Nose, Stainless Steel 6"

- ► Fully polished stainless steel provides excellent corrosion resistance
- Smooth gliding locking mechanism enables easy onehanded operation
- Long thin nose is ideal for accessing tight spaces
- Trigger release handles and easy turning pressure adjusting screw



Product ID	Description
10377	Locking Pliers, Long Nose, Stainless Steel 6"



Crimping Tools & Dies

Crimping Tool Frame

- Aven's professional-grade crimping tool
- Frame for all Aven Replacement
 Crimping Tool Dies
- Exchange crimp dies by hand, no tools required
- Replacement Dies sold separately



Product ID	Description
10195	Crimping Tool Frame

Crimping Tool for Heat Shrink Terminals 22-18/16-14/12-10/8 AWG

- Aven's professional-grade crimping tool
- For wire ferrules 22-18/16-14/12-10/8 AWG
- Exchange crimp dies by hand, no tools required



10190

Product ID	Description	Jaw	AWG	DIN
10190	Crimping Tool for Heat Shrink Terminals 22- 18/16-14/12-10/8 AWG	A1	22-18/16-14/12-10/8	0.5-1.0/1.5-2.5/4- 6/10 mm

Crimping Tool for Wire Ferrules AWG 4 & 2 (25 & 35mm2)

- Aven's professional-grade crimping tool
- For wire ferrules AWG 4 & 2
- Exchange crimp dies by hand, no tools required



10187

Product ID	Description	Jaw	AWG	DIN
10187	Crimping Tool for Wire Ferrules AWG 4 & 2	F1	4 & 2 (25 & 35mm2)	25/35 MM2

Crimping Tool for Wire Ferrules 12-22 AWG

- Aven's professional-grade crimping tool
- ► For wire ferrules 12-22AWG
- Exchange crimp dies by hand, no tools required



10178

Product ID	Description	Jaw	AWG	DIN
10178	Crimping Tool for Wire Ferrules 12-22AWG	D	22/20/18/ 16/14/12	0.5, 0.75,1.0,1.5,2.5,4.0 MM2

Crimping Tool for Miniature Insulated Terminals 26-22/24-18/22-16 AWG

- Aven's professional-grade crimping
- For wire ferrules 26-22/24-18/22-16 AWG
- Exchange crimp dies by hand, no tools required



Product ID	Description	Jaw	AWG	DIN
10189	Crimping Tool for Miniature Insulated Terminals 26- 22/24-18/22-16 AWG	А3	26-22/24-18/22-16	0.1-0.5/0.25- 1.0/0.5-1.5 MM2

Crimping Tool for Insulated Terminals 22-18/16-14/12-10 AWG

- Aven's professional-grade crimping tool
- For wire ferrules 22-18/16-14/12-10 AWG
- Exchange crimp dies by hand, no tools required



10188

Product ID	Description	Jaw	AWG	DIN
10188	Crimping Tool for Wire Ferrules 22-18/16-14/12- 10AWG	А	22-18/6-14/12-10	0.5-1.0/1.5-2.5/4-6 MM2

Crimping Tool for Wire Ferrules 6-10 AWG

- Aven's professional-grade crimping tool
- ► For wire ferrules 6-10AWG
- Exchange crimp dies by hand, no tools required



Product ID	Description	Jaw	AWG	DIN
10179	Crimping Tool for Wire Ferrules 6-10AWG	F	10/8/6	6/10/16 MM2



Crimping Tools & Dies

Crimping Die F

AWG: 10/8/6, DIN: 6/10/16 MM2 22/20/18/16/14/12 AWG



Product ID	Description	Jaw	AWG	DIN
10179DS	Crimping Die F AWG: 10/8/6, DIN: 6/10/16 MM2	F	10/8/6	6/10/16 MM2

Crimping Die F1 For Insulated Cord Terminals 4/2



Product ID	Description	Jaw	AWG	DIN
10187D	Crimping Die F1, for Insulated Cord Terminals 4/2	F1	4 & 2	25/35 MM2

Crimping Die A

For Insulated End Terminals 22-18/16-14/ 12-10 AWG



١	Product ID	Description	Jaw	AWG
	10188D	Crimping Die A for Insulated End Terminals 22- 18/16-14/12-10 AWG	A	22-18/16-14/12-10

Crimping Die A3 for Miniature Insulated Terminals 26-22/24-18/22-16 AWG



Product ID	Description	Jaw	AWG	DIN
10189D	Crimping Die A3 for Miniature Insulated Terminals 26-22/24- 18/22-16 AWG	А3	26-22/ 24-18/ 22-16	0.1-0.5/0.25-1/ 0.5-1.5mm2

Crimping Die D for Cord End Terminals 22/20/18/16/14/12 AWG



Product ID	Description	Jaw	AWG	DIN
10178DS	Crimping Die D for Cord End Terminals 22/20/18/16/14/12 AWG	D	22/20/18/ 16/14/12	0.5, 0.75,1.0,1.5,2.5,4.0 MM2

Crimping Die A1 for Heat Shrink Terminals 22-18/16-14/12-10/8 AWG



	Product ID	Description	Jaw	AWG
ſ	10190D	Crimping Die A1 for Heat Shrink Terminals 22-18/16-14/12-10/8 AWG	A1	22-18/16-14/ 12-10/8

Crimping Kits

Aven's professional grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps. Ideal for professional electricians and DIY enthusiasts. Tool and dies are made from alloy steel for durability.

These kits feature quick-change dies that are easy to exchange with no tools required.





6 Piece Crimping Tool Set

- Aven's professional grade crimping tool is designed to crimp a variety of ferrules and terminals.
- ► Kit includes 5 dies and a hard plastic case
- Patented design allows for quick die change without any tools
- Ferrules and terminals are crimped by squeezing the handle through the complete cycle until the handle releases automatically.
- Precise ratcheting mechanism will ensure the same amount of crimping force for all crimps.

155 Piece Crimping Tool Set

- Aven's professional grade crimping tool is designed to crimp a variety of ferrules and terminals.
- Kit includes 5 dies for various wire crimping needs
- ► Includes 148pc wire connector set (see Specs)
- Patented design allows for quick die change without any tools
- Ferrules and terminals are crimped by squeezing the handle through the complete cycle until the handle releases automatically.
- Precise ratcheting mechanism will ensure the same amount of crimping force for all crimps.

Product ID	Description
10170-KIT	6 Piece Crimping Tool Set Includes Crimping Dies: D, F, F1, A3, A
10171-KIT	155 Piece Deluxe Crimping Tool Kit with Frame, 5 Dies, Wire Stripper, and 148 pc Connector Set Includes Crimping Dies: D, F, F1, A3, A

Stripping Tools

Professional Automatic Wire Stripper 10105A Range: 24 - 12 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



Product ID	Description
10105A	Wire Stripper 12-12 AWG

Professional Automatic Wire Stripper 10105C Range: 17 - 10 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



Product ID	Description
10105C	Wire Stripper 17-10 AWG

Professional Automatic Wire Stripper 10105B Range: 18 - 8 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



Product ID	Description
10105B	Wire Stripper 18-8 AWG

Professional Automatic Wire Stripper 10105D Range: 16 - 8 AWG

- Quick and easy wire stripping
- ► Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



101031

Product ID	Description
10105D	Wire Stripper 16-8 AWG



Electrician Scissors & Blades

Multi-Purpose Electrician Scissors Kit with Electrician Scissors and Cable Stripping Blade



Multi-Purpose Electrician Scissors

- ► These 2" scissor blades are made from high tensile stainless steel, providing excellent strength and performance
- ▶ Designed for cutting/stripping soft cable and wires
- Light, strong and comfortable handles are made from impact-resistant plastic

Cable Stripping Blade

- The 2" blade is made from stainless steel and is designed for stripping wires and cables
- Features a protective blade cover, which includes a groove to aid in stripping cables
- Designed to work with cables with an external diameter of 3.0mm -30.0mm

Product ID	Description
11010	Multipurpose Electrician Scissors Kit W/ Scissors and Knife
11015	Electrician Cable Stripping Knife W/ Blade Protector
11011	Multipurpose Electrician Scissors W/ Wire Stripper



Electrician Scissors with Wire Stripping Slots & Plastic Grips



Electrician Scissors with Wire Stripping Slots & Plastic Grips

- ▶ 2" stainless steel Blade designed for stripping wires and cables
- ► Hardened stainless steel blades for durability and rust free operation
- ► Features a protective blade cover, includes groove to aid in stripping cables
- ► Has two notches for stripping 19 AWG and 23 AWG copper wires
- Designed to work with cables with an external diameter of 3.0mm -30.0mm
- ▶ Built in scraper for shaving thin cables
- ► Ergonomic comfort grips

Product ID	Description
11013	Electrician Scissors W/ Wire Stripping Slots & Plastic Grips



Scissors & Hemostats

5" Electrician Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Scraper and file on back edge of the blade
- Notched to strip 23-19 AWG wire



Product ID	Description
11012	5" Electrician Scissor

4-1/2" Slim Blade Straight Scissor

- ► Fully polished stainless steel provides excellent corrosion resistance
- Precision scissor for general use and cutting fine wire
- ► 1-1/4" durable stainless steel blade



11014

Product ID	Description
11014	4-1/2" Slim Blade Straight Scissor

Hemostat - Straight

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure



12001

Product ID	Description	Jaw Length
12001	Hemostat - Straight 3.5in	20mm
12015	Hemostat - Straight 5in	25.4mm
12011	Hemostat - Straight 5in w/Plastic Coated Handle	25.4mm
12017	Hemostat - Straight 6in	31.75mm
12013	Hemostat - Straight 6in w/Plastic Coated Handle	31.75mm
12019	Hemostat - Straight 8in	60mm
12030	Hemostat - Straight 18in	139mm
12032	Hemostat - Straight 24in	155mm

Alligator Clamp

- Serrated jaws for secure grip
- Angled to provide maximum view
- ► Stainless steel construction
- Designed to securely retrieve and hold small parts



12201

Product ID	Description	Jaw Length	Opening
12201	Alligator Clamp 3.5"	0.5"	0.25"
12202	Alligator Clamp 5.5"	0.5"	0.25"

4-1/2" Precision Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Fine beaks for precise and delicate work
- 1-3/8" durable stainless steel blade



Product ID	Description
11016	4-1/2" Precision Scissor

8" All Purpose Standard Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- ► 3-3/4" durable stainless steel blade



11023

Product ID	Description
11023	8" All Purpose Standard Scissor

Hemostat - Curved

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure



Product ID	Description	Jaw Length
12002	Hemostat - Curved 3.5in	20mm
12016	Hemostat - Curved 5in	25.4mm
12012	Hemostat - Curved 5in w/Plastic Coated Handle	25.4mm
12018	Hemostat - Curved 6in	31.75mm
12014	Hemostat - Curved 6in w/Plastic Coated Handle	31.75mm
12020	Hemostat - Curved 8in	60mm
12031	Hemostat - Curved 18in	139mm
12033	Hemostat - Curved 24in	155mm

Probes

Probe Straight Needle Point

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- ► Sharp tip for precision work around delicate circuits and components
- Single end straight tip
- Eight sided handle to ensure grip and prevent rolling

20031

Product ID	Description
20031	Probe Straight Needle Point

Probe Bent Needle Point

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- ▶ 90 degree bent point
- Eight sided handle to ensure grip and prevent rolling

20032

Product ID	Description
20032	Probe Bent Needle Point

Probe Curved Needle Point

- Manufactured from 400 series stainless steel
- ► Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Curved needle point
- Eight sided handle to ensure grip and prevent rolling

20034

Product ID	Description
20034	Probe Curved Needle Point

Probe Double Sided Scraper Bent Tips

- Manufactured from 400 series stainless steel
- ► Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Double sided with bent flat and curved points
- Eight sided handle is knurled at each end for extra grip

Product ID	Description
20035	Probe Double Sided Scraper Bent Tips

20035

Probe Double End Bent/Curved

- Manufactured from 400 series stainless steel
- ► Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Double sided with bent and curved points
- Eight sided handle is knurled at each end for extra grip



Stainless Steel Probe 4-Piece Set

- Manufactured from 400 series stainless steel
- ► Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Eight sided handle is knurled at each end for extra grip
- Set of four contains: Straight, Bent, Curved and Angled Models

Product ID	Description
20210	Stainless Steel Probe 4-Piece Set

Did you know Aven offers a **limited lifetime warranty** on all hand tools? Visit www.AvenTools.com for more information.

Scalpels & Blades

Scalpel Blade Handle Stainless Steel #3

- ▶ #3 size handle is designed to fit blade styles #10, 11, 12, & 15
- Makes loading blades easy
- Perfectly balanced and precision machined stainless steel
- Fluted finger grips



Product ID	Description
44031	Scalpel Blade Handle Stainless Steel #3

Scalpel Blade Handle Stainless Steel #4

- ▶ #4 size handle is specifically designed to fit #23 blade style
- Makes loading blades easy
- Perfectly balanced and precision machined stainless steel
- Fluted finger grips



Product ID	Description
44033	Scalpel Blade Handle Stainless Steel #4

K-8, K-10 & K-13 Replacement Blades


- Snap-off replacement blades
- Replacement blade for Technik K-8, Technik K-10, and Technik K-13 knives
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items



Product ID	Description
44254	K-13 Replacement Blade (100/pk)
44256	K-10 Replacement Blade (100/pk)
44257	K-8 Replacement Blade (5/pk)

Scalpel Blades

- Made from surgical quality non-sterile
 .015" thick stainless steel
- Very sharp, precise and durable blade generally used for precision cutting in micro circuitry, photography, art, etc.
- Can be used with a plastic or stainless steel handle
- Contains two pieces per tube



Replacement Blades



Product ID	Description
44201	No. 2 Blade (5/pk)
44202	No. 2 Blade (100/pk)
44203	No. 10 Blade (5/pk)
44204	No. 10 Blade (100/pk)
44205	No. 11 Blade (5/pk)
44205S	No. 21 Stainless Steel Blade (5/pk)
44206	No. 11 Blade (100/pk)
44206S	No. 21 Stainless Steel Blade (100/pk)
44211	No. 16 Blade (5/pk)
44212	No. 16 Blade (100/pk)
44213	No. 17A Blade (5/pk)
44214	No. 17A Blade (100/pk)
44215	No. 18 Blade (5/pk)
44216	No. 18 Blade (100/pk)
44217	No. 19 Blade (5/pk)
44218	No. 19 Blade (100/pk)
44221	No. 22 Blade (5/pk)
44222	No. 22 Blade (100/pk)
44223	No. 23 Blade (5/pk)
44224	No. 23 Blade (100/pk)
44225	No. 24 Blade (5/pk)
44226	No. 24 Blade (100/pk)
44227	No. 25 Blade (5/pk)
44228	No. 25 Blade (100/pk)
44229	No. 26 Blade (5/pk)
44230	No. 27 Blade (5/pk)
44231	No. 28 Blade (5/pk)

Knives & Blades

Technik K-1 Precision Light Duty Knife

► 4-3/4-inch aluminum handle

4-slot point chuck for easy blade release

 Includes a super sharp #11 blade and a high impact safety cap



Fits replacement blades #10, 11, 16, 17



44012

Product ID	Description	Blade Size
44012	Technik K-1 Precision Light Duty Knife	#11

Technik K-2 Medium Duty Knife

► 4-3/4-inch aluminum handle

► 4-slot point chuck for easy blade release

 Includes a super sharp #22 blade and a high impact safety cap

 Ideal for precision cutting, trimming and stripping paper, plastic, wood, cloth and film





Product ID	Description	Blade Size
44013	Technik K-2 Medium Duty Knife	#22

Technik K-5 Heavy Duty Knife

► 7/16-inch aluminum adapter

4-slot point chuck for easy blade release

 Includes a #19 sharp edge angled blade and a snug fitting plastic safety cap

Ideal for precision cutting, trimming and stripping paper, plastic, and wood

Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28



44014

Product ID	Description	Blade Size
44014	Technik K-5 Heavy Duty Knife	#19

Technik K-8 Flat Handle Light Duty Knife

 Sleek long handle design with a sharp utility blade

▶ Both ends of the blade can be used for cutting

▶ Blade can be adjusted easily

 Ideal for cutting boxes, wood, leather and foam

Fits replacement blades 44257, K-8 Replacement Blade (5/pk)



Product ID Description

44015 Technik K-8 Flat Handle Light Duty Knife

Technik K-18 Grip-On Non-Roll Soft Handle Knife

► 5-inch comfortable soft grip handle

Four jaw machined aluminum chuck for secure blade positioning

▶ Includes a super sharp #11 blade and clear plastic safety cap

 Ideal for cutting or trimming plastic, wood, paper, cloth and film

Fits replacement blades #10, 11, 16, 17

Product ID	Description	Blade Size
44011	Technik K-18 Grip-On Non-Roll Soft Handle Knife	#11

Technik K-13 Heavy Duty Snap Blade Knife

 7-point deluxe snap off blade in a strong plastic track

Plastic auto-lock handle

 Ideal for home, office, or industrial use cutting paper, plastic, wood and other items

Fits replacement blades 44254, K-13 Replacement Blade (100/pk)



Product ID	Description
44017	Technik K-13 Heavy Duty Snap Blade Knife

Technik Knife Set

Contains K1, K2, K5 knife handles

▶ 13 assorted blades

Organized in convenient plastic tray



44101

44011

Product ID	Description	
44101	Technik Knife Set	

Technik Deluxe Knife Set

Contains K1, K2, K5 knife handles

▶ 13 assorted blades

Includes a Teflon covered magnetic strip to help secure the blades

 Securely organized in a deluxe wooden hox



44102

Product ID	Description	
44102	Technik Deluxe Knife Set	

Technik K-10 Plastic Snap Blade Knife

▶ 13-point snap off blade in a strong plastic track

Plastic auto-lock handle

► Ideal for home, office, or industrial use cutting paper, plastic, wood etc.

Fits replacement blades 44256, K-10 Replacement Blade (100/pk)



Product ID	Description	
44016	Technik K-10 Plastic Snap Blade Knife	

Bench-top Tools Soldering & Desoldering

Adjustable Circuit Board Holder

- Retractable to accommodate various board sizes up to 198mm wide and up to 4mm thick
- Clamps allow PCB to rotate 360°
- Rigid metal structure
- Rubber feet of the base ensure stability
- Ideal for clamping PCB, for soldering/desoldering or rework



17010

Product ID	Description	
17010	Adjustable Circuit Board Holder	
17010-530	Bundle: Soldering Iron 40W with Fine Tip + Stand with Soft Coiled Brass Tip Cleaner & Circuit Board Holder	
17510-010	Bundle: Soldering Iron 80W with Fine and Chisel Tips + Adjustable Circuit Board Holder	

Soldering Kit - 6pc

- 40 Watt Soldering Iron heats up to
- Ideal for use on electrical/electronic components, audio equipment, etc.
- Includes desoldering pump for removing liquid solder
- Provides basic tools needed for many soldering projects
- 6 Pc kit comes complete with replaceable fine tip



Product ID	Description	
17501	Soldering Kit - 6pc	

Desoldering Pump -ESD Safe Plastic 8.5"

- Durable corrosion resistant plastic construction
- Easy to clean one-touch cylinder
- Cushioned shock reduction minimizes board damage



Product ID	Description	
17536	Desoldering Pump - ESD Safe Plastic 8.5"	

Desoldering Wick

- Made of clean, oxide-free copper wire
- Tight weave enables quick "on and off" desoldering
- Concentrated fine copper braiding utilizes less length of wick for each desoldering application
- RoHS compliant



Product ID	Description	
17540	Desoldering Wick 1.5mm (0.06")	
17541	Desoldering Wick 2mm (0.08")	
17542	Desoldering Wick 2.5mm (0.1")	

B-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Includes two tips
- For use with 17510 Soldering Iron 80W



Product ID	Description B-Series Soldering Iron Tips (B-51)	
17510-B51		

N-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Replacement tips for soldering the different components of PCBs
- Five different sizes
- Includes two tips
- For use with 17400 & 17405 ESD Safe Soldering Stations with LCD Display



Product ID	Description	
17400-N93	N-Series Soldering Iron Tips (N-93)	
17400-N94	N-Series Soldering Iron Tips (N-94)	
17400-N95	N-Series Soldering Iron Tips (N-95)	

Soldering & Desoldering

Soldering Iron 80W with Fine Tip

- Ideal for general purpose soldering applications including metal board, tube or large components
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach
- Fitted with long life replaceable fine tip



Product ID	Description	
17510	Soldering Iron 80W with Fine Tip	

Description

Soldering Iron Stand with Soft Coiled Brass Tip Cleaner

- Replaceable soft coiled brass tip cleaner
- ► Cleans tip without messy wet sponges
- Uses low abrasive brass, no water needed
- Works with any tip
- Lengthens tip life by reducing oxidation
- Sturdy heavy duty stand with built-in tip cleaner



17530

Product ID	Description	
17530	Soldering Iron Stand with Soft Coiled Brass Tip Cleaner	

Dual Function Smoke Absorber & Bench Fan ESD Safe

- Functions as a solder smoke absorber and a standard fan
- Compact & space-saving
- ▶ 10 speed settings
- ► Adjustable metal stand
- ► ESD safe

Product ID

17015

 Includes carbon filter for absorbing solder smoke

Dual Function Bench Fan & Smoke Absorber



Benchto	p Smok	e Absorber
---------	--------	------------

- Removes flux fumes from soldering work bench
- Fumes absorbed by carbon activated filter
- Fan is quiet and will not add significant noise to your workspace
- Stand allows the smoke absorber to be adjusted to varying angles



Product ID	Description
17701	Benchtop Smoke Absorber



Soldering & Desoldering



Hot Glue Gun 60W with Plastic Case

- Narrow nozzle for precise glue application
- ► Temperature dial (180°-240° C)
- Ergonomic hand grip



Product ID	Description	
17621	Hot Glue Gun 60W with Plastic Case	

Long Trigger Hot Glue Gun

- Easy reach long trigger provides smooth glue control
- Narrow nozzle for precise glue application
- Heats up quickly



Product ID	Description
17610	Long Trigger Hot Glue Gun

Aven Heat Guns

- ► Heats Up Quickly
- 3 Nozzle Attachments For a Variety of Applications
- Durable Construction
- Compact, Ergonomic Design
- Adjustable Heat Control



Product ID	Description	
17601	Heat Gun 1500W with Adjustable Temperature Control	
17602	Heat Gun 1500W with Digital Temperature Control	

Helping Hands Magnifier with Clamps

- Useful auxiliary tool in soldering, model making and other hobbies
- Heavy-duty cast iron base provides stability
- Magnifier can be swiveled and fixed to desired position or angle
- Two alligator spring clips that hold work firmly in any position

Helping Hands Magnifier with Clamps

2x magnifier is removable


Product ID



cription	
	26000



Let Us Piece Together Your Custom Solution



With over 3,000 system combinations, we have you covered.











Tools for Advancing Innovation

For over 40 years, Aven has been a premier designer and manufacturer of high-performance optical instruments and precision tools for inspection and assembly. Our international presence and manufacturing locations throughout the world allow us to offer our customers a wide variety of technology at a competitive price, including unique solutions tailored to your specific needs.

We understand as parts continue to get smaller and smaller, the need for high-end technology is crucial.

Aven provides extensive customer service and product support, even after the sale.

To request a free live webinar or to schedule a demo with an representative,

email us at info@aventools.com

With manufacturer's representatives and distributions throughout the United States,
Aven is positioned to serve your firm with the highest quality in precision
inspection equipment and premium hand tools.

On behalf of the Aven team, we look forward to providing you with a custom solution to solve your needs.

Mark Kanpurwala VP of Sales and Marketing

Contact Us!

Phone: (734) 973-0099 Email: info@aventools.com Website: aventools.com

4330 Varsity Dr. Ann Arbor, MI 48108

















