








10163478-14373XXLF



| | | | | | | | | | | | | |
|---|---------------------------------------|---------|-------|-----------------|------------------|---|---|---|--------------|----------------|-------|-----------|
| spec ref | | | | dr | Dipu Joseph | 2021/06/19 | <div>projection</div>  | <div>mm</div>  | size | A3 | scale | 4:1 |
| tolerance std ASME Y14.5 - | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | eng | Sandar Soe | 2023/10/09 | | | ecn no | | | |
| | | | | chr | - | - | | | | | | |
| | | | | appr | Koon-Poh Tay | 2023/10/09 | | | | product family | - | rel level |
| <div>surface</div> <div>✓</div> <div>ASME Y14.5</div> | linear | 0.X | ±0.3 | Amphenol FCI | title | COM HPC RECEPTACLE ASSEMBLY 400POS, BOARD TO BOARD | dwg no | 10163478 | rev | A | | |
| | | 0.XX | ±0.15 | | | | | | | | | |
| | | 0.XXX | ±0.10 | | | | | | | | | |
| | | angular | 0° | ±2° | amphenol-icc.com | cat. no. | - | Product - Customer Drw | sheet 1 of 3 | | | |

A

B

C

D

10163478-LF

PLATING TYPE

I: 10u" Au

PICK-UP OPTIONS

I : MYLAR TAPE 30x9.00MM

PACKAGING OPTIONS

T: TAPE & REEL


HEIGHT (DIM "X")

373: 3.73MM


NO. OF POSITION





4: 400 POSITIONS

NOTES:

1. MATERIAL:
HOUSING: HIGH PERFORMANCE THERMOPLASTIC
CONTACT: COPPER ALLOY.
2. PLATING:
CONTACT AREA: 10μ" MIN GOLD,OVER 50μ" MIN NICKEL
3. MINIMUM PUSHOUT FORCE:1.6N
4. PRODUCT SPECIFICATION: GS-12-1822
5. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND
OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
6. DATE CODE "MMDDYYL", MMDDYY IS ASSEMBLY DATE.
L IS AFCI PRODUCTION SITE.
7. A  SYMBOL BE NEXT TO ANY DIMEENSION, VIEW OR
NOTE WHICH HAD BEEN MODIFIED WITH THE CURRENT
DRAWING REVISION.

DATE CODE



| | | | | | | | | | | | | | |
|---------------|---|---------|-------|-------|---|--------------|-----------------------------|---|---|-----------|----------|--------------|-----|
| spec ref | | | | dr | | Dipu Joseph | 2021/06/19 |  |  | size | A3 | scale | 1:1 |
| tolerance std | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | eng | | Sandar Soe | 2023/10/09 | | | ecn no | | | |
| ASME Y14.5 | | | | chr | | - | - | | | rel level | | | |
| - | | | | appr | | Koon-Poh Tay | 2023/10/09 | product family | | - | Released | | |
| surface |  | linear | 0.X | ±0.3 |  | title | COM HPC RECEPTACLE ASSEMBLY | | | dwg no | 10163478 | | rev |
| | | | 0.XX | ±0.15 | | | | | | | | | |
| | | | 0.XXX | ±0.10 | | | | | | | | | |
| ASME Y14.5 | | angular | 0° | ±2° | amphenol-icc.com | cat. no. | - | Product - Customer Drw | | | | sheet 3 of 3 | |