



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: Cable Clamp

Primary Product Material: Carbon Steel

Number of Positions: 14

Thread Size: 4-40

Packaging Method: Bag

Features

Product Type Features

Strain Relief Accessory Type	Cable Clamp
------------------------------	-------------

Configuration Features

Number of Positions	14
---------------------	----

Body Features

Primary Product Plating Material	Nickel
Cable Exit Angle	180°, 90°
Primary Product Material	Carbon Steel

Mechanical Attachment

Thread Size	4-40
-------------	------

Dimensions

Product Width	15.88 mm[.625 in]
Product Length	28.58 mm[1.125 in]
Product Height	31.75 mm[1.25 in]

Usage Conditions

--	--



Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Method	Bag
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | AMP M Series



Board-to-Board Jumpers & Shunts(7)	Connector Caps & Covers(12)	Connector Hardware(18)	Connector Strain Relief(11)
Rack & Panel Connectors(1)	Rectangular Power Connectors(66)	Standard Edge Connectors(1)	

Customers Also Bought

TE Part #206554-1 CPC PLUG ASSEMBLY SIZE 17-16	TE Part #205043-1 12 PL. BLOCK FEM.	TE Part #7-1616941-3 K400B3C05=CONTACTOR SPST DB 400 AMP 28 V	TE Part #7-2252003-3 K500B3C02=CONTACTOR SPST NO 500A MAGBLOW
TE Part #200875-7 SKT ASSY,M SERIES	TE Part #620080-000 D-108-12	TE Part #2-331350-9 BNC PLUG	TE Part #6-203736-0 34 UNASSM KIT,M SERIES
TE Part #79010-18-32PN HERM RECP			

Documents



Product Drawings

14 PL. STRAIN RELIEF CLAMP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_200686-1_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_200686-1_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_200686-1_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

M_SERIES_PIN_AND_SOCKET_CONNECTORS

English

Instruction Sheets

Instruction Sheet (U.S.)

Japanese

Instruction Sheet (U.S.)

English

AMP Strain Releif Clamp for 14, 20, & 26 Position Series "M" Connector

English

Agency Approvals

Agency Approval Document

English