

RAPID LOCK

TE Internal #: 6648234-2

Busbar Connectors, Wire-to-Bus Bar, Wire & Cable, Thermoplastic,

Red, Box, Copper Alloy, Power, Cable Mount (Free-Hanging)

View on TE.com >



Connectors > Power Connectors > Busbar Connectors











Connector System: Wire-to-Bus Bar

Connector & Contact Terminates To: Wire & Cable

Housing Material: Thermoplastic

Housing Color: Red

Bus Bar Connector Mounting Retention: With

Features

Product Type Features

Connector System	Wire-to-Bus Bar
Connector & Contact Terminates To	Wire & Cable
Electrical Characteristics	
Operating Voltage	250 VAC

Body Features

Bus Bar Contact Plating Material Gold	
---------------------------------------	--

Contact Features

Mating Pin Diameter	2 mm[.07 in]
Contact Mating Area Plating Material Thickness	.75 μm[30 μin]
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	145 A
Contact Length	4 mm[.157 in]
Bus Bar Contact Style	CROWN BAND

Mechanical Attachment



Bus Bar Connector Mounting Retention	With
bus but conficcion wouldn't greatention	V V I CI I
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Thermoplastic
Housing Color	Red
Dimensions	
Product Width	15.54 mm[.611 in]
Wire Size	1/0 AWG
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



Customers Also Bought













Documents

Product Drawings CONTACT, SKT, #0

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_6648234-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_6648234-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6648234-2_A.3d_stp.zip



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED

English

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Application Specification

English

Agency Approvals

Agency Approval Document

English