

Z-PACK | Z-PACK 2mm HM

TE Internal #: 646274-1 Guide Pin Housing, Polyester - GF, Z-PACK 2mm HM View on TE.com >



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: Guide Hardware

Connector Hardware Accessory Type: Guide Pin Housing

Primary Product Material: Polyester - GF

Operating Temperature (Max): 125 °C [257 °F]

Operating Temperature Range: -55 - 125 °C [-67 - 257 °F]

Features

Product Type Features

Hardware Accessory Function	Guide Hardware
Connector Hardware Accessory Type	Guide Pin Housing
Body Features	
Primary Product Plating Material	Gold
Product Orientation	Vertical
Primary Product Material	Polyester - GF
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 - 125 °C[-67 - 257 °F]
Packaging Features	
Packaging Quantity	1000
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

Guide Pin Housing, Polyester - GF, Z-PACK 2mm HM



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series Z-PACK 2mm HM




Guide Pin Housing, Polyester - GF, Z-PACK 2mm HM








Customers Also Bought



Documents



646274-1

Guide Pin Housing, Polyester - GF, Z-PACK 2mm HM



English

Customer View Model ENG_CVM_CVM_646274-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_646274-1_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Product Specifications Application Specification

English