

AMP | AMP CPC

TE Internal #: 206966-9

Cable Clamp Kit, Thermoplastic, Black, Shell Size 13, .453 in [11.51

mm] Cable Entry, UL 94V-0, AMP CPC

View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief > CPC Cable Clamps











Strain Relief Accessory Type: Cable Clamp Kit

Primary Product Material: Thermoplastic

Primary Product Color: Black

Compatible With Connector Shell Size: 13
Cable Entry Diameter: 11.51 mm [.453 in]

All CPC Cable Clamps (25)

Features

Product Type Features

Strain Relief Accessory Type	Cable Clamp Kit
Body Features	
Primary Product Material	Thermoplastic
Primary Product Color	Black
Mechanical Attachment	
Thread Size	3/4-20 UNEF-2B
Housing Features	
Compatible With Connector Shape	Circular
Body Orientation	Straight
Dimensions	
Cable Entry Diameter	11.51 mm[.453 in]

Operation/Application



Compatible With Connector Shell Size	13
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Bulk
Packaging Quantity	200

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # CAT-AM71-C83998J Cable/Panel Mount Connector, CPC



TE Part # CAT-AM71-C83998F Connectors with Posted Pin Contacts, CPC Series 1



TE Part # 206708-1 CPC PLUG ASSEMBLY SIZE 13-9



TE Part # CAT-AM71-C83998Y One-Piece Connector, Sealed, CPC Series 1

TE Part # 206975-1 CABLE CLAMP BODY SIZE 13

Also in the Series | AMP CPC



Circular Power Connectors(458)









Connector Hardware(12)




Connector Seals & Cavity Plugs(36)



Connector Strain Relief(60)



Insertion & Extraction Tools(1)



Customers Also Bought





TE Part # 211399-1 CPC PLUG ASSEMBLY SIZE 13-7



TE Part # 211400-1 Cable/Panel Mount Connector, CPC Series 1




TE Part # 1-66106-5 Strip Pin and Socket Contacts, Type III











Documents

Product Drawings

CABLE CLAMP KIT, BULK PKG

English

CAD Files

Customer View Model

ENG_CVM_CVM_206966-9_S.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_206966-9_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_206966-9_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use

Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English