



Connectors > Connector Accessories > Connector Backshells > Circular DIN Backshells



Connector Backshell Product Type: **Backshell**

Primary Product Material: **PA6**

Sealable: **No**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

[All Circular DIN Backshells \(16\)](#)

Features

Product Type Features

Connector Backshell Product Type	Backshell
Sealable	No

Body Features

Cable Exit Angle	90°
Primary Product Color	Black
Primary Product Material	PA6

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Quantity	400
--------------------	-----



Packaging Method	Carton
Other	
Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-C4962-CH8172 Circular DIN Housings</p>	 <p>TE Part # CAT-H3399-CH8172 Heavy Duty Sealed Connector Series Housings</p>	 <p>TE Part # 4-967325-1 2,5MM BU-GEH 4P,BL</p>	 <p>TE Part # 1718230-1 1,5MM PIN HSG 5-7 POS ASSY</p>
---	--	--	---

Customers Also Bought





TE Part #4-1564337-1
Heavy Duty Sealed Connector Series
Housings



TE Part #5-2208684-3
39POS,AMP MCP2.8,REC HSG,ASSY



TE Part #212609-1
RECEPT HSG,4 POSN,METRIMATE



TE Part #4-1625890-8
2W SM M/OX 5% 3K9



TE Part #964408-1
08P.JR-TIMER HSG.



TE Part #2141345-1
COVER,NW29



TE Part #1355437-3
MCP9,5 EINZELDICHTG



TE Part #CQ70833001
55E0119-1.50-2(NS)

Documents

Product Drawings

MULTI CORE CABLE ADAPTER 90 DEGREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1418918-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1418918-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1418918-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

