
3PCV-05-006 🗸 ACTIVE

Buchanan | Buchanan 3 Series

TE Internal #: 4-1437646-5 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 5 Position, 6.35 mm [.25 in] Centerline, 1 Row, Buchanan 3 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: **Tri-Barrier** Bottom Termination Type: **Printed Circuit Pin** Connector System: **Wire-to-Board**

Number of Positions: 5

Centerline (Pitch): 6.35 mm [.25 in]

Features

Product Type Features

Block Style

Connector System

Connector & Contact Terminates To

Flat Bottom with standoffs

Wire-to-Board

Printed Circuit Board

Configuration Features

Number of Levels	1
Number of Positions	5
Number of Rows	1
Electrical Characteristics	
Operating Voltage	300 V
Body Features	
Primary Product Color	Black
Product Orientation	Vertical
Barrier Strip Style	Tri-Barrier
Contact Features	
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	10 A
Termination Features	

3PCV-05-006

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 5 Position, 6.35 mm [.25 in] Centerline, 1 Row, Buchanan 3 Series



Bottom Termination Type	Printed Circuit Pin
Mechanical Attachment	
Screw Head Type	Combo Phil-Slot
Screw Plating Material	Zinc
Screw Material	Steel
Top Termination Type	Wire Clamp Combo Head
Mounting Options	None
Thread Size	M3
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic
Centerline (Pitch)	6.35 mm[.25 in]
Dimensions	
Product Length	33.02 mm[1.3 in]
Wire Size	.05 - 1.3 mm²
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]

Operation/Application

Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	300
Packaging Method	Package
Product Compliance For compliance documentation, visit the product page on TE.com>	
·	Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

3PCV-05-006

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 5 Position, 6.35 mm [.25 in] Centerline, 1 Row, Buchanan 3 Series



Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Wave solder capable to 265°C

Halogen Content

Solder Process Capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Buchanan 3 Series




Customers Also Bought

3PCV-05-006

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 5 Position, 6.35 mm [.25 in] Centerline, 1 Row, Buchanan 3 Series





Documents

CAD Files

Customer View Model

ENG_CVM_CVM_4-1437646-5_H.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1437646-5_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-1437646-5_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages 1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English