# 3PCV-06-006 ACTIVE

### Buchanan | Buchanan 3 Series

TE Internal #: 5-1437646-0

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 6 Position, 6.35 mm [.25 in] Centerline, 1 Row, Buchanan 3 Series

View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 6

Centerline (Pitch): 6.35 mm [ .25 in ]

## **Features**

### **Product Type Features**

| Block Style                                   | Flat Bottom with standoffs |
|---|----------------------------|
| Connector System                              | Wire-to-Board              |
| Connector & Contact Terminates To             | Printed Circuit Board      |
| Configuration Features                        |                            |
| Number of Levels                              | 1                          |
| Number of Positions                           | 6                          |
| Number of Rows                                | 1                          |
| Electrical Characteristics                    |                            |
| Operating Voltage                             | 300 V                      |
| Body Features                                 |                            |
| Primary Product Color                         | Black                      |
| Product Orientation                           | Vertical                   |
| Barrier Strip Style                           | Tri-Barrier                |
| Contact Features                              |                            |
| PCB Contact Termination Area Plating Material | Tin                        |
|   |                            |

Copper Alloy

10 A

Contact Base Material

**Termination Features** 

Contact Current Rating (Max)



| Bottom Termination Type     | Printed Circuit Pin        |
|-----------------------------|----------------------------|
| Mechanical Attachment       |                            |
| Screw Head Type             | Combo Phil-Slot            |
| Screw Plating Material      | Zinc                       |
| Screw Material              | Steel                      |
| Top Termination Type        | Wire Clamp Combo Head      |
| Mounting Options            | None                       |
| Thread Size                 | M3                         |
| Connector Mounting Type     | Board Mount                |
| Housing Features            |                            |
| Housing Material            | Thermoplastic              |
| Centerline (Pitch)          | 6.35 mm[.25 in]            |
| Dimensions                  |                            |
| Product Length              | 39.37 mm[1.55 in]          |
| Wire Size                   | .05 - 1.3 mm <sup>2</sup>  |
| Usage Conditions            |                            |
| Operating Temperature Range | -40 - 105 °C[-40 - 221 °F] |
| Operation/Application       |                            |
| Circuit Application         | Power                      |
| Industry Standards          |                            |
| UL Flammability Rating      | UL 94V-0                   |
| Packaging Features          |                            |
| Packaging Quantity          | 250                        |
| Packaging Method            | Package                    |

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant                                   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant                                   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold     |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240) |



|                 | Candidate List Declared Against: JAN 2024              |
|-----------------|--|
|                 | (240)  |
|                 | Does not contain REACH SVHC                            |
| Halogen Content | BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources. |

Solder Process Capability Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**






## Also in the Series | Buchanan 3 Series




## Customers Also Bought





TE Part # 5177985-4 0.8FH,R05H.5,100,08/Sn,TR,SC



TE Part # 5177985-6 0.8FH,R05H.5,140,08/Sn,TR,SC



TE Part # 1-2176230-0 3522 4R7 5% 3W





TE Part # 5569262-1 STK MJ ASSY,8POS,2X4,SHLD,CAT5



TE Part # 1825910-7 FSM4JAH=6MM TACT SWITCH, HIGH TEMP



TE Part # 3-1437646-3 3PCV-02-006=3PCV ASSEMBLY







## **Documents**

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_5-1437646-0\_H.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5-1437646-0\_H.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1437646-0\_H.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use

## Datasheets & Catalog Pages

1-1773458-2\_BARRIER\_STRIPS\_QUICK\_REFERENCE\_GUIDE

English