

USB 3.0 Ethernet Adapter, USB 3.0 Network Adapter NIC with USB Port, USB to RJ45, USB Passthrough

Product ID: USB31000SPTB




The USB31000SPTB USB 3.0 to Gigabit Ethernet Adapter lets you add a Gigabit network port to your laptop or Ultrabook computer through a USB 3.0 port, and features an integrated USB 3.0 pass-through port that keeps your USB port available for use with other peripherals. The RJ45 port supports 10/100/1000 Mbps Ethernet and is fully compatible with IEEE 802.3i/u/ab standards. The network adapter is the ideal laptop accessory for your Microsoft Surface Pro 4, Surface Pro 3, Surface 3, Surface Pro 2 or Surface Book.

An ideal replacement LAN adapter or laptop accessory, this compact USB 3.0 NIC leverages the 5 Gbps speed of USB 3.0 to provide full gigabit bandwidth and also offers backward compatibility with USB 2.0 systems (speed limited by USB bus).

The adapter supports features such as IPv4/IPv6 packet Checksum Offload Engine (COE) and TCP large send offload to reduce the load on your CPU. Jumbo Frames, full-duplex operation with 802.3x flow control and VLAN tagging are also supported, making this an efficient and full-featured USB network adapter.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

## **Certifications, Reports and Compatibility**







## Applications

- · Add Gigabit Ethernet capabilities to a desktop or laptop
- Replacement for a failed built-in Gigabit Ethernet port on a laptop

## Features

• USB NETWORK ADAPTER: Use the USB-A port on your laptop to add LAN access through a Gigabit Ethernet port; Features an integrated USB 3.0 passthrough port to connect additional peripherals; Crossover Detection & Auto-Correction (Auto MDIX)

• FULL FEATURED: USB-A to Ethernet dongle; Uses ASIX AX88179A Chipset for native compatibility with laptop, desktops, and 2-in-1 computers; Wake-On-LAN and VLAN Tagging support

• OS COMPATIBILITY: USB NIC adapter for laptop; Works with Windows versions 7 and up, Windows Server, macOS 10.14 and up, Linux Kernel 2.6.25 and up (LTS Versions only), and Chrome OS

• VERSATILE DESIGN: With its compact and lightweight design for maximum portability, this USB Type-A NIC/Gigabit network adapter enables you to securely connect your laptop to a Gigabit Ethernet network wherever you go; USB bus-powered

• CONNECTIVITY TOOLS: Provided with this device, the application improves performance and security, featuring MAC Address Changer & Wi-Fi Auto Switch utilities

Hardware		
	Warranty	2 Years
	Ports	1
	Interface	RJ45 (Gigabit Ethernet)
	Bus Type	USB 3.2 Gen 1 (5Gbps)
	USB Pass-Through	Yes
	Industry Standards	IEEE802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802
	Chipset ID	ASIX - AX88179A
		VIA/VLI - VL817

Performance



	Maximum Data Transfer	5 Gbps (USB 3.0)
	Rate	2 Gbps (Ethernet - Full-Duplex)
	Max Distance	100 m / 330 ft
	Type and Rate	USB 3.0 - 5 Gbit/s
	Compatible Networks	10/100/1000 Mbps
	Auto MDIX	Yes
	Full Duplex Support	Yes
	Jumbo Frame Support	4K max.
Connector(s)	Connector Type(s)	1 - RJ-45
		1 - USB Type-A (9 pin, 5 Gbps)
		1 - USB Type-A (9 pin, 5 Gbps)
Software		
	OS Compatibility	Windows XP, Vista, 7, 8, 8.1, 10, 11
		Windows Server 2003, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022
		macOS 10.6 to 10.15, 11.3 to 14.0 - <i>VLAN tagging is currently not supported in macOS</i>
		Linux Kernel 2.6.25 and up - <i>LTS Versions only</i>
		ChromeOS 55+
Special Notes / Requirements		
	System and Cable Requirements	Available USB Port
	Note	Jumbo Frames are no longer supported in macOS
Indicators		
	LED Indicators	1 - Gigabit Link/Activity (Amber)
		1 - 10/100 Link/Activity (Green)
Power		
	Power Source	USB-Powered

Power Source

USB-Powered



0C to 50C (22E to 122E)
0C to 50C (32F to 122F)
-20C to 60C (-4F to 140F)
5~85% RH
Black
Attached Cable
Plastic
5.7 in [14.5 cm]
11.0 in [28.0 cm]
1.4 in [3.5 cm]
0.7 in [1.7 cm]
1.6 oz [44.0 g]
1
6.5 in [16.6 cm]
5.6 in [14.2 cm]
1.2 in [3.0 cm]
4.4 oz [124.0 g]
1 - USB 3.0 Network Adapter
1 - Driver CD
1 - Instruction Manual

\*Product appearance and specifications are subject to change without notice.