HS LC-H-D2SP/R1XC3 - Fiber optic



1474390

https://www.phoenixcontact.com/us/products/1474390

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Multiple light guides, passive, rigid, can be used for the ME, ME-MAX, ME-IO, ME PLC, and EH housing ranges (housing must be processed)



Your advantages

- · Light guides are perfectly matched to electronics housings
- · Easy mounting on the PCB using press pins
- · Resistance to ESD
- · Housing processing available on request
- Enables simple visual status and diagnostic indicators

Commercial data

Item number	1474390
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	AC05
Product key	ACGABA
GTIN	4063151888756
Weight per piece (including packing)	0.66 g
Weight per piece (excluding packing)	0.66 g
Customs tariff number	90019000
Country of origin	DE

HS LC-H-D2SP/ R1XC3 - Fiber optic



1474390

https://www.phoenixcontact.com/us/products/1474390

Technical data

Notes

Refer to the data sheet for the range in the download area.					
Product properties					
Fiber optic					
3					
2.54 mm					
1					
Horizontal					
passive, rigid					
Multiple light guides					
Raised head					

3 (1 row x 3 columns)

Electrical properties

Number of indicators

ESD protection	< 8 kV
----------------	--------

Dimensions

Diameter	2 mm
Hole diameter	1.1 mm
Pitch	2.54 mm

Material specifications

Color (Light guide)	transparent
Insulating material	Polycarbonat

Environmental and real-life conditions

Ambient conditions

Max. IP code to attain	IP20
Ambient temperature (operation)	-40 °C 85 °C

HS LC-H-D2SP/ R1XC3 - Fiber optic



1474390

https://www.phoenixcontact.com/us/products/1474390

Classifications

ECLASS

	ECLASS-11.0	27182702		
	ECLASS-13.0	27460404		
ETIM				
	ETIM 9.0	EC002943		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com