

Metal Outlet grille - cut-out 317x91mm ext dim 345x118mm IP20

NSYCAG317X91M

Main

Range	ClimaSys
Product	ClimaSys CA
product or component type	Metal louvre plate
Accessory / separate part categor	Thermal management accessory
Accessory / separate part destination	ClimaSys ventilation system
mounting location	Sides of enclosure
Fixing mode	By screws
Device composition	1 fixing elements

Complementary

Material	Steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
Cut-out dimensions	317 x 91 mm
Height	External: 345 mm
Width	External: 118 mm
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.500 cm
Package 1 Width	12.000 cm
Package 1 Length	34.500 cm
Package 1 Weight	314.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	2.500 cm
Package 2 Width	12.500 cm
Package 2 Length	35.000 cm
Package 2 Weight	1.619 kg

Unit Type of Package 3	S02
Number of Units in Package 3	25
Package 3 Height	15 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	8.339 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations