Specifications



PanelSeT SF transparent door - 800x800 mm

NSYMPD88T

Main

Range	PanelSeT
Accessory / separate part categor	Enclosure accessory
product or component type	Partial door
Application	Compartmentalised application
For enclosure nominal dimensions	-
mounting location	Front
Range compatibility	PanelSeT PanelSeT SFM
Device composition	2 escutcheon lock and 3 mm double bar insert 1 partial door 2 vertical reinforcement frame 3 hinges
Quantity per set	Set of 1

Complementary

Material	Door: Securit glass Door: sheet steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
lock type	Lock 3 mm double bar
Number of locks	2
Door type	External transparent
Door opening side	Reversible (120 °)
Height	Nominal: 800 mm Real: 794 mm
Width	Nominal: 800 mm Real: 769 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	78.0 cm
Package 1 Length	80.0 cm
Package 1 Weight	9.16 kg

Unit Type of Package 2	P12
Number of Units in Package 2	6
Package 2 Height	55.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	67.8 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Eq

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations