

# Product data sheet

Specifications



## reversible internal door polyester 2 locks grid pattern forPLM54

NSYPAP54G

### Main

Range	Thalassa
Accessory / separate part categor	Enclosure accessory
product or component type	Door
Application	Multi-purpose
For enclosure nominal dimensions	-
mounting location	Front side
Range compatibility	Thalassa Thalassa PLM
Device composition	1 door 1 handle 4 fixing brackets

### Complementary

Material	Polyester charged with fibreglass
Colour	Grey (RAL 7035)
lock type	Lock 5 mm double bar
Number of locks	2
Door type	Internal plain
Door opening side	Reversible (110 °)
Height	Grid pattern: 415 mm
Width	Grid pattern: 305 mm
Depth	Available depth between enclosure door : 26 mm Available depth between rear : 152 mm

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.4 cm
Package 1 Width	36.9 cm
Package 1 Length	50.1 cm
Package 1 Weight	1.669 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	5
Package 2 Height	38.9 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	29.3 cm
Package 2 Length	51.1 cm
Package 2 Weight	8.345 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	80
Package 3 Height	120 cm
Package 3 Width	100 cm
Package 3 Length	90 cm
Package 3 Weight	153 kg

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   [Yes](#)

## Certifications & Standards

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations