Specifications



# 4 hygienic stainless-steel adjustable screw jack - height: 200 mm

NSYPHX200

#### Main

Range	Spacial
Accessory / Separate Part Category	Installation accessory
Product Or Component Type	Feet
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Range Compatibility	Spacial Spacial SF
	Spacial Spacial SM
	Spacial Spacial SD
	Spacial Spacial SFX
	Spacial Spacial SMX
	Spacial Spacial SDX
Device Composition	4 feets
Quantity Per Set	Set of 1

## Complementary

Material	Stainless steel 316L
Surface Finish	Micro beaded
Fixing Mode	By screws - structure of enclosure location
Adjustment	20 mm
Permanent Permissible Load	100 kg
Height	200 mm
Net Weight	2.5 kg

# **Packing Units**

<u>~</u>	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.0 cm
Package 1 Width	15.5 cm
Package 1 Length	27.5 cm
Package 1 Weight	4.192 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	5
Package 2 Height	20.0 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm	
Package 2 Weight	20.96 kg	

### **Contractual warranty**

Warranty

18 months

#### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance



Eq

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations