



Metallic mounting plate for PLA enclosure H1000xW750mm

NSYPMM107

Main

Range	Thalassa	
Accessory / Separate Part Categor	Mounting accessory	
Product Or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure Nominal Dimensions	-	
Mounting Location	Back inserts	
	Step slide	
Mounting Plate Description	Plain	
Range Compatibility	Thalassa Thalassa PLA	
	Thalassa Thalassa PHD	
Device Composition	1 mounting plate	
Material	Galvanised steel	

Complementary

Fixing Mode	By screws - screw type M8 - on back inserts location 150 kg	
Permanent Permissible Load		
Height	Nominal: 1000 mm Real: 890 mm	
Width	Nominal: 750 mm Real: 625 mm	
Depth	Real : 125 mm	
Thickness	2.5 mm	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	62.500 cm
Package 1 Length	89.500 cm
Package 1 Weight	11.000 kg
Unit Type Of Package 2	PAM
Number Of Units In Package 2	40
Package 2 Height	45.000 cm

Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	496 240 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations