Specifications



Telequick mounting plate for PLA enclosure H1250xW500mm

NSYPMR125

Main

Range	Thalassa
Accessory / separate part categor	Mounting accessory
product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
mounting location	Step slide Back inserts
Mounting plate description	Telequick perforated
Range compatibility	Thalassa Thalassa PLA Thalassa Thalassa PHD
Device composition	1 mounting plate
Material	Galvanised steel

Complementary

Fixing mode	By screws - screw type M8 - on back inserts location
Permanent permissible load	150 kg
Height	Nominal: 1250 mm Real: 1120 mm
Width	Nominal: 500 mm Real: 376 mm
Depth	Real : 15 mm
Cut-out dimensions	11 x 26 mm

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	38.0 cm
Package 1 Length	112.0 cm
Package 1 Weight	3.098 kg
Unit Type of Package 2	РАМ
Number of Units in Package 2	72
Package 2 Height	90.0 cm

Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	236.0 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations