

Product data sheet

Specifications



Telequick mounting plate for PLS box 54x72cm

NSYPMR5472

⚠ Discontinued on: Sep 30, 2023

⚠ Discontinued

Main

Range	Thalassa
Accessory / separate part categor	Mounting accessory
product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
mounting location	Back inserts
Mounting plate description	Telequick perforated
Range compatibility	Thalassa Thalassa PLS
Device composition	1 mounting plate
Material	Galvanised steel

Complementary

Fixing mode	By screws - screw type M6 - on back inserts location
Permanent permissible load	150 kg
Height	Nominal: 540 mm
Width	Nominal: 720 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	49.0 cm
Package 1 Length	68.0 cm
Package 1 Weight	2.346 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	170
Package 2 Height	105.0 cm
Package 2 Width	102.5 cm
Package 2 Length	123.0 cm
Package 2 Weight	412.0 kg

Contractual warranty

Warranty

18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)
