Door cable guides cross rail, PanelSeT SFN, PanelSeT SF, PanelSeT SM, W800mm



NSYSDGCR8

Main

Range	PanelSeT	
product or component type	Door cable-guide cross rail	
Application	Multi-purpose	
Nominal dimensions of the housing	-	
mounting location	On door reinforcement frame	
Range compatibility	PanelSeT SF, SM, SFX and SMX enclosures	
Device composition	Fixing elements 2 x cross rails	
Quantity per set	Set of 1	

Complementary

Material	Steel	
Surface finish	Galvanized	
Adjustment	Adjustable in height every 25 mm for on door reinforcement frame	
Height	30 mm	
Width	Nominal: 800 mm Fixing centers: 650 mm	
Depth	13 mm	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	4.5 cm
Package 1 Length	68.5 cm
Package 1 Weight	780.0 g
Unit Type of Package 2	PAL
Unit Type of Package 2 Number of Units in Package 2	PAL 50
Number of Units in Package 2	50
Number of Units in Package 2 Package 2 Height	50 29.0 cm

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations