

Post fixing device WM PanelSeT, length 400. For post max 675. Max. Load:100kg.

NSYSFPSC40

Main

Range	PanelSeT	
Accessory / separate part categor	Fixing accessory	
product or component type	Post fixing device	
Device application	Multi-purpose	
Enclosure nominal dimensions	-	
mounting location	Rear of enclosure	
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT SBM PanelSeT PanelSeT CRN	
Device composition	fixing elements 2 support rail 2 strip	
Quantity per set	Set of 1	

Complementary

Material	Galvanised steel By fixing element - screw type M8 - to the inserts in the rear of the enclosure location Minimum diameter 150 mm Maximum diameter 215 mm	
Fixing mode		
Permanent permissible load	100 kg	
Height	45 mm	
Width	395 mm	
Depth	32.5 mm	
net weight	2.4 kg	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	39.6 cm
Package 1 Width	14.0 cm
Package 1 Length	4.0 cm
Package 1 Weight	2.4 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations