Product data sheet

Specifications

Spacial SF transparent door - 2200x1000 mm

NSYSFD2210T

⚠ **To be discontinued on:** Sep 30, 2024

⚠ **To be discontinued**

Main

Range	PanelSeT
Accessory / Separate Part Categor	Enclosure accessory
Product Or Component Type	Door
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Mounting Location	Front
Range Compatibility	PanelSeT PanelSeT SF
Device Composition	1 door 1 lock with handle and 5 mm double bar insert 1 locking bar system 4 points 4 hinges 4 locking bar catches
Quantity Per Set	Set of 1

Complementary

Material	Door: Securit glass Door: sheet steel
Colour	Grey (RAL 7035)
Surface Finish	Epoxy-polyester powder
Lock Type	Lock 5 mm double bar
Number Of Locks	1
Door Type	External transparent
Door Opening Side	Reversible (120 °)
Height	Nominal: 2200 mm
Width	Nominal: 1000 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	97.5 cm
Package 1 Length	228.5 cm
Package 1 Weight	35.0 kg

Contractual warranty

Warranty   18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation   China RoHS declaration

Product out of China RoHS scope. Substance declaration for your information

---