

Specification Sheet

Part Number: T255S0HIRX2



Engineered and manufactured for maximum performance and quality. Made from 100% high-quality plastic to ensure efficient recycling.

Inside serration for a strong grip onto bundles.

Easy application either manually or with a tensioning tool.

Bent tail allows for simpler insertion.

Heavy Duty Cable Tie, 9" Long, UL Rated, 250lb Tensile Strength, PA66HIRHSUV, Black, 25/pkg

Article Number 111-25500

Type T255S

Color Black (BK)

Quantity Per bag

Product Description

HellermannTyton's T255 series heavy duty cable ties are ideal for bundles demanding a strong cable tie that may also require a higher temperature rating than the T250 series. These ties have a tensile strength of 250 lbs. Heavy-Duty T-Series Cable Ties feature inside serrations to provide a positive hold on wire and cable bundles. Durable head design guarantees high tensile strength and a low insertion force. The bent tail allows quick and simple installations by hand. For high-volume applications, tensioning tools are available to ensure consistent and safe installation.

Short Description	Heavy Duty Cable Tie, 9" Long, UL Rated, 250lb Tensile Strength, PA66HIRHSUV, Black, 25/pkg		
Global Part Name	T255S-PA66HIRHSUV-BK		
Minimum Tensile Strength (Imperial)	250.0		
Minimum Tensile Strength (Metric)	1115		
Length L (Imperial)	9.0		
Length L (Metric)	225.0		
Identification Plate Position	none		
Releasable Closure	No		
Variant	Inside Serrated		
Width W (Imperial)	0.50		
Width W (Metric)	12.7		
Bundle Diameter Min (Imperial)	0.49		
Bundle Diameter Min (Metric)	12.5		

2.2

55.9

Bundle Diameter Max (Imperial)

Bundle Diameter Max (Metric)

Polyamide 6.6 high impact modified, heat and UV stabilized Material (PA66HIRHSUV) **Material Shortcut** PA66HIRHSUV Flammability **UL 94 HB** Halogen Free Yes UV Resistant (Yes/No) Yes **Operating Temperature** -40°F to +221°F (-40°C to +105°C) Reach Compliant (Article 33) No **ROHS Compliant** Yes UL Recognized (US) Yes UL Recognized (US and Canada) Yes

Package Quantity (Imperial) 25

Package Quantity (Metric) 25

Customs Number 3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar,

uction, quality	assurance and delivery is opti	mized to bene	fit local and global
Reserved.	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions
	s Reserved.	uction, quality assurance and delivery is opti is in 39 countries, with North American heado	