

Specification Sheet

Part Number: 151-00006



Tubes are fixed a defined distance from the substructure.
Defined diameter for the wire entry.

Retainer is fixed in the hole with BHT-tie.

Cable Guide Standoff, 1.0" Max Bundle Diameter, PA66HIRHSUV, Black, 250/pkg

Article Number	151-00006
----------------	-----------

Type	CGS1
------	------

Color	Black (BK)
-------	------------

Quantity Per	bag
--------------	-----

Product Description	This cable guide standoff is designed for the use with HellermannTyton's button head ties. The cable guide standoff stands off bundles from frame rails, providing clearance from bolts and other protrusions for protection against abrasion. This mount also allows the flow-through of salt, dirt and other impurities from the road, preventing unwanted build-up on hoses and harnesses. This product perfectly secures convoluted tubing's up to 26mm in diameter.
---------------------	--

Short Description	Cable Guide Standoff, 1.0" Max Bundle Diameter, PA66HIRHSUV, Black, 250/pkg
-------------------	---

Global Part Name	CGS1-PA66HIRHSUV-BK
Length L (Imperial)	2.23
Length L (Metric)	56.6
Variant	Mounts
Width W (Imperial)	1.0
Width W (Metric)	25.4
Bundle Diameter Max (Imperial)	1.02
Bundle Diameter Max (Metric)	25.8
Height H (Imperial)	1.2
Height H (Metric)	30.5
Mounting Hole Diameter D (Imperial)	0.50
Mounting Hole Diameter D (Metric)	12.7 mm
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV

Flammability	UL 94 HB
UV Resistant (Yes/No)	Yes
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)