


CGS | CGS TJT

TE Internal #: 2176248-3 Power Resistor, 2.2 Ω, 250 W, Wire Wound, 2 Termination, ±260 ppm/°C, 5 %, Flying Leads Termination, Loose Piece - Box, 1 Resistor, CGS TJT

View on TE.com >





Resistor Type: Power Resistor

Resistance Class: Up to $1k\Omega$

Resistance Value: 2.2Ω

Power Rating: 250 W

Element Type: Wire Wound

Features



Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Resistance Class	Up to 1kΩ
Resistance Value	2.2 Ω
Power Rating	250 W
Passive Component Tolerance	5 %
Termination Features	
Number of Terminations	2
Chassis Mount Resistor Termination Type	Flying Leads
Mechanical Attachment	

C For support call +1 800 522 6752

TJT2502R2J

Power Resistor, 2.2 Ω , 250 W, Wire Wound, 2 Termination, ±260 ppm/°C, 5 %, Flying Leads Termination, Loose Piece - Box, 1 Resistor, CGS TJT



Panel Mount Feature Type	Flange with Mounting Holes
Dimensions	
Product Height	10 mm[.394 in]
Product Length	180 mm[7.087 in]
Product Width	80 mm[3.149 in]
Usage Conditions	
Operating Temperature Range	-25 - 250 °C
Temperature Coefficient	±260 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024

Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Hand solderable with lead free solder

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

C For support call +1 800 522 6752

TJT2502R2J

Power Resistor, 2.2 Ω , 250 W, Wire Wound, 2 Termination, ±260 ppm/°C, 5 %, Flying Leads Termination, Loose Piece - Box, 1 Resistor, CGS TJT





Also in the Series | CGS TJT



Chassis Mount Resistors(76)

Customers Also Bought



		= TE	-= TE
TE Part # 3-350816-2 ULTRAFAST 187 ASSY REC 16-14 TPBR LP	TE Part # 2-520193-2 ULTRA-FAST 187 ASY REC 22-18 TPBR	TE Part # 2176248-2 TJT 250W 1R5 5%	TE Part # ES13424001 EVSW-26/12.7-3-SP

Documents

Product Drawings

TJT 250W 2R2 5%

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2176248-3_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2176248-3_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2176248-3_BA.3d_stp.zip

TJT2502R2J

Power Resistor, 2.2 Ω , 250 W, Wire Wound, 2 Termination, ±260 ppm/°C, 5 %, Flying Leads Termination, Loose Piece - Box, 1 Resistor, CGS TJT



English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages ALUMINIUM ENCLOSED POWER RESISTORS - Type TJT Series

English

TJT-0715

English