



Main

| | |
|-----------------------|---------------------------|
| Product | Miniature circuit-breaker |
| Range | QO |
| Current Rating | 200 A |
| Voltage Rating | 120/240 V AC 120 V AC |
| Mounting Type | Bolt-on |
| Number of Poles | 2P |
| Circuit Breaker Type | Standard |
| Electrical Connection | Lugs |
| Frame Size | QOM2 |

Complementary

| | |
|-----------------------|---|
| Interrupt Rating | 22 KA 120/240 V AC 22 kA 120 V AC |
| Wire Size | AWG 4...300 kcmil aluminium/copper |
| Tightening Torque | 53.10 lbf.in (6 N.m) 0.01...0.10 in ² (4...65 mm ²) (AWG 12...AWG 2/0) |
| Height | 5.59 in (142 mm) |
| Width | 3.58 in (91 mm) |
| Depth | 5.08 in (129 mm) |
| Net Weight | 2.57 lb(US) (1.165 kg) |
| Load Center Type | Main breaker |
| Number of Phases | 1 phase |
| For Use With | QO load center Homeline load center |
| Breaker compatibility | Load center QO[RETURN]Load center Homeline |

Environment

| | |
|----------------|----------------------|
| Certifications | UL Listed[RETURN]CSA |
| Ambient Rating | 104 °F (40 °C) |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US1DE3A00100 |
| Discount Schedule | DE3A |
| GTIN | 785901004066 |
| Returnability | Yes |
| Country of origin | US |

Packing Units

| | |
|------------------------------|------------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4.20 in (10.668 cm) |
| Package 1 Width | 5.50 in (13.97 cm) |
| Package 1 Length | 6.40 in (16.256 cm) |
| Package 1 Weight | 2.57 lb(US) (1.165 kg) |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Compliant with Exemptions |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|